

Symbols

@ symbol 25

Numerics

2D

graphics 238

3D

graphics 238

shapes and surfaces 245

A

aapt 40, 85

abortBroadcast 206

AbsoluteLayout 81

acceptance testing 380

access

permissions 130

ACTION_DOWN 334

ACTION_MOVE 334

ACTION_PICK 16

ACTION_UP 334

actions 103

using built ins 110

Activity 25, 36, 43, 59, 301, 303,
329, 362

built-in support 109

common way to invoke 66

Default category

designation 103

extended by user classes 18

key 109

lifecycle 60–70

objects 97

RefreshJobs 322

ShowJob 325

Adapter

ArrayAdapter 64

BaseAdapter 79

CursorAdapter 64

custom 78

defined 63

GalleryAdapter 64

ListAdapter 64

ReviewAdapter 78

AdapterView 74

adb 41, 67, 136, 345, 376

devices 376

installing and removing

applications 376

issuing shell commands 376

kill-server 376

running in debug mode 376

shell 345, 358

shell command 42

start-server 376

addCallBack 241

addProximityAlert 277

Address 290

addToDB 264

ADT 33, 38, 368

configuring 373

Installing 371

plug-in 52

AIDL 98, 117

publishing 120

syntax 117

types 118

aidl tool 117, 125

automatically invoked 119

Alarm 211, 219

broadcasts Intent 219

AlarmManager 211

supports four Alarm types 222

alarms 219–225

AlertDialog 66, 288

Android

application requires manifest
file 303

built-in applications 98

calling an Intent 104

development requires Java
skills 12

development tools

See also ADT

discourages direct file
sharing 23

drawing graphics 226–231

Emulator 5

Javadocs 72

licensing 10

Linux kernel-based OS 4

logging mechanism 20

market challenge same as
Palm 8

MediaPlayer 251

moving from Activity to

Activity 127

Music Player 264

not a J2ME platform 13

platform 4–6

resources 60

runtime 347

same but different 8

- Android (*continued*)
 - SDK 33
 - shell 27
 - stack 11–12
 - stock icon 302
 - user applications written in
 - Java 4
 - using resources 84–93
 - vs. iPhone 10
 - what it is not 4
 - android
 - id 89
 - Android Application Wizard 43
 - Android Asset Packaging
 - Tool 40
 - Android Asset Packaging Tool. *See* aapt
 - Android Debug Bridge. *See* adb
 - Android Development Tools. *See* ADT
 - Android device
 - touch screen–capable 301
 - Android Emulator 35, 38, 41, 50–54, 329
 - network speed 51
 - splash screen 304
 - testing core features 52
 - working with an SD card 140
 - Android Graphics API 231
 - Android Interface Definition
 - Language. *See* AIDL
 - Android Javadocs 101
 - Android Market 10, 381
 - automatic updates 381
 - content guidelines 381
 - developer terms 381
 - importance 382
 - Android packages 34
 - android.app 34
 - android.content 34
 - android.graphics 34
 - android.net 34
 - android.opengl 34
 - android.os 34
 - android.provider 34
 - android.telephony 34
 - android.text 34
 - android.util 34
 - android.view 34
 - android.webkit 34
 - android.widget 34
 - Android Project Wizard 43
 - Android resource files
 - Drawables 44
 - Layout 44
 - Values 44
 - android:id 45
 - android.graphics 227
 - android.intent.action.MAIN 25
 - android.intent.category.
 - LAUNCHER 25
 - android.net 168
 - android.provider.Telephony.
 - SMS_RECEIVED 22
 - android.telephony 198, 207
 - android.util.Log class 47
 - android.view 71
 - Android/Java
 - refers to Java 341
 - Android/Linux
 - nontrivial activities 355
 - refers to Linux 341
 - startup code appearance 352
 - system libraries 347
 - AndroidManifest
 - understanding the file 93–95
 - AndroidManifest.xml 22, 25, 44, 60, 93
 - Animation 233
 - AnimationDrawable 231
 - animation-list tag 232
 - animations
 - Android supports four types 92
 - frame-by-frame 231
 - programmatically 233
 - ANR 77
 - Apache 11
 - commons.io package 142
 - HttpClient 177
 - ResponseHandler 179
 - Apache Software License. *See* ASL
 - .apk file 40
 - signing 377
 - APK Installer 379
 - Apple AppStore 10
 - Application
 - pass state between activities 66
 - application distribution
 - Android vs. iPhone 10
 - Application Layer 170
 - Application Not Responding. *See* ANR
 - Application Wizard 47
 - applications
 - distribution 382
 - install on device 375
 - key manifest elements 379
 - lifecycle 59
 - manifest 164
 - publishing 375
 - state 129
 - argc 352
 - argv 352
 - ARM 342
 - Android/Linux application on 352
 - processor family 353
 - arm-none-linux-gnueabi-gcc 342, 344, 347
 - arm-none-linux-gnueabi-ld 343
 - arm-none-linux-gnueabi-objdump 343
 - arrays
 - defined 92
 - disabled by default 244
 - helpfulness 91
 - asInterface 119
 - ASL 10
 - assembly language 343
 - Atom Publishing Protocol 189
 - AtomPub 187, 189
 - audio
 - capturing 262
 - playback choppy 255
 - playing 253–254
 - Authentication Key 197
 - authority 104
 - AuthScope 184
-
- B**
- background task 114
 - BaseColumns 159
 - BasicNameValuePair 185
 - Binary Runtime Environment
 - for Wireless. *See* BREW
 - bind to data 74
 - Binder 98, 116, 124
 - onTransact 124
 - bindService 120, 122
 - Bitmap 333
 - BlackBerry 8, 10
 - email capabilities 8
 - Bluetooth 11, 34
 - close-range wireless networking 168
 - not available in Android Emulator 168
 - BOOT_COMPLETED 107
 - BREW 8
 - broadcast
 - actions 111
 - events 110
 - permissions 111

BroadcastReceiver 15, 20, 25, 98, 107, 110, 209
 associating with
 IntentFilter 112
 onReceive method 206
 BufferedOutputStream 335
 BufferedReader 175
 BufferedWriter 175
 build script
 need for 346
 Builder pattern 67
 Bundle 21, 66, 186, 314, 336
 Burnette, Ed 36
 Button 62, 64, 326
 buttons
 tied to UI elements 65

C

C 341
 application 341
 Callback 241
 camera
 on cell phone 257
 Cancelable 321
 Canvas 333
 carriers. *See* mobile operators
 category 94, 103
 CATEGORY_LAUNCHER 15
 characters 318
 classes.dex 49
 client/server 171
 ClientLogin 189, 192
 CodeSourcery 342, 345
 colors
 values expressed 90
 com.google.android.maps 282
 com.google.android.phone.
 Dialer 16
 command line 40
 command-line tools
 create batch builds 48
 ComponentName 99
 connection
 wireless internet 297
 ConnectivityManager 172
 mobile or WiFi 168
 Contacts
 class structure 156
 content
 // scheme 104
 content provider 22–25
 CONTENT_URI 151, 158
 ContentObserver 158

ContentProvider 22, 25, 66, 110, 127, 149, 206, 299
 accessible by any
 application 158
 creating 158–165
 extending 160
 updating data 157
 ContentResolver 23, 149, 154, 158, 262
 deleting data 157
 ContentValues 262
 contentView 229
 Context 20, 64, 110, 132, 200, 308, 325
 corners 230
 createPackageContext 132
 CSS 91
 ctime 359
 Cursor 24, 127, 144, 155
 data items changed 164
 custom URI
 matching 105

D

DAL 144
 Dalvik Debug Monitoring Service. *See* DDMS
 Dalvik virtual machine
 11, 13, 49
 data 103
 import and export 380
 inserting 156
 persistence 66
 plans 49
 storage requirements 299
 structures 311
 Data Access Layer 144
 Data Definition Language 359
 /data/app directory 41
 database 127
 not WORLD_READABLE 148
 open a connection 148
 persisting data to 143
 server 24
 datagram 170
 Daytime Client 362–365
 single Activity 362
 special permission 364
 testing 364
 Daytime Server 359
 listens on TCP port 355, 363
 daytime server 342

DBHelper
 inner classes 144
 outer class 145
 DBOpenHelper 144, 148
 DDMS 35, 39, 218, 374
 option 214
 Perspective 36, 38, 47, 56
 DDMS tool
 two contexts 268
 Debian 9
 Debug 54
 Certificate 284
 Perspective 55–56
 debug.keystore 376
 debugging 35, 55
 DEFAULT_FOCUS 83
 del.icio.us 187
 device ID 200
 dex files 13
 dialer
 populating 202
 digital signature
 required 376
 dimensions
 units of expression 90
 directory
 change 346
 disassembling 343
 distribution
 cleaning up for 379
 Document Type Definition. *See*
 DTD
 documentation.html 371
 Drawable 227–228
 drawable 304
 drawBitmap 333
 drawColor 333
 DTD 312
 duration 232

E

Eclipse 14, 33, 35, 138, 268
 build SMSNotifyExample 212
 DDMS view 345
 default perspective 370
 how Android components
 fit 34
 IDE 43
 launch recording
 application 264
 workspace prompt 369
 Eclipse IDE 368, 370

EDGE 51
 Editor 308
 EditText 29, 45, 62
 EditText 310
 electronic signature 297
 ELF 352
 emulator
 advantages to using 50
 switches 374
 vs. simulator 52
 why preferred 52
 Emulator Control view 39
 End User License Agreement.
 See EULA
 endElement 318–319
 Enterprise Information
 Systems 8
 equator
 base for latitude 269
 EULA 379
 EVDO 52
 event handling 64, 83
 Executable and Linkable For-
 mat. *See* ELF
 exit 351
 externalize string 89

F

FAT 140, 142
 Fedora (Red Hat) 9
 Field Service Application 297
 requirements 296–300
 resource files 302
 source files 302
 FieldService Activity
 goal 306
 File 140
 File Allocation Table 140
 File Explorer view 39
 file permissions
 notations 131
 file_get_contents 339
 FileInputStream 136, 142,
 316, 335
 FileOutputStream 135, 142, 335
 files
 accessing 135
 read and write 136
 filesystem 126, 134
 based on Linux 134
 FILL_PARENT 82
 findViewById 30, 47, 62, 89
 method 29
 finish 311, 322

focus 82
 nextFocusDown 83
 nextFocusLeft 83
 nextFocusRight 83
 nextFocusUp 83
 override default behavior 83
 format
 simple value 90
 formatNumber 204
 frameAnimation 233
 FrameLayout 81
 fromBundle 314, 325

G

G1
 supports MP4 and 3GP 256
 Gallardo, David 36
 gcc 342, 350
 GDATA API
 implementation of
 AtomPub 189
 not true REST 190
 Gentoo 9
 geo
 fix 270
 Geocoder 290
 getFromLocation 290
 getFromLocationName 290
 map between point and
 place 267
 geocoding 289
 GeoPoint 267, 281
 getEmail 308
 getExtras 76, 325
 getHolder 241
 getJob 325
 getProvider 276
 getSharedPreferences 127
 getSystemService 173, 200, 276
 getTelephonyOverview
 reset screen details 201
 getText 48
 getView 79
 Gibara, Tom 257
 GL_DEPTH_TEST 245
 GL_LEQUAL 245–246
 GL_LESS 246
 GL_PROJECTION 244
 GL_TRIANGLE_STRIP 244
 GL_TRIANGLE_STRIP 244
 GL_Triangle_Strip
 takes three vertices 242
 GL_VERTEX_ARRAY 244
 glClear 244

glDepthFunc 245
 glDrawArrays 244
 glEnable 245
 glEnableClientState 244
 global
 start directive 354
 state 66
 Global System for Mobile
 Communication 197
 gluLookAt 249
 gluOrtho2D 244
 gluPerspective 249
 parameters 246
 glVertexPointer 244
 GNU General Public License. *See*
 GPL
 Google 4
 Android Market 10
 Base Atom API 73
 Contacts 189
 Data 187, 189
 Maps 27, 283
 GPL 10
 GPRS 51
 GPS 7, 34, 266, 334
 Exchange Format 270
 most common location
 provider 266
 GPX 270, 274
 DDMS tool 272
 routes 271
 tracks 271
 waypoints 271
 GSM 51, 197
 Android standard 197
 gsm command 201

H

Handango 10
 Handler 75, 87, 117, 306,
 316, 321
 messages reflecting
 change 234
 relationship diagram 180
 send a Message 109
 updating Adapter 77
 HandlerThread 77
 Hatcher, Erik 48
 height
 class 81
 setting minimum 72
 HSCSD 51
 HSPDA 51

HTTP 168, 299, 363
 authentication 184
 defines internet rules 171
 GET 183
 GET method 177
 headers 184
 parameters 184
 POST 177, 183, 334
 request 177
 response 177
 working with 176–186
 HttpClient 180
 HttpEntity 180
 HttpPost 185
 HttpRequestHelper
 177, 182, 189
 HttpRequestInterceptor 184
 HTTPS 187
 HttpURLConnection 177
 Hypertext Transfer
 Protocol 168

I

IBinder 116, 124
 base of remoting
 protocol 124
 onBind 120
 transact 124
 ICCID
 identifies SIM card 197
 icon
 stock Android 302
 id attribute 45
 IDL 117
 ifconfig 175
 ImageView 89, 304
 IMEI
 identifies device 197
 IMSI
 subscriber and network
 identifier 197
 independent software vendor.
See ISV
 Indeterminate 321
 InputStream 316
 instructional video 301
 Integrated Circuit Card ID 197
 Intent 14, 66, 187, 203, 301
 Action 99
 actions 101
 Category 99
 Component 99
 constants 101
 Data 99

defined 15
 defined and invoked 99
 definitions express 99
 explicit 17
 Explicit Intent invocation 99
 Extras 99
 handlers 102
 implicit 17
 Implicit Intent invocation 99
 object components 99
 objects 97
 receiving 20
 resolution 17, 103
 Type 99
 working with 98–110
 works with IntentFilter 109
 IntentFilter 20, 97, 99
 classes defined 104
 defined 15
 defines relationship 15
 object 102
 works with Intent 109
 intent-filter 26, 102
 intents
 late binding 98
 Interface Definition Language.
See IDL
 International Mobile Equipment
 Identity 197
 International Mobile Subscriber
 Identity 197
 Internet Layer 170
 Internet Protocol 168
 Inter-Process Communication.
See IPC
 IP 168
 address 170
 address from command
 line 175
 network data 168
 IPC 98, 113, 117
 ipconfig 175
 iPhone 8
 vs. Android 10
 ISV 17
 ItemizedOverlay 286

J

J2ME 8, 13
 jarsigner 377
 Java 4, 341
 keytool 377
 Java Developer Kit. *See* JDK
 Java Developer Tools. *See* JDT

Java Micro Edition. *See* J2ME
 Java Perspective 36, 56
 Eclipse default 370
 Java Runtime Environment. *See*
 JRE
 java.net 168, 177
 java.text.NumberFormat 47
 JavaDoc 33
 JDK 48, 368
 JDT 36, 49, 368
 JobEntry 312
 JobListHandler 316, 319
 JPEG
 captured signature 335
 converting to 334
 JRE 368

K

keyboard 50
 Keyhole Markup Language 273
 Ki
 authenticates SIM card 197
 KML 273
 coordinates 273
 DDMS tool 274
 drawbacks 274
 international standard 274
 Placemark 273
 Point 273
 Knoppix 9
 Kronos Group 238

L

LAI
 region device is in 197
 latency 51
 latitude
 how expressed 269
 launch screen 302
 layout 72
 create a screen 63
 two-step process 82
 LayoutParams 80, 88
 ld 349
 LD_LIBRARY_PATH. 350
 LED 215
 libsqlite.so 359
 lifecycle
 callback methods control
 state 68
 entire lifecycle phase 69
 foreground phase 69

lifecycle (*continued*)
 high-level methods 69
 methods 68
 visible phase 69
 LinearLayout 29, 81, 154
 Link Layer 170
 linker 348
 arm-none-linux-gnueabi-
 ld 349
 Linux 4, 341, 370
 alternative to Windows 9
 building applications 341
 Daytime Server 355
 file permissions 131
 finding IP address 175
 kernel 11
 market diluted 9
 success as kernel 9
 Linux kernel
 why use 12
 ListActivity 74
 ListView 73–77, 324, 339
 local queuing 330
 localhost 42
 Location 275, 280
 location
 awareness 266
 specify coordinates 268
 updates 279
 Location Area Identity 197
 location-based service. *See* GPS
 LocationListener 274, 279
 onProviderDisabled 281
 onProviderEnabled 281
 receive updates 267
 LocationManager 108, 116, 274
 Criteria 277
 find available providers 267
 getProvider 277
 GPS_PROVIDER 277
 NETWORK_PROVIDER 277
 LocationProvider 266, 274, 277
 COARSE 278
 FINE 278
 permissions 278
 LogCat 55, 374
 using a filter on 39
 logging 38
 longitude
 how expressed 269
 loopback 170
 don't connect to 175
 Looper 77, 322
 Loughran, Steve 48

M

Mac 8
 finding IP address 175
 Mac OS X 370
 MAIN LAUNCHER
 intent filter 107
 main.xml 44
 makeText 214
 managedQuery method 154
 Mandrake. *See* Mandriv
 Mandriv 9
 manifest 93
 activity element 94
 elements supported 94
 file 106
 intent-filter element 94
 manifest element 94
 namespace 94
 package declaration 94
 uses-permission 94
 MapActivity 267, 276, 282, 284
 MapController 276, 285
 maps 281
 Maps application 269, 301
 MapView 267, 276, 282–284
 animate 285
 Google Maps API key 283
 satellite mode 283
 street-view mode 283
 traffic mode 283
 zoom 285
 MapViewActivity 275
 margins 80
 McGovern, Robert 36
 MD5 fingerprint 284
 media
 capturing 257–264
 MediaController 255
 MediaPlayer.create(). 253
 MediaRecorder 262, 264
 Menu 65
 instead of on-screen
 buttons 65
 menu 65
 item 102
 MenuItem 65, 100
 MEPIS 9
 Message 77, 109, 117, 180, 186,
 288, 364
 class 321
 handleMessage 78
 instances 321
 sendEmptyMessage 78
 sendEmptyMessageAtTime
 78
 sendEmptyMessageDelayed
 78
 sendMessage 78
 Message object
 do not reuse 322
 MessageQueue 77
 metrics
 location-related 266
 Microsoft
 platforms compelling 8
 MIME type 104
 MIME_TYPE 158, 262
 minSdkVersion 379
 mkdir 345
 mksdcard 256
 tool 140
 mobile operators
 response to Android 6
 threatened by Google 7
 view of cell phones 6
 mobile phone
 basic states 200
 Mobile Safari 8
 iPhone 8
 Monkey exerciser 380
 MotionEvent 333
 MP3 file
 play back 253
 MyLocation 269
 MyLocationOverlay 286
 MySQL 299, 337

N

National Data Buoy Center. *See*
 NDBC
 navigation 297
 NBDC 267
 feeds 286
 netstat 358
 network protocols 169
 NetworkInfo 173
 networking
 overview 169–172
 NOAA 267
 node 170
 nop 353
 North American Numbering
 Plan 205
 nstddlib 350
 Notification 116, 211
 fields 215

NotificationManager 211, 216
 notifications
 introducing 215–219

O

-o switch 344
 objdump 343, 352
 Observable pattern 83
 Observer pattern 83
 OGC 273
 onActivityResult 308–309,
 325, 329
 onBind method 20
 onCallStateChanged 201
 onClick 48, 311
 OnClickListener 48, 62, 64, 152
 onClickListener 83
 onCreate 62, 68, 75
 method 20
 onCreateOptionsMenu 64, 332
 onDraw 80, 333
 onFocusChangeListener
 83, 205
 onLayout 80
 onItemClick 76
 onLocationChanged 280
 onMeasure 80
 onMenuItemSelected
 64, 76, 100
 onOptionsItemSelected 332
 onPause 68
 onReceive 112, 206
 onSaveInstanceState 70
 onServiceConnected 122
 onServiceDisconnected 122
 onTouchEvent 333
 onVisibilityChanged 80
 Open Geospatial
 Consortium 273
 Open Handset Alliance 3–4, 50
 OpenCORE 251–252
 OpenCore 11
 openFileInput 135
 openFileOutput 134, 316
 OpenGL 347
 depth 245
 perspective 246
 primitives 242
 OpenGL ES 11, 237
 3D shapes 245
 Context 242
 drawing shapes 242
 Kronos Group 238
 using with Android 238

OpenGL for Embedded Systems.
 See OpenGL ES
 OpenGLContext 238
 openInputStream method 23
 openRawResource 137
 openSUSE 9
 org.apache.httpclient 168
 OutputStream 334
 OvalShape 227
 Overlay 267, 285
 drawing 288
 event handling 288
 focus 288
 onTap 288
 OverlayItem 286

P

Package Explorer 36
 packet 170
 Packet Video
 Open Core 11
 padding 72, 230
 Palm 8, 10
 market challenge same as
 Android 8
 Parcelable 124
 parse Uri 101
 path 104
 PathShape 227
 patterns
 Builder 67
 Observable 83
 PCLinuxOS 9
 PDU
 SMS data packet 210
 PendingIntent 208, 277
 permissions 94
 access 130
 perspective
 clipping planes 246
 phone number 200
 PhoneNumberUtils 208
 formatNumber helper
 method 204
 parse and validate 204
 PhoneStateListener
 196, 198, 201
 PHP 299, 337
 php://input 339
 PictureCallback 259
 PID 39, 67
 placement 80
 Plain Old XML over HTTP 168
 PNG 234

Point 236
 port 355
 three ranges 172
 Ports
 Dynamic and/or Private 172
 Registered 172
 Well Known 172
 POST data 335
 postDelayed 306
 POX 168
 exposes chunks of XML 187
 preferences 127
 preinit_array 354
 prime meridian
 base for longitude 269
 printf 344
 process
 isolated 98
 kill 41
 placed on a stack 67
 pruning 67
 process id. *See* PID
 ProgressDialog 76, 301, 316,
 321, 329, 332, 339
 projection 154
 protocol
 layers 170
 Protocol Data Unit 210
 Proxy 119
 ps -a 27
 putExtras 76

Q

Qualcomm 8
 queryString 108
 queuing
 local 330

R

R class 30
 R.java 30, 60, 84
 file 45, 302
 raw resources 92
 receiver 107
 tag 26
 RecordHit
 inserts record into SQLite
 DB 358
 RectShape 227
 RefreshJobs 319
 relational database
 built-in 143

RelativeLayout 81, 89
 remotng 124
 removeProximityAlert 277
 Representational State Transfer.
 See REST
 requestLocationUpdates 281
 use time parameter
 carefully 281
 resource types 85
 Resources 137
 raw resources 136
 XML resources 137
 ResponseHandler 180, 183
 REST 168, 189–193
 method 190
 resource 189
 REST-style API 190
 uses URL-style approach 187
 return 351
 RISC 342
 RoundRectShape 227
 router 171
 rpath 350
 Run 54
 Runnable 77, 235, 322

S

Safari 8
 save 308
 SAX 73, 139
 XML parser 316
 scheme 104
 SD card 139, 256
 support 127
 sdcard path 140
 Secure Digital. *See* SD
 secure shell 346
 Secure Sockets Layer. *See* SSL
 select 360
 Selman, Daniel 238
 sendBroadcast 110
 sendDataMessage 207
 sendMultipartTextMessage 207
 sendTextMessage 207
 ServerSocket 174
 Service 19, 25–26, 113, 120
 background task 114
 building 113–117
 cleaning up after stopped 124
 lifecycle 116, 123
 objects 97
 onBind 116
 onCreate 116
 onDestroy 116

Starting vs. binding 122
 two purposes 113
 service
 long-running 117
 tag 26
 Service-bound lifecycle 124
 ServiceConnection 114, 121
 Service-Oriented Architecture.
 See SOA
 Services
 two purposes in Android 122
 Service-started lifecycle 123
 setAudioEncoder 262
 setAudioSource 262
 setBounds 228
 setContentView 62, 87
 setContentView method 28
 setEmail 308
 setIcon 65
 setMediaController 256
 setNotificationUri 164
 setOutputFormat 262
 setResult 336
 setText 48
 Settings 301
 setVideoPath 256
 SGL 11
 shape
 drawing a rectangle 227
 ShapeDrawable 227
 SharedPreferences
 126, 306, 308
 access mode 129
 Context 127
 Editor 129
 MODE_PRIVATE 131
 MODE_WORLD_READABLE
 131
 MODE_WORLD_WRITABLE
 131
 objects 131
 storing with different
 modes 127
 XML files permissions 131
 sharedUserId 131, 136
 Short Message Service. *See* SMS
 ShutterCallback 259
 signature
 electronic 297
 JPEG image 301
 SIM 196
 SIM card
 store user contacts 198
 stored identifiers 197

Simple API for XML. *See* SAX
 Simple Object Access Protocol.
 See SOAP
 simulator
 vs. emulator 52
 simulator code
 with Windows DLLs 52
 Slackware 9
 smartphones 6
 market leaders 8
 SMS 16, 206, 212
 pdus 210
 permissions 209
 receiving messages 209
 send message to emulator 23
 sending message to Android
 Emulator 39
 sending messages 208
 SmsManager 207
 SmsMessage 207, 210
 SOA 98
 SOAP 168, 193, 299
 imposes strict rules 187
 kSOAP 193
 proxy 193
 Socket 175, 364
 socket
 server 173
 software version 200
 Spinner 62–63
 Splash Activity 302
 splash screen 301, 304
 splashhandler 306
 SQL 24
 statements 155
 SQLite 11, 66, 108, 126,
 299, 347
 built-in database system 143
 data types 145
 insert, update, and delete
 data 148
 insertion of data 355
 query 148
 supports
 WeatherReporter 127
 sqlite3 143, 358
 tool 148–149
 SQLiteDatabase 147, 161
 SQLiteOpenHelper 144
 SQLQueryBuilder 164
 SSL 298
 start routine 352
 startActivity 66, 101, 339
 method 19

startActivityForResult
 66, 308–309, 325
 method 19
 startDocument 318
 startElement 318
 starting path 132
 startRecording 264
 startService 112
 startService method 19
 state
 instance 70
 pass between activities 66
 persistent 70
 –static command-line switch 344
 –static flag
 applications self-
 contained 347
 stride 244
 String 319
 StringBuilder 318
 strings.xml 44
 stroke 230
 Structured Query Language. *See*
 SQL
 Stub 117
 styles 90
 helpfulness 91
 vs. themes 91
 stylus 301, 329
 Subscriber Identity Module 196
 Sun Microsystems
 licensing 13
 surfaceChanged 241
 surfaceCreated 241
 surfaceDestroyed 241
 SurfaceHolder 241–242
 SurfaceView 241
 Symbian 8

T

takePicture 257
 TCP 355
 reliable 171
 sockets 357
 TCP port
 Daytime Server listens 363
 TCP/IP 38, 170
 telephony 195, 197
 alert based on caller 205
 alphabetic keypad 205
 application manifest 203
 format number 204
 intercept call 205
 making calls 203

 outgoing call 205
 permission 200
 permissions 203
 TelephonyManager 196, 198
 telnet 42
 testing
 acceptance-style 380
 .text 352
 TextView 45, 89, 326, 362
 themes
 vs. styles 91
 Thread 75, 234
 TimerTask 116, 233
 timestamp
 appending 142
 Toast
 alerts user 212
 introducing 212–215
 toBundle 326
 tool
 aidl 117
 command-line 40
 jarsigner 377
 tool chain
 cross compiling 342
 Sourcery G++ Lite Edition for
 ARM 342
 toString 314
 toXMLString 314, 316
 Transport Layer 170
 Try/Catch 48

U

U.S. National Oceanic and
 Atmospheric Administra-
 tion. *See* NOAA
 Ubuntu 9
 UDP
 fire and forget 171
 UI 60
 UMTS 51
 unbindService 122
 Uniform Resource Identifier. *See*
 URI
 Uniform Resource Locator. *See*
 URL
 Unix
 Daytime Server 355
 URI 14
 Content 23
 examples 15
 syntax 151
 Uri 99, 104, 202
 object 101

UriBuilder 157
 UriMatcher 161
 URIs
 using those built in 110
 URL 14
 Usage Stats 374
 user
 ID 136
 input 73
 UsernamePasswordCredentials
 184
 uses-library 282
 uses-permission 26, 364
 tag 26

V

Vector 316
 Verizon
 Get It Now 8
 versionCode 379
 versionName 379
 video
 playback choppy 255
 playing 254–257
 video recording
 specific to phone vendor 252
 VideoView 254
 View 44, 59, 333
 classes 71
 lifecycle methods 80
 manipulating element 72
 objects 97
 single-threaded interface 84
 view
 XML defined 87
 ViewGroup 72, 80, 285
 vnd.android.cursor.dir 159
 vnd.android.cursor.item 159

W

WEAK_FOCUS 83
 web services 168, 186–194
 Web Tools Platform 368
 WebKit 7, 11
 what 322
 width
 class 81
 setting minimum 72
 Wi-Fi 168
 no emulation layer 168
 Window 238

Windows
 finding IP Address 175
Windows Mobile 10
Windows Mobile/SmartPhone 8
WinRAR 49
WinZip 49
Workbench 369
WRAP_CONTENT 82
WS-* 193

X

XML 299, 311
 drawable shapes 228
 drawing with 228
 parsing 189
 Schema 193
 stream 338
XmlPullParser 139

Y

Yahoo! Weather API
 98, 105, 116