

Symbols

.apk file 524
.dex files 51
@ symbol 24

Numerics

2D shapes 223
3D
 cube, rotating 244
 shapes 241
3GPP 247
 324-M 247
7mA 379

A

AAC 247
AAC+ 247
aapt 40, 89
abortBroadcast 198
AbsoluteLayout 85
access permissions 133
AccountAuthenticator 410
AccountManager service 405
accounts, add and manage 404
ACTION_DOWN 331
ACTION_MOVE 331
ACTION_PICK 15
actions, using built-ins 108
ACTION_UP 331
Activity 24, 36, 55, 298, 327,
 405
 creating 65–74
 displaying UI elements 17

 extended by user classes 17
 host processes killed 73
 initiates DayTime Server
 query 360
 key 112
 lifecycle
 diagram 72
 exploring 71
 navigation between 130, 301
 onCreate 72
 RefreshJobs 319
 separation of
 responsibilities 112
 ShowJob 323
Adapter
 BaseAdapter 83
 custom 82
 defined 68
 ReviewAdapter 82
AdapterView 78
adb 41, 71, 138, 549
 arguments 343
 interacting with Android
 SDK 549
 kill-server 549
 shell 343, 355
 start-server 549
 See also DDMS
addProximityAlert 277
Address 289
addresses, converting with
 Geocoder 288
addToDB 259
ADT 32, 528
 configuring 536
 installing 534
 plug-in for Eclipse 34

AIDL 101–102, 119
 allowed types 120
aidl tool 119, 122
 automatically invoked 120
Ajax 423
Alarm Manager 481
AlarmManager 220
 public methods 215
 supports four Alarm
 types 218
Alarms 215–220, 463
alarms, compared to
 services 481
AlertDialog 70, 287
AMR-NB 247
AMR-WB 247
Android
 application
 building in Eclipse 43–51
 mapping flow 298–302
 requires manifest file 302
 Bluetooth capabilities
 368–375
 building application in
 Eclipse 43–51
 building apps without the
 SDK 339–344
 calling an Intent 108
 common sensors 376
 components 17–23
 Activity 17
 BroadcastReceiver 19
 ContentProvider 22
 Service 18
 contact model 388–393
 core packages 33
 Cursor object 145

- Android (*continued*)
 - designing application 294–298
 - See also* field service application
 - development requires Java skills 11
 - discourages direct file sharing 22
 - displaying progress 319
 - drawing graphics 223–227
 - emulator 39, 51–56
 - setting up environment 52
 - splash screen 303
 - working with an SD card 141
 - environment, should vs. can 184
 - and Exchange account 390
 - and Google account 390
 - Javadocs 76
 - licensing 9
 - Linux
 - applications 338
 - kernel-based OS 4
 - logging mechanism 19
 - MediaPlayer 247
 - moving from Activity to Activity 130
 - Music Player 259
 - only encrypted connections 369
 - optimizing web applications 424–431
 - packages, world x permission 134
 - philosophy 391
 - platform 4–9
 - runtime 345
 - same-but-different 7
 - screen layout 84
 - SenseBot. *See* SenseBot
 - shell 26
 - stack 10–12
 - stock icon 301
 - taking a photo 521
 - two versions of platform 54
 - user applications written in Java 4
 - using resources 89, 98
 - version 2.0 or later 367
 - vs. iPhone 9
 - vs. itself 8
 - web development 422–424
- Android 2.2 371
- Android Activity 455
- Android ARM. *See* ARM
- Android Asset Packaging Tool. *See* aapt
- Android Debug Bridge. *See* adb
- Android Development Tools. *See* ADT
- Android development, Intent 12
- Android device
 - security 295
 - touch screen-capable 300
- android.id 93
- Android Interface Definition Language. *See* AIDL
- Android Market 9
 - merit-based system 548
 - publishing to 544, 548
 - rules 545
- Android Native Developer Kit. *See* NDK
- Android NDK. *See* NDK
- Android Open Source Platform. *See* AOSP
- Android Project Wizard 43
- Android SDK 32
 - installing 530
- Android Service 481
- Android Virtual Device. *See* AVD
- android.id attribute 46
- android.bluetooth package 369
- android.graphics package 223
- android.intent.action.MAIN
 - application entry point 24
- android.intent.category.LAUNCHER 24
- Android.jar 45
- android.net 160
- android.provider.Telephony.SMS_RECEIVED 22
- android.telephony 191, 199
- android.view 75
- Android/Java, refers to Java 339
- Android/Linux
 - environments and tools 342
 - nontrivial activities 353
 - refers to Linux 339
 - startup code appearance 350
 - system libraries 345
- AndroidManifest, understanding the file 98–99
- AndroidManifest.xml 21, 23, 43, 64, 98, 206, 488
 - @symbol 24
 - application descriptor file 14
- AppWidget 477
 - deployment descriptors 24
- animations
 - Android supports four types 97
 - ball as a sprite 230
 - creating
 - programmatically 230
 - creating with Graphical API 227–233
 - frame-by-frame 227
- ANR 81
- AOSP 8
- Apache 10
 - commons.io package 144
 - HttpClient 169
 - ResponseHandler 171
- Apache Software License. *See* ASL
- API
 - dummy request 413
 - linkedin-j 408
- API key, LinkedIn APIs 393
- Apple 7
 - AppStore 9
- application distribution, Android vs. iPhone 9
- Application Layer 162
- Application Not Responding. *See* ANR
- Application, pass state between activities 70
- applications
 - distribution beyond Market 548
 - getting to Market 545
 - hybrid, building 440
 - made for mobile 430
 - link to full site 431
 - simplify, reduce, and eliminate 431
 - manifest 157
 - mapping to processes 25
 - preparing for distribution 538–541
- AppWidget
 - configuring 476
 - data elements 465
 - data handling 465–468
 - deployment patterns 458
 - metadata file 477
 - updating 480–487
- AppWidgetHost 456
- AppWidgetProvider 469–473
- argc 349

argv 349
 ARM 339
 Android/Linux application
 on 350
 processor family 350
 arm-none-linux-gnueabi-
 gcc 340–341, 344
 arm-none-linux-gnueabi-ld 340
 arm-none-linux-gnueabi-
 objdump 340
 arrays
 defined 96
 helpfulness 96
 asInterface 120
 ASL, friendlier toward commer-
 cial use 9
 assembly language 340
 Atom Publishing Protocol.
 See AtomPub
 AtomPub 179, 181
 audio
 capturing 257
 playback choppy 250
 playing 248, 250
 auth token 405
 authenticating to
 LinkedIn 407
 authentication 405
 key. *See* Ki
 lightweight service
 wrapper 413
 authority 107
 AuthScope 175
 AVC H.264 247
 AVD 270
 management Eclipse 34
 AVD Manager 52, 531

B

background task 116
 BaseColumns 152
 BasicNameValuePair 177
 batch builds without using
 IDE 49
 batch operations on
 contacts 399
 Binary Runtime Environment
 for Wireless. *See* BREW
 bind to data 78
 Binder 102
 onTransact method 121
 binding from another
 application 123
 bindService 124, 126
 Bitmap 331, 515, 518
 bitmaps 223
 BlackBerry 7, 9
 email capabilities 8
 Bluetooth 10
 capturing events 374
 classes, Android 370
 close-range wireless
 networking 160
 peer 374
 permissions 375
 and SenseBot 368
 Bluetooth Serial Port
 Profile 369
 BluetoothAdapter 373
 bonded 370
 BOOT_COMPLETED 111
 BounceActivity.java file 230
 boundary conditions 424
 BREW 7
 broadcast
 actions 114
 events 113
 permissions 114
 BroadcastReceiver 113, 202,
 374, 456, 482
 associating with
 IntentFilter 115
 in every Android
 application 24
 no asynchronous
 operations 115
 no UI 19
 tags 25
 browser control, add to UI
 layout 440
 browser detection
 examination of user agent
 string 428
 media query 429
 browsers
 overriding behavior 441
 storing data directly 431
 WebView 443
 buffer, depth, comparing
 values 241
 BufferedOutputStream 333
 BufferedReader 166
 BufferedWriter 167
 build script, need for 344
 Builder pattern, add paramet-
 ers to AlertDialog 71
 building a native library 508
 Bundle 20, 70, 178, 208, 311
 Button 67–68
 buttons, tied to UI elements 70

C

C 338
 application 338
 application build script 344
 times where better than
 Java 507
 Camera application 510
 camera on cell phone 252
 Canvas 331
 canvas 223
 CAPTCHA and GData
 ClientLogin 184
 carrier. *See* mobile operators
 Cascading Style Sheets.
 See CSS
 category 99
 CATEGORY_LAUNCHER 14
 CDMA 33, 188
 primary rival to GSM 189
 characters method 316
 checkForZombies 472
 client/server 163
 ClientLogin 181, 184
 clipping planes, OpenGL 240
 CodeSourcery 339, 342
 colors, values expressed 95
 com.google.android.maps 282
 com.google.android.phone.
 Dialer 15
 ComponentName 103
 conditional global
 replacement 400
 configuration activity 463
 connecting to a remote
 device 372
 connection, wireless
 internet 295
 ConnectivityManager 164
 mobile or WiFi 160
 contacts
 adding 400
 conditional global
 replacement 400
 identifiers 398
 managing 395–402
 modifying database 399
 multiple insertions 402
 single logical 392
 table 396
 content
 provider 23
 selectively loading 428
 staying up to date 151
 ContentObserver 151

ContentProvider 22, 70, 129,
199, 297, 465
accessible by any application
151
additional properties 158
classes 149–157
creating 151, 157
extending 152
in every Android application
24
URI variations 150
ContentResolver 22, 150, 257
CONTENT_URI 150–151
ContentValues 257
Context 19, 68, 113, 134, 192,
306, 322
converttoggrey function 516
convolution 518
createPackageContext 134
creation, widget instance 479
CSS 95
multiple files per page 429
selectively choose file 428
ctime 355
Cursor 23, 130
data items changed 156

D

DAL 145
Dalvik Debug Monitor Server.
See DDMS
Dalvik VM 10
relies on Linux kernel 12
result is innovation 12
dashboard 457
data
bind to 78
contacts, good citizen
principles 393
persistence 70
raw contact, storing 392
sample, properly set up 539
storage requirements 297
structures 309
values 498
Data Access Layer. *See* DAL
Data Definition Language.
See DDL
data handling,
AppWidget 465–468
data table 396
database
modifying contacts 399
not WORLD_READABLE 149

open a connection 148
opening 435
persisting data to 144
server 23
datagram 162
Date & Time settings 494
Daytime Client 359–362
single Activity 360
special permission 362
testing 362
DayTime Server 355
application has two parts 353
listens on TCP port 352, 361
DBHelper
inner classes 145
outer class 146
DBOpenHelper 145, 148
DDL 357
DDMS 34, 214, 537
option in Eclipse 209
perspective
dashboard-like view 37
LogCat view 38
DDMS tool
requires decimal format 270
supports KML 272
two contexts 269
working with a GPX file 272
Debug
Certificate 284
perspective 35, 57–58
debugging 57
DEFAULT_FOCUS 87
Delicious 179
depth buffer, comparing
values 241
developer API, LinkedIn 393
device ID 192
dex files 12
digital signature 541–544
jarsigner 542
keystores 541
keytool 542
dimensions, units of
expression 95
directory change 343
disassembling 340
Drawable 233
drawables 45, 303, 382
managing 497
shapes in XML 225
drawBitmap 331
drawColor 331
drawing with XML 224
dummy API request 413
dynamic linking 344–352

E

Eclipse
build SMSNotifyExample
206
DDMS
perspective 35
view 342
debugging Android
application 57
default perspective 529
Emulator Control 269
installing 528
Java perspective 35
launch recording
application 259
and NDK 524
Package Explorer 35
plug-in, File Explorer view
133
setting up development
environment 13
workspace prompt 529
Eclipse IDE 528, 530
See also ADT
edge detection 507
routine 511
edges, finding 523
Editor 306
EditText 28, 67
EditView 308
Electronic Serial Number.
See ESN
ELF 350
email addresses, conditional
global replacement 400
emulator
switches 537
vs. simulator 52
Emulator Control, testing
connectivity 39
endElement method 316
end-user license agreement.
See EULA
Enterprise Information
Systems 7
equator, base for latitude 270
Error Console, WebKit 439
ESN swap 190
EULA 540
event handling 68, 87
executable and linkable format.
See ELF
exit 349
external links, adding 104
externalize string 94

F

FAT 141
 field service application
 assumptions 295
 manifest file 302
 resource files 301
 source code 302–316
 source files 300
 steps 298
 FieldService Activity
 goal 304
 implementing 306
 File Allocation Table. *See* FAT
 File Explorer view, Eclipse 39
 file_get_contents 336
 FileInputStream 143, 313, 333
 FileOutputStream 137, 143, 333
 files
 accessing 137
 read and write 137
 filesystem, based on Linux 136
 FILL_PARENT 86
 findViewById 29, 93
 method 28
 finish 319
 fixed-length record 388
 focus 86
 override default behavior 87
 for additional locales 496
 format, simple value 95
 formatNumber 197
 FrameLayout 85
 fromBundle 311, 323

G

gcc 340, 346
 GData API
 implementation of
 AtomPub 181
 not true REST 181
 GData ClientLogin and
 CAPTCHA 184
 geo
 fix 271
 query 299
 Geocoder 288–289
 creating 289
 map between point and
 place 269
 geocoding 288
 GeoPoint 269, 281
 getEmail 306

getExtras 80, 323
 getJob 323
 getProvider 277
 getSharedPreferences 130
 getSystemService 165, 192, 277
 getTelephonyOverview, reset
 screen details 194
 getView 84
 Gibara, Tom 252
 global
 start directive 351
 state 70
 global number 197
 Global Positioning System.
 See GPS
 global replacement,
 conditional 400
 Global System for Mobile.
 See GSM
 GNU General Public License.
 See GPL
 Google
 Android Market 9
 Base Atom API 77
 Contacts 181
 GData 179, 181
 Maps 26
 and Open Handset
 Alliance 3
 Google APIs 54
 Google Maps API
 key, requesting 283
 support through MapView
 283
 GPL 9
 GPS 6
 data stamped on job 331
 most common location
 provider 268
 obtaining provider directly
 278
 services 456
 GPS Exchange Format. *See* GPX
 GPX
 DDMS tool 272
 storing points 271
 graphics
 2D and 3D 234
 drawing in Android 223–227
 Graphics API
 called with Java 223
 creating animations 227–233
 GSM 33, 188
 Android standard 189
 gsm command 194

H

H.263 247
 Handango 9
 handle 435
 Handler 79, 91, 231, 304,
 314, 319
 relationship diagram 172
 send a Message 112
 updating Adapter 81
 HandlerThread 81
 height
 class 85
 setting minimum 76
 hotspot 460
 HTML5 422
 HTTP 160
 authentication 176
 creating helper 172
 defines internet rules 163
 GET 169, 175
 headers 175
 and java.net 169
 parameters 175
 POST 169, 175, 331
 protocol stateless 168
 working with 168–178
 HttpClient 172
 HttpEntity 172
 HttpPost 177
 HttpRequestHelper 169, 174,
 180
 HttpRequestInterceptor 176
 HTTPS 179
 creating helper 172
 HttpURLConnection 169

I

IBinder 118, 405
 base of remoting protocol
 121
 onBind 122
 transact method 121
 ICANN 164
 ICCID 189
 identifies SIM card 189
 identity matrix, OpenGL 240
 IDL 119
 ifconfig 167
 ImageView 93, 303
 IMEI, identifies device 189
 IMSI 192
 subscriber and network
 identifier 189

- independent software vendor.
 - See* ISV
 - index.html file 442
 - InputStream 313
 - integer primitive, int 465
 - Intent 12, 70, 179, 195, 299
 - actions 105
 - broadcasting 113
 - data 107
 - defined 14
 - defined and invoked 102
 - definitions express 103
 - explicit 15
 - handlers 106
 - implicit 15
 - and IntentFilter 113
 - object components 102
 - receiving 19
 - requests, late binding 102
 - resolution 16
 - specify a permission 114
 - working with 109, 113
 - Intent classes
 - receiving 208
 - registered with Alarm 215
 - IntentFilter 19, 102
 - classes defined 107
 - defined 14
 - defines relationship 14
 - object 106
 - works with Intent 113
 - intent-filter 24, 106
 - IntentFilter action 456
 - intents, making calls 195
 - interface definition language.
 - See* IDL
 - International Mobile
 - Equipment Identity.
 - See* IMEI
 - International Mobile Subscriber Identity. *See* IMSI
 - Internet Layer 162
 - Internet Protocol. *See* IP
 - interprocess communication.
 - See* IPC
 - IP 160
 - address 162
 - finding 167
 - network data 160
 - IPC 102
 - ipconfig 167
 - iPhone 7
 - vs. Android 9
 - ISO format 493
 - ISV 16
 - ItemizedOverlay 285
 - handles details 287
 - iTunes, as an example 163
- J**
-
- jar 51
 - jarsigner 542
 - Java 4, 339
 - array 437
 - connecting UI to a DayTime Server 360
 - locale-specific data classes 498
 - Runnable interface 320
 - Java bytecodes, convert to dex file 50
 - Java development tools. *See* JDT
 - Java ME 7
 - Java Native Interface. *See* JNI
 - Java packages, included in Android SDK 33
 - Java Perspective 35
 - Eclipse default 529
 - Java Platform, Micro Edition.
 - See* Java ME
 - Java Runtime Environment.
 - See* JRE
 - java.net 160, 169
 - Javadocs
 - android.provider package 151
 - view 36
 - JavaScript
 - errors found at runtime 433
 - implementing handler 443
 - interface code 445
 - multiple handlers 446
 - overriding alert() 452
 - security matters 447
 - JDK 528
 - JDT 528
 - Eclipse 36
 - JNI
 - building a library 512–519
 - functions 519
 - library 508
 - compiling 518
 - load at runtime 522
 - JobEntry 310
 - JobListHandler 314, 317
 - jobs
 - data managing 309–316
 - ManageJobs Activity 320
 - managing 316–333
 - with GPS data stamp 331
 - working with the ShowJob Activity 323
- JPEG** 247
 - captured signature 333
 - converting to 331
- JQuery** 423
- JRE** 528
- K**
-
- KDE 422
 - Keyhole Markup Language.
 - See* KML
 - keystore, keys require an alias 542
 - keytool 542
 - Ki, authenticates SIM card 189
 - KML 272
 - checks files for Placemark 274
 - drawbacks 274
 - international standard 275
 - kSOAP, documentation 185
- L**
-
- LAI, region device is in 189
 - Language & Keyboard 493
 - languages, target 495
 - latitude, how expressed 270
 - launch screen 301
 - Layout 45
 - layout 76, 455
 - alternative to absolute 85
 - create a screen 67
 - dimensions of a view 86
 - managing 497
 - screen 84
 - two-step process 86
 - XML 407
 - LayoutParams 85, 93
 - ld 346
 - LD_LIBRARY_PATH. 348
 - LED 210
 - LEGO Mindstorms NXT.
 - See* robot
 - LEGO robot. *See* robot
 - libsqlite.so 355
 - License Verification Library.
 - See* LVL
 - lifecycle
 - callback methods control state 72
 - high-level methods 73

lifecycle (*continued*)
 methods 72
 phases 72
See also Activity, lifecycle
 lightweight authentication
 service wrapper 413
 LinearLayout 29, 85
 Link Layer 162
 LinkedIn 388
 contacts, expanded
 details 400
 creating account 406–413
 developer API key 393
 logging in a two-stage
 process 408
 synchronizing 414
 transactions 419
 linkedin-j
 API 408
 project 394
 linker 345
 arm-none-linux-gnueabi-ld
 346
 options 348
 Linux 4
 building applications 338
 DayTime Server 352
 finding IP address 167
 kernel 10
 Linux kernel
 and Dalvik VM 12
 why use 11
 Linux security system
 prevents ad hoc file access 22
 ListActivity 78
 ListView 77, 81, 321
 locale 493
 localization
 multiple locales 494
 need for 492–499
 obstacles 504
 translation team 499
 See also localizing
 localizing
 applications 498
 entire infrastructure 495
 in Java code 502
 strategies 494
 Location 275, 281
 location
 simulating 269–275
 specify coordinates 269
 updates 279
 Location Area Identity. *See* LAI
 location-based service. *See* GPS

LocationListener 275, 279
 onProviderDisabled 281
 onProviderEnabled 281
 receive updates 269
 LocationManager 112, 275
 Criteria 278
 find available providers 268
 getProvider 278
 GPS_PROVIDER 277
 NETWORK_PROVIDER 277
 LocationProvider 267, 275, 277
 COARSE 278
 FINE 278
 permissions 278
 LogCat 38, 49, 537
 functionality 514
 superfluous statements 539
 values displayed 58
 longitude, how expressed 270
 lookup key 398
 loopback 162
 don't connect to 167
 Looper 81, 320
 LVL 544

M

Mac 7
 finding IP address 167
 MAIN LAUNCHER, intent-
 filter 111
 main.xml 45–46
 makeText 208
 managedQuery method 150
 manifest 98–99
 MapActivity 268, 277
 extending 282
 writing with MapView 284
 MapController 277
 get from MapView 285
 mapping, applications to
 processes 25
 Maps application 270, 299
 maps, working with 281
 MapView 268, 277
 Google Maps API key 283
 limited version of Google
 Maps API 282
 and Overlay classes 282
 set zoom level 285
 updating 269
 writing MapActivity 284
 MapViewActivity 275
 screen 282
 margins 85

MD5 fingerprint 284
 media, capturing 251, 259
 MediaPlayer.create() 248
 MediaRecorder 257, 259, 261
 MEID 190
 Menu 69
 vs. onscreen buttons 70
 MenuItem 69, 104
 Message 112, 118, 172, 178,
 362
 class 319
 handleMessage method 81
 instances 319
 object, do not reuse 320
 sendEmptyMessage method
 82
 MessageQueue 81
 metadata file, AppWidget 477
 metrics, location-related 267
 Microsoft Exchange 390
 Microsoft, platforms
 compelling 8
 MIME type 107
 MIME_TYPE 151, 257
 mkdir, command on adb
 shell 343
 mkshcard 251
 tool 141
 Mobile Equipment Identifier.
 See MEID
 mobile in mind, designing 424
 mobile operators
 challenges 6
 response to Android 5
 mobile phone, basic states 193
 Mobile Safari 7
 iPhone 7
 MotionEvent 331
 MP3 247
 file play back 248
 MPEG-4 247
 multiple accounts 390
 convenience and
 complications 390
 My Location 270
 MyLocationOverlay 285
 MySQL 297, 334

N

NANP 198
 National Data Buoy Center.
 See NDBC
 Native Developer Kit. *See* NDK
 native library, building 508

navigation, detecting events 449
 NBDC 268
 feeds 285
 NDK 4, 339, 506
 build subsystem 512
 building an application 509
 directory 524
 installing 508
 integrating into Eclipse 524
 uses for 507
 netstat 355
 network protocols 161
 NetworkInfo 165
 networking, overview 161–164
 NexusOne device 371
 Nintendo Wii 368
 NOAA 268
 node 161
 nop 350
 North American Numbering
 Plan. *See* NANP
 nostdlib 348
 Notification 116, 118
 fields 210
 NotificationManager 213
 notifications 210–214
 debugging 539
 from Toast to status bar 211
 with Alarms 218
 NT Lan Manager. *See* NTLM
 NTLM 176
 number, global 197

O

-o switch 341
 objdump 340, 350
 Observable pattern 87
 Observer pattern 87
 OCR 507
 OGC 273
 onActivityResult 306–307, 323,
 327
 onBind method 19
 onCallStateChanged 194
 onClick 309
 onClickListener 68, 87
 onCreate 19, 79
 onCreateOptionsMenu 329
 onDraw 84, 331
 OnFocusChangeListener 87,
 198
 onLayout method 84
 onListItemClick method 80

onLocationChanged 281
 onMeasure method 84
 onOptionsItemSelected 80, 104
 onOptionsItemSelected 329
 onPause 72
 onReceive 115, 198
 onSaveInstanceState
 method 74
 onscreen buttons vs. Menu 70
 onServiceConnected 126
 onServiceDisconnected 126
 onTouchEvent 331
 onVisibilityChanged
 method 84
 Open Geospatial Consortium.
 See OGC
 Open GL
 clipping planes 240
 identity matrix 240
 and link command 347
 Open Handset Alliance and
 Google 3
 open source, double-edged
 sword 8
 OPEN, CLOSED 504
 OpenCORE 246–247
 multimedia platform 247
 open-ended records 389
 openFileInput 137
 openFileOutput 136, 313
 OpenGL 345
 primitives 238
 descriptions 239
 OpenGL ES 10, 233
 3D shapes 241
 Android support for 227
 API 234
 drawing a rectangle 238
 graphically intensive
 applications 234
 visualization 237
 OpenGL libraries 507
 OpenGL-Context 234
 openInputStream method 22
 openRawResource 138
 Oracle, Java VM licensing 12
 org.apache.httpclient 160
 outbound calls, intercepting
 198
 output switch. *See* -o switch
 OutputStream 331
 Overlay
 classes display on
 MapView 282
 draw on top of map 269

 onTap 287
 placing data on map
 with 285
 OverlayItem 285

P

Package Explorer, Eclipse 35
 packet 162
 PacketVideo, OpenCORE 10
 padding 76
 paint 223
 paired 370
 Palm 9
 Parcelable 122
 parse Uri 105
 path 107
 patterns
 AppWidget deployment 458
 Builder 71
 Observable 87
 Observer 87
 PDU
 mode is superior 208
 SMS data packet 203
 PendingIntent 200, 277
 permissions 99
 access 133
 phone-related 196
 world x 134
 perspectives 241
 DDMS 37
 Debug 35, 57
 Eclipse 34
 Java 35–36
 pESN 190
 phone
 home screen 455
 number 192
 Phone 7 7
 PhoneGap 447
 PhoneNumberUtils
 formatNumber helper
 method 197
 parse and validate 196
 PhoneStateListener 187, 191,
 194
 phone-top 454
 PHP 297
 for exchanging data 297
 mobile integration code 336
 server-side dispatcher
 system 335
 PictureCallback 253
 PID 38, 71

PIN value 372
 pipe-delimited return
 string 460
 pixels, OpenGL primitives 238
 placement 85
 places, converting with
 Geocoder 288
 plain old XML over HTTP.
 See POX
 Point 233
 polygons, OpenGL primitives
 238
 POP3 email program 403
 port 352
 identifying number 43
 three ranges 164
 Portable Operating System
 Interface for UNIX.
 See POSIX
 POSIX 165
 POST data 333
 postDelayed 304
 Power Control AppWidget 455
 Power Control widget 455, 457
 POX 160
 exposes chunks of XML 178
 using a service 180
 preferences 130
 preinit_array 351
 prime meridian base for
 longitude 270
 primitives 223
 printf 341
 process
 placed on a stack 71
 pruning 71
 process ID. *See* PID
 produce information URL 299
 progress, displaying 319
 ProgressDialog 299, 314, 319,
 328–329
 ProgressDialog.show method 80
 projection matrix 244
 projectname.apk 51
 protocol data unit 203
 See also PDU
 protocol layers 162
 Prototype 423
 Proxy 120
 ps -a 26
 Pseudo Electronic Serial
 Number. *See* pESN
 publishing 122
 Android Market 544, 548
 putExtras 80

Q

Qualcomm 7
 queryString 112
 queuing, local 328

R

R class 29, 89
 R.java 29, 44
 file 300
 serves as a bridge 64
 updating 46
 raw contact data, storing 392
 raw resources 96
 read-only interface,
 AppWidget 455
 Receiver 216
 receiver 111, 456
 tag 25
 RecordHit, inserts record into
 SQLite DB 355
 records 389
 fixed-length 388
 open-ended 389
 choosing 388
 RefreshJobs 317
 regression testing 540
 relational database, built-in 144
 RelativeLayout 85, 94
 remote device, connecting 372
 RemoteViews, working with 473
 remoting 121
 removeProximityAlert 277
 Representational State Trans-
 fer. *See* REST
 requestLocationUpdates 281
 use time parameter
 carefully 281
 Research in Motion 7
 Resources 139
 raw resources 138
 XML resources 139
 resources 89–98
 referencing in Java 89
 types 89
 ResponseHandler 172, 175
 REST 160, 184
 methods 181
 uses URL-style approach 178
 return, replace with exit call 349
 ReviewAdapter, extends
 ReviewAdapter 83
 RFCOMM 369
 cable replacement profile 369

RISC 340
 robot
 communicating with 384
 controlling with phone
 orientation 382
 driving 383
 rotating 3D cube 244
 router 163
 rows, inserting and
 deleting 438
 rpath 348
 Runnable, Java interface 81,
 320

S

Safari 7
 Samsung 371
 save 306
 SAX 77
 parser 313, 316
 style of tree traversal 141
 XML parser 314
 scaling 427
 scheme 107
 SD card 129, 141–144, 251
 and the emulator 141
 handles large files 141
 sdcard path 141
 SDK 4
 upgrades 533
 searching, Set Search Term
 button 448
 Secure Digital. *See* SD card
 secure shell 343
 Secure Sockets Layer. *See* SSL
 security risks 447–448
 select 357
 sendBroadcast 113
 sendDataMessage 199
 sendMultipartTextMessage 199
 sendTextMessage 199
 SenseBot 368
 building the application 379
 uses Bluetooth to drive
 robot 368
 SensorEvent fields 377
 SensorManager 375–379
 classes 376
 sensors
 enabling and disabling 378
 events 375
 SEO 426
 Serial Port Profile. *See* SPP

- server 333–337
 - communicating with 165
 - relies on MySQL and PHP 334
 - role 167
- ServerSocket 166
- Service 18, 24, 404
 - background task 116
 - binding vs. starting 126
 - building 115, 118
 - cleaning up after stopped 128
 - explicitly stopping 127
 - lifecycle 118, 127
 - onBind 118
 - onCreate 118
 - onDestroy 118
 - starting vs. binding 126
 - tags 24
- Service-bound lifecycle 127
- ServiceConnection 124
- service-oriented architecture. *See* SOA
- services
 - compared to alarms 481
 - long-running 119
 - tag 24
 - two purposes in Android 126
- Service-started lifecycle 127
- setAudioEncoder 257, 261
- setAudioSource 257, 261
- setContentView 91
- setContentView method 28
- setEmail 306
- setIcon 69
- setMediaController 251
- setNotificationUri 156
- setOutputFormat 257, 261
- setResult method 333
- Settings button 299
- setVideoPath 251
- SGL 10
- ShapeDrawable 224
- SharedPreferences 305–306
 - access mode 132
 - Context 130
 - Editor 132
 - objects 133
 - storing with different modes 130
 - XML files permissions 133
- sharedUserId 138
- Short Message Service. *See* SMS
- ShutterCallback 253
- signature
 - capturing with CloseJob Activity 327
 - electronic 295
 - JPEG image 300
- SIM cards
 - stored identifiers 189
 - used by GSM devices 189
- Simple API for XML. *See* SAX
- Simple Object Access Protocol. *See* SOAP
- SimpleAlarm class 216
- simulator vs. emulator 52
- single logical contact 392
- SiteMonitor
 - application architecture 462–465
 - basics 458–461
 - monitors website health 459
 - supports multiple conditions 460
- SiteMonitorModel class, two logical sections 465
- SiteMonitorService 480
- smart shortcut 457
- smartphone, major players 7
- SMS 39–203
 - pdus 203
 - permissions 201
 - receiving messages 202, 207
 - send message to emulator 21
 - sending messages 199, 201
- SMS messages
 - permissions 207
 - sending 199, 201
- SmsManager 199
- SmsMessage 199, 203, 206
- SMTP rigorous procedures 163
- SOA 102
- SOAP 160, 184, 297
 - imposes strict rules 178
 - kSOAP 185
 - proxy 185
- Sobel Edge Detection 507
 - convolution 518
 - highlighting image edges 511
- Socket 166, 362
- socket interface 369
- software development kit. *See* SDK
- software version 192
- source-level debugging, Eclipse 34
- Spinner 67–68
- Splash Activity 301
- splash page, functionality 303
- splash screen 298, 302
- splashhandler 304
- SPP 369
- SQL 22
 - functionality 422
 - local database 432
- SQLite 10, 70, 112, 297, 345
 - built-in database system 144
 - database 355
 - insert, update, and delete data 148
 - insertion of data 353
 - and link command 347
 - query 148
 - supports WeatherReporter 129
- sqlite database 389
- SQLite3 355
- sqlite3 144
 - tool 149
- SQLiteDatabase 148, 154
- SQLiteOpenHelper 145
- SQLQueryBuilder 156
- src folder 44
- SSL 296
- stack 368
- Stagefright, replacing OpenCORE 247
- start routine 349
- startActivity 17, 70, 105
- startActivityForResult 17, 306–307, 323
- startDocument method 316
- startElement 316
- starting path 134
- startRecording 259
- startService 18, 115
- state
 - instance 74
 - manage between activities 70
 - persistent 73
- static command-line switch 341
- static flag, applications self-contained 345
- static method 465
- status code, should be internal 504
- storing raw contact data 392
- String 316, 465
- StringBuilder 316
- strings
 - comparison 451
 - identifying and managing 495
 - in resources 500
 - pipe-delimited return 460

strings.xml file 45, 497
 Structured Query Language.
 See SQL
 Stub 119
 style sheet 429
 styles
 helpfulness 95
 vs. themes 96
 stylus 300, 327
 SurfaceHolder 237
 SurfaceView 237
 sync 403
 across multiple terminals 403
 retrying 404
 synchronization. *See* sync
 synchronizing lifecycle 414

T

takePicture 252
 TCP 353
 reliable 163
 sockets 355
 TCP/IP 161
 TDMA 189
 telephony 188
 alphabetic keypad 197
 format number 197
 outgoing call 198
 permission 193
 TelephonyManager 187, 190
 telnet 42
 testing, run under varied
 conditions 540
 .text 350
 text mode 208
 TextView 93, 360
 presents job details 323
 themes vs. styles 96
 Thread 79
 TimerTask 118, 229
 timestamp, appending 143
 titled 383
 Toast 206–210, 397
 toBundle 323
 tool chain, cross compiling 339
 tools
 aidl 119
 linker 339
 toString method, displaying
 jobs 311
 toXMLString 311, 313
 transaction function,
 unpacking 436
 translation team 499

Transport Layer 162
 triangles, OpenGL
 primitives 238
 troubleshooting 418
 try/catch blocks 49

U

U.S. National Oceanic and
 Atmospheric Administra-
 tion. *See* NOAA
 UDP, fire and forget 163
 UI
 changes 45
 distortion 498
 unbindService 126
 Unix, DayTime Server 352
 update, triggering 482
 Uri object 102
 UriMatcher 154
 URIs 13
 Content 22
 examples 14
 syntax 150
 using those built-in 108
 URL 13
 product information 299
 Usage Stats 537
 user
 ID 138
 input 77
 user agent 428
 user friendly 455
 UsernamePasswordCredentials
 175
 uses-library 282
 uses-permission 25, 362
 tag 25

V

Values 45
 values, externalizing 94
 Vector 313
 Verizon, Get It Now 7
 versionCode 539
 versionName 539
 vertex, coordinates per 240
 video
 playback choppy 250
 playing 250–251
 video recording, specific to
 phone vendor 248
 VideoView 250

View 233, 331
 classes 75
 lifecycle methods 84
 single-threaded interface 88
 widgets 382
 ViewGroup 84
 subclass related to layout 76
 viewport
 meta tag options 427
 tag, adding 426
 views
 common 75
 creating custom 82
 defined in XML 91
 Devices 38
 Eclipse 35
 Emulator Control 39
 File Explorer 39, 133
 Javadoc 36
 Layout 46
 LogCat 38, 48, 58
 Package Explorer 35, 44
 Problems 36, 49
 working with 74–89
 XML 46
 XML defined 92
 vnd.android.cursor.dir 152
 vnd.android.cursor.item 152

W

WEAK_FOCUS 87
 weather, checking with custom
 URI 109
 WeatherAlertService 116–128
 WeatherReporter 109–118, 149
 displaying alerts 113
 web control, desired
 behavior 441
 Web Inspector, WebKit 439
 web services 178–185
 Web Tools Platform 528
 WebChromeClient class 452
 WebKit 6, 10
 and KDE 422
 tools
 Error Console 439
 for testing 439
 Web Inspector 439
 WebView browser 443
 WebViewClient 448
 widget instance, create 479
 widgets 46
 zombie 472

width
 class 85
 setting minimum 76
 Wi-Fi 160
 Bluetooth similar to 368
 no emulation layer 160
 WiMAX 160
 Windows 7
 finding IP address 167
 NTLM 176
 Windows Mobile 9
 WinRAR 51
 WinZip 51
 Workbench 529

Worldwide Interoperability
 for Microwave Access.
See WiMAX
 WRAP_CONTENT 86
 WS-* 185

X

XML
 drawable shapes 225
 file not needed 67
 parsing 181
 resources 139
 Schema 184

stream 336
 using to create a
 drawing 224
 XML <animation-list> tag 228
 XmlPullParser 141

Y

Yahoo! Weather API 102, 109,
 118

Z

zombie widgets 472