

index

Symbols

@end 200
@implementation 195, 200
@interface 200
@property 200
@selector syntax 254
@synthesize 200
*.framework 192
*.h 192
*.m 192
*.mm 192
#import 158, 200
#import directive 193
#include command 158

Numerics

3G network 6

A

ABAddressBook 314
ABAddressBookCopyArrayOfAll
 People 317
ABAddressBookCreate 317
ABCreateMutableCopy 315
ABGroup 314
ABMultiValue 314
ABMultiValueCopyLabelAt-
 Index 315
ABMultiValueCopyValueAt-
 Index 315
ABMultiValueGetCount 315

ABMultiValueReplaceLabelAt-
 Index 315
ABMultiValueReplaceValueAt-
 Index 315
ABMutableMultiValue 314
ABNewPersonViewController
 314, 318, 321
ABPeoplePickerNavigation-
 Controller 314, 318–321
ABPerson 314, 317
ABPersonViewController
 314, 318, 322
ABRecord 314
ABRecordCopyCompositeName
 317
ABRecordCopyValue 315, 317
ABRecordRef 321
ABRecordSetValue 315
absolute values, problems 34
absolutes 39–40
ABUnknownPersonView-
 Controller 314, 318, 322
accelerometer 8, 11, 18, 75
 filtering, and 328
 force, measuring 327
 gestures, and 333–335
 gravity, measuring 328–329
 iPhone Simulator, and 326
 movement, and 326–333
 movement, basic,
 detecting 331
 orientation, and 325–326
 rhythm 331
 shared action 328
Accelerometer Graph 330
 shake characteristics 333

accelerometer:didAccelerate:
 327–328, 335
Accessibility 21
Accessory view 274
Action target listed as nil 254
Actions in use 261
ad hoc distribution 431
addAnimation:forKey: 393
addColorStop 113
addEventListener 71
addObserver:selector:name:
 object: 262
Address Book 313–322
 and Core Foundation 321
 Apple tutorial 313
 classes 314
 contacts, extracting 317
 framework 313
 getter functions 315
 include files 313
 individuals, extracting 317
 memory management 321
 people-picker view
 controller 318
 properties, accessing 314–316
 querying 316–318
 setter functions 315
 UI framework 313, 318–322
 view controllers 318, 321
addSubview 198
addTarget:action:forControl-
 Events: 255
addTarget:action:forControl-
 Events:method 254
affine transformation, in
 Quartz 378

Ajax 419
 introduction 88
 reloading pages 152
 allHTTPHeaderFields 401
 allTouches 244
 altitude
 Core Location, and 340
 iPhone Simulator, and 340
 monitor 342
 original iPhone, and 340
 always-on Internet 10, 83
 animation 64
 applying to layer 393
 block, defining 393
 explicit 392–393
 implicit 392
 in Canvas 121
 key frame 392
 key frame vs. basic 394
 animationDuration 346
 animationImages 346
 animationRepeatCount 346
 Apache, using locally 143
 app delegate database 312
 app ID, creating 430
 App Store, preparing app for
 distribution 431
 Apple
 Blog 427
 Developer Connection 427
 Developer Forums 428
 Developer Site 428
 docs 32
 registering as developer
 with 429
 application bundle 297
 application delegate 194
 linking a new class 202
 tasks 194
 applicationDidFinishLaunching
 194–195, 202, 268, 313
 Apps Amuck 428
 arc 107
 arcTo 107–108
 arrayForKey 297
 Assisted GPS (A-GPS) 8
 attribute, iUI 93
 Attributes tab 245, 267
 audio file ID 363
 Audio File Services 360
 Celestial 360
 Audio File Stream Services 360
 audio queue 363
 AudioQueueFlush 364
 AudioQueuePause 364

AudioQueuePrime 364
 AudioQueueReset 364
 AudioQueueStart 364
 AudioQueueStop 364
 buffer 363
 callback 363
 functions 364
 playing from 363
 recording 364
 Audio Queue Services 360, 362
 Audio Session Services 360
 Audio Toolbox 361
 framework 361
 AudioServicesAddSystemSound
 Completion 361
 AudioServicesCreateSystem-
 SoundID 361
 AudioServicesDisposeSystem-
 SoundID 361
 AudioServicesPlaySystemSound
 361
 AudioServicesRemoveSystem-
 SoundCompletion 361
 autocompletion 204
 Autoresize 133
 autoresizingSubviews 228
 autoresizingMask 228
 properties 228
 UIViewAutoresizingFlexible-
 BottomMargin 229
 UIViewAutoresizingFlexible-
 Height 229
 UIViewAutoresizingFlexible-
 LeftMargin 229
 UIViewAutoresizingFlexible-
 RightMargin 229
 UIViewAutoresizingFlexible-
 TopMargin 229
 UIViewAutoresizingFlexible-
 Width 229
 UIViewAutoresizingNone 229

B

back button 82
 backButton 86
 Background 57
 bandwidth 151
 bar button items 276
 becomeFirstResponder 242, 250
 beginAnimations:context: 393
 beginIgnoringInteractionEvents
 UIApplication method 250
 beginPath 106
 Bezier curve 108

bezierCurveTo 107, 109
 Bibault, Bear 99
 bitmap
 drawing on 383
 drawing to 370
 bitmask 253
 blueButton 92
 Bluetooth 8
 <body> 105
 Bonjour, accessing 398
 bookmarklet 150–151
 bottom bar 46
 eliminating 69
 Box 57
 Brisbin, Jon 150
 browsing paradigm 83
 BSD socket 397
 bubble 14, 47
 bundle 293
 accessing 298
 application 293, 297
 framework 293
 settings 293
 button 86, 92, 286
 iUI 92

C

C 18, 155
 .c (source) files 158
 C Concept 155
 C# 18
 C++ 18
 CABasicAnimation 393
 CAEAGL 394
 CALayer 348, 391
 anchorPoint 392
 backgroundColor 392
 opacity 392
 position 392
 properties 391
 transform 392
 camera 8
 resource usage 350
 canBecomeFirstResponder 251
 canResignFirstResponder 251
 Canvas 18, 77, 197
 animation 121
 basic setup 104
 Bezier curves 108
 <body> 105
 browsers 104
 clipping 114–116
 clipping paths 116
 color styles 112

- Canvas (*continued*)
 - compatibility 103
 - composition, modifying 114–116
 - curve commands 107
 - drawing order 121
 - enabling 103
 - first steps 103–105
 - global variables 115
 - gradient styles 112
 - graphics, accessing 103
 - image commands 118
 - images 117–120
 - integrating with
 - Dashcode 141
 - Internet Explorer, and 104
 - line styles 114
 - onload attribute 105
 - path commands 106
 - paths 105–109
 - pattern commands 119
 - patterns 117–120
 - rectangles 110
 - restoring shapes 116–117
 - shape functions 110
 - shapes 110–111
 - controlling 114–115
 - drawing order 110
 - state stacking 117
 - styles 112–114
 - text 117, 119–120
 - transformations 116–117
 - transparency 114–116
 - viewport metatag 105
- <canvas> 57, 103
- Canvas graphic library 24
- carbon-based frameworks 157
- CATransform3DMakeAffineTransform 393
- cc 158
- Celestial 360
- certificate
 - creating 431
 - downloading 430
 - signing request, creating 430
- CFBundle 293
- CFFTPStream 398
- CFHost 398–399
- CFHTTPMessage 398
- CFHTTPStream 398
- CFNetServices 398
- CFNetwork 398
- CFStringRef 157
- CFURLRef 399
- CGAffineTransform 378, 385
- CGColorSpaceCreateWithName 381
- CGColorSpaceRelease 382
- CGContextAdd 371–372
- CGContextBeginPath 371
- CGContextClearRect 374
- CGContextClip 373
- CGContextClosePath 373
- CGContextConcatCTM 378
- CGContextDraw 381–383
- CGContextFillPath 373
- CGContextFillRect 374
- CGContextMoveToPoint 372
- CGContextRestoreGState 375
- CGContextRotateCTM 377
- CGContextSaveGState 375
- CGContextScaleCTM 377
- CGContextSelectFont 384
- CGContextSetAlpha 380
- CGContextSetBlendMode 380
- CGContextSetFillColorWithColor 376
- CGContextSetFlatness 380
- CGContextSetFont 385
- CGContextSetLine 380
- CGContextSetRGBFillColor 376
- CGContextSetRGBStrokeColor 376
- CGContextSetSetPosition 385
- CGContextSetShadow 380
- CGContextSetShadowWithColor 380
- CGContextSetStrokeColorWithColor 376
- CGContextSetTextDrawingMode 384
- CGContextSetTextMatrix 385
- CGContextShowText 385
- CGContextShowTextAtPoint 385
- CGContextStrokePath 373
- CGContextStrokeRect 375
- CGContextTranslateCTM 377
- CGGradientCreateWithColors 381
- CGGradientRef 381
- CGGradientRelease 382
- CGPath 373
- CGPathCloseSubpath 373
- CGPathCreateMutable 373
- CGPathMoveToPoint 373
- CGPDFContextCreate 369
- CGRectMake 197
- CGShadingRef 381
- changedTouches 71
- chrome 81
 - action buttons 82
 - adjusting the chrome 69
- CJSONDeserializer 420–421
- class controls 204
- clearRect 110
- click 48
- client-server development 27
- client-side database 66, 68
- clientX 72
- clientY 72
- clip 114, 116
- clipping path
 - closing 373
 - setting, in Quartz 379
- clipping, in Canvas 114–116
- CLLocation 336–337
 - altitude 337
 - coordinate 337
 - timestamp 337
- CLLocationManager 336
 - location 337
 - startUpdatingLocation 337
 - stopUpdatingLocation 337
- CLLocationManagerDelegate 336–337
 - didFailWithError: 337
 - didUpdateToLocation: 337
 - fromLocation: 337
 - locationManager: 337
- closeFile 300
- Cocoa Dev Central 428
- Cocoa Is My Girlfriend 428
- Cocoa Samurai 428
- Cocoa Touch
 - Plugin 208
 - Quartz, and 367
- Cocoa’s Foundation
 - framework 157
- code folding 204
- collage 348
 - example 351–356
 - temporary image view 354
 - view 355
 - view controller 351–354
- collageView 351
- collageViewController 351
- color
 - setting, in Quartz 375
 - styles, in Canvas 112
- color space 375
- color stop 113
- colspan 43
- Column Layout 140

- columns 41
 - commitAnimations 393
 - compile at runtime 158
 - compile in Xcode 192
 - compiler directive 158
 - compiling 158
 - to iPhone 429
 - complex structures 159
 - composition, in Canvas 114–116
 - contentForMenuWithParent 310
 - contentsAtPath 300
 - context
 - graphical 348
 - in Quartz 367–371
 - controlChange 339
 - coordinate system 368
 - Core Animation 391–394
 - explicit animation 392–393
 - fundamentals 391
 - implicit animation 392
 - key frame animation 392
 - layer 391
 - Core Audio frameworks 360
 - Core Foundation 157
 - and Quartz 367
 - and the Address Book 321
 - Core Graphics
 - drawing simple images 347
 - functions for 383
 - Core Location 335–342
 - GeoNames example 414–416
 - Google Maps example 405–407
 - Internet, and 342
 - iPhone Simulator, and 335
 - TouchJSON example 420
 - using altitude 340–342
 - using location and distance 337–340
 - Core Services
 - framework classes 425
 - CoreGraphics 202
 - countForMenuWithParent 310
 - create new class, steps to 199
 - CREATE TABLE 67
 - createLinearGradient 113
 - createPattern 118
 - createRadialGradient 113
 - creating
 - new objects as subviews of
 - your tab bar controller 266
 - nextResponder function in a subclass 251
 - tab bar controller by
 - hand 266
 - tab bar through a
 - template 267
 - CSS 12, 16, 39
 - gradients 76
 - masks 77
 - optimizing 44
 - CSS positioning 40
 - absolute 40
 - fixed 40
 - relative 40
 - static 40
 - CTM
 - transformation 376
 - transformation functions 377
 - current transformation matrix (CTM). *See* CTM
 - curve commands 107
 - custom audio structure 363
 - customizableViewControllers 271
 - cut and paste 14
- D**
-
- Dashcode 24, 32
 - action buttons 134–135
 - alternative to iUI 101
 - anatomy 126
 - Attributes inspector 129
 - Behaviors inspector 129
 - Browser 140
 - Browser template 126, 135
 - Canvas 140
 - canvas 127
 - Code Library 130
 - Custom template 126
 - Debugger 130
 - Edge-to-Edge List 140
 - Fill & Stroke inspector 129
 - graphical orientation
 - gauge 132
 - handlers, writing 135
 - history 125
 - input from objects 134
 - inspector 126, 128
 - tabs 129
 - integrating
 - with Canvas 141
 - with existing libraries 140–142
 - with iUI 141
 - with WebKit 140
 - integration, deep 142
 - introduction 125–130
 - iPhoto interface 130
 - JavaScript integration 128
 - Library 126
 - library 129
 - library parts 132–134
 - listController 136
 - lists 136
 - main screen 126
 - Metrics inspector 129
 - navigator 126, 128
 - Application Attributes 128
 - Home Screen Icon 128
 - object hierarchy 128
 - Share 128
 - object Behavior tab 134
 - orientation code 133
 - outputting to a part 132–134
 - Parts Library 129
 - photos 130
 - Podcast template 126
 - program, writing 131–140
 - project
 - deploying 130
 - running 130
 - saving 131
 - starting 126
 - Quartz Composer 140
 - QuickTime 140
 - resizing objects 133
 - Rounded-Rectangle List 140
 - RSS template 126
 - Run button 130
 - Share button 130
 - source code window 126, 128
 - Stack Layout 140
 - stackLayout 136–139
 - building outside 137
 - creating 136
 - getAllViews 137
 - getCurrentView 137
 - manipulating 137
 - methods 137
 - populating 137
 - setCurrentView 137
 - setCurrentViewWith-Transition 137
 - variable views 139
 - tab bar 138
 - templates 126
 - choosing 126
 - SDK equivalents 126
 - Text inspector 129
 - top bar 126–127
 - transitions 138

- Dashcode (*continued*)
 - User Guide 125, 138
 - Utility template 126
 - viewports 133
 - widgets 125
 - data paradigm 83
 - data, non-HTML, capturing 401
 - database 65
 - building navigation menu
 - from 306–313
 - loading a database 65
 - transaction 65
 - transaction handlers 66
 - database view controller 311
 - DatabaseViewController 307
 - dataHandler 66
 - datawithContentsOfURL 421
 - dealloc 201, 310
 - deallocate 157
 - debugging
 - with desktop browser
 - 144–149
 - with Firefox 146–148
 - with iPhone Debug 150
 - with iPhone Simulator 148
 - with iPhone Web Developer 150
 - with Safari 144
 - with your iPhone 149–151
 - declarations 156
 - default element 87
 - delegate connection 217
 - delegateClassName 194
 - delegation 217, 241
 - dereference 157
 - design element 83
 - always-on Internet 83
 - input 84
 - location awareness 84
 - orientation awareness 84
 - output 84
 - power consciousness 84
 - desktop Internet, browsing paradigm 83
 - detectsPhoneNumbers 402
 - developer
 - registering with Apple 429
 - development
 - web resources 427
 - Development Methodologies 23
 - deviceDidRotate 326
 - device-width 35
 - dialog, iUI 89
 - didEndElement 409
 - didReceivedMemoryWarning 157
 - didRotateToInterfaceOrientation 230
 - didStartElement 409
 - directory, accessing 299
 - dismissModalViewControllerAnimated-Animated 281
 - display text using the SDK 257
 - distance, and Core Location 337
 - distribution
 - ad hoc 431
 - enterprise 431
 - via iPhone App Store 431
 - doc lookup 205
 - doc sets 205
 - documents directory 297
 - files retrieving 299
 - DOM Inspector 146
 - dot shorthand 198
 - do-while 159
 - drawAsPatternInRect 348
 - drawAtPoint 348
 - drawAtPoint:blendMode:alpha: 348
 - drawImage 118
 - drawing, in Quartz 381–386
 - drawInRect 348
 - drawInRect:blendMode:alpha: 348
 - drawRect 348, 356, 368
 - Drosera 145
 - dynamism 20
-
- E**
-
- EAGL 394
 - EAGLView 394
 - EDGE network 6
 - editing window 204
 - endGeneratingDeviceOrientation-Notifications 326
 - endIgnoringInteractionEvents 250
 - energy consciousness 152
 - enterprise distribution 431
 - enumerated 253
 - Error Console 145
 - error.code 66
 - error.message 66
 - errorHandler 66
 - event 21, 70, 240, 242
 - regulating 242
 - unhandled 241
 - event encoding 242
 - event handlers 71
 - eventreporter 245
 - exclusiveTouch 251
 - UIView property 250
 - executeSql 65
 - dataHandler 66
 - errorHandler 66
-
- F**
-
- Facebook 50
 - Fettig, Abe 150
 - <fieldset> 90
 - file
 - copying 299
 - manipulating 300–301
 - NSData, writing to 300
 - NSString, writing to 301
 - opening 297, 300–303
 - retrieving from Documents directory 299
 - file manager 300
 - fileHandleForReadingAtPath 299–300
 - fileHandleForWritingAtPath 300
 - filesaver example 302–303
 - fileURLWithPath 399, 407
 - fill 106
 - fillRect 110
 - fillStyle 112
 - fillText 119
 - filtering
 - and accelerometer 328
 - movement 329
 - high pass 330
 - Firebug 146–147
 - console object 148
 - console.assert 148
 - console.dir 148
 - console.dirxml 148
 - console.log 148
 - console.profile 148
 - console.trace 148
 - debugging with 148
 - Firefox 56
 - add-ons 146
 - CSS-related functions 146
 - debugging with 146–148
 - DOM Inspector 146
 - download sites 146
 - Error Console 146
 - Firebug 147–148
 - Firebugsites 146

Firefox (*continued*)
 forms functions 146
 Web Developer 146
 first responder 241–242
 FirstViewController class 267
 fixed 40
 Flash 7, 37
 flick 14, 47
 two-finger 14
 flipside controller 223, 279
 creating preferences 289
 RootViewController 279
 Using 280
 FlipsideViewController 279
 font types 40
 force
 measuring with
 accelerometer 327
 start 331
 stop 331
 form, submitting 417
 formfield.onclick 38
 formfield.onmousedown 38
 formfield.onmousemove 38
 formfield.onmouseout 38
 formfield.onmouseover 38
 formfield.onmouseup 38
 Foundation 202
 foundation framework
 classes 425
 foundCharacters 409
 frame 197
 framesets 49
 framework bundle 293
 framework classes 423
 foundation 425
 frameworks 21
 Frameworks folder 202
 free() 157
 freemium 26
 FTP server, communicating
 with 398
 function 156, 197
 function prototypes 158
 Furbo.org 428

G

gcc 158
 GeoNames 414–416
 findNearestIntersection 414
 gtopo30 414
 srtm3 414
 timezone 414
 TouchJSON example 420

gesture 14, 70
 and accelerometer 333–335
 gesturechange 70, 74
 gestureend 70
 gesturestart 70, 74
 recognizing 333
 getAllViews 137
 getCurrentView 137
 getDistanceFrom 340
 getElementById 118
 g-force 327
 global variable states 117
 globalAlpha 112, 114–115
 globalCompositeOperation 114
 values 115
 globalization 20
 Gmail 50
 goBack 402
 goForward 402
 Google 11
 Google Maps
 Core Location example
 405–407
 hybridizing 406
 googleSearch 406
 goto 159
 GPS 8, 11, 18
 accessing 335
 built-in 336
 location aware 11
 gradient
 color stop 113
 drawing, in Quartz 381–382
 styles, in Canvas 112
 graphic state
 methods 379
 setting in Quartz 375–381
 graphical context 348
 in Quartz 367
 methods 369
 stack 368
 graphical interface 81–83
 back button 82
 choices, separating 82
 chrome 81
 action buttons 82
 guidelines 81
 look and feel 81
 sliding menus 82
 viewports 82
 zooming 82
 graphical state, managing 380
 gravity, checking 328
 grayButton 93

H

.h (or header) files 158
 Hahlo twitter client 20
 Harte, Erwin 150
 Hello, World! 196
 helloworldxcAppDelegate.h 193
 helloworldxcAppDelegate.m
 193
 Hewitt, Joe 84, 147
 hidesWhenStopped 342
 hitTest:withEvent:
 UIView method 250
 HTML 16
 data, manipulating by
 hand 400
 displaying with
 UIWebView 401–407
 HTTP_USER_AGENT 44
 HTTPBody 401

I

IBAction 209, 212, 217, 255–256
 IBOutlet 195–196, 209, 212,
 246, 267–268
 coding with 216
 connecting to Interface
 Builder object 215
 creating 246
 declaring 215
 icon 269
 identifier 72
 Identity tab 246
 iDevKit 428
 image 345–347
 blending 348
 collage example 351–356
 data types 345
 drawing, in Quartz 383–384
 duplicating 118
 in Canvas 117–120
 layering 347
 modifying 383
 modifying in UIKit 347
 transparency 348
 image picker 349
 image property 346
 Image View object 210
 imageNamed 345
 UIImagePickerController:did-
 FinishPickingImage:
 editingInfo: 349
 UIImagePickerControllerDid-
 Cancel 349, 354

- imageWithCGImage 345
- imageWithContentsOfFile 345-299
- imageWithData 345
- includes 191
- info button 17
- Info.plist 192
- initWithCoder 218, 234
- initWithContentsOfFile 300
- initWithContentsOfURL 408
- initWithData 408
 - encoding 301
- initWithFile 310
- initWithFrame 197, 346
- initWithImage 346
- initWithNibName 279
- initWithParentid
 - Menu 311
- initWithStyle 289, 291
- initWithTitle:image:tag:
 - method 269
- input 84
 - user, accepting 286
 - user, controls 286
- insertSubview 280
- Inspector window 245
- integerForKey 297
- integerForMenuWithParent 310
- integrated development
 - methodologies 25
- Interface Builder 207-210, 245, 266, 268
 - .xib files, accessing 219
 - advanced topics 217-219
 - anatomy 207-209
 - Connections panels 216
 - delegate connections 217
 - external object, creating 218
 - first project 210-214
 - IBAction 209, 217
 - IBOutlet 209, 214-217
 - coding with 216
 - declaring 215
 - Image View object 210
 - image, adding 213
 - inspector 209
 - inspector window 211-213
 - Attributes tab 211
 - Class Actions 213
 - Class Identity 213
 - Class Outlets 213
 - Connections tab 212
 - Identity 213
 - Identity tab 212
 - Size tab 212
- Label object 210
- Library 208
- linking objects 260
- main display window 208
- nib document window 207
- object
 - connecting to IBOutlet 215
 - creating 210
 - initializing 218
 - initWithCoder 218
 - linking with Xcode 214
 - manipulating 211
- proxies 207
- proxy, creating 218
- resizing views 229
- simulating in 210
- UI elements 208
- Web View object 210
- windows 207
- interfaceOrientation 229, 325
- Internet 9
 - always-on 9
 - host, requesting information about 398
 - programming, hierarchy 397
- Internet Explorer 56
 - and Canvas 104
- IP address, locating 144
- iPhone
 - browser specifications 7
 - built-in programs, preferences 288
 - chrome 45
 - Mobile Safari web browser 45
 - compatible 23
 - compiling to 429
 - events 47
 - incompatible 23
 - multi-touch-capable
 - capacitive touch screen 13
 - optimized 24
 - CSS 44
 - iPhone events 47
 - profiling for 151
 - UI, creating 81-84
 - vibrating 362
 - viewport 32
 - web apps 24
 - web resources 427
- iPhone Atlas 427
- iPhone Dev Forums 427
- iPhone Dev SDK 428
- iPhone Development 428
- iPhone Development
 - Central 428
- iPhone friendly 24, 36
 - columns are too big 43
 - common problems 41
 - graphics are too small 41
 - words are too small 42
- iPhone in Action*, blog 427
- iPhone SDK 16
- iPhone Simulator 130, 144, 148, 192
 - and altitude 340
 - and Core Location 335
 - and volume controls 359
- iPhone Specifications 4
 - 802.11g 6
 - input 5
 - Streaming bit rate 6
 - Visual output 5
 - Wireless network connectivity 6
- iPhone Web Developer
 - debugging with 150
 - getting bookmarklets from 151
- iPhoneWebDev 427
- iPhoto interface via
 - Dashcode 130
- iPod Touch 5
- isFirstResponder 251
- isIgnoringInteractionEvents
 - UIApplication method 250
- isSourceTypeAvailable 350
- iUI 18, 24, 84
 - Ajax 90, 97
 - improving data listings 97
 - alternatives 101
 - attributes 93
 - hideBackButton= 93
 - orient= 93
 - selected= 93
 - target= 96
 - toggled= 93
 - type=cancel 93
 - type=submit 93
 - back end 94-95
 - blueButton 92
 - blueButton class 86
 - button 92
 - button class 86
 - button classes 90
 - classes 86

iUI (*continued*)
 code, organizing 95
 compressing 98
 data listings, improving 97
 default element 87
 developing with 85–94
 dialog class 86
 dialogs 89
 download sites 84
 example, integrating PHP 94
 external links 88
 grayButton 93
 grayButton class 86
 group class 86
 home page 96
 integrating with
 Dashcode 141
 integrating with other
 libraries 99–100
 jQuery, and 99
 leftButton 92
 leftButton class 86
 license 85
 lists 87
 look and feel 98
 organizational approaches 96
 page navigation 96
 panel class 86
 panels 91
 row class 86
 rows 91
 search 89
 with Ajax 90
 tabbed interface 96
 table view 87
 tips and tricks 95–99
 toggle class 86
 toggles 92
 toolbar 86
 toolbar class 86
 WebKit, and 100
 whiteButton 93
 whiteButton class 86
 iUi example, color-selector 85

J

J2ME 18
 Java 7, 37
 JavaScript 16, 18
 and energy use 152
 Javascript Events 37
 Drag 37
 Hover 37

JavaScript.com 428
 jQuery
 and iUI 99
 iPhone package 99
 disableTextSizeAdjust 99
 enableTextSizeAdjust 99
 hideURLbar 99
 orientchange 99
 version 99
jQuery in Action 99
 JSON 419

K

Katz, Yehuda 99
 Kernighan 155
 key window 241
 keyboard 18, 242, 258–259
 Done key 258
 getting rid of 242
 Return key 259
 Konquerer 56

L

labeledwebview 199
 Lap Cat Software Blog 428
 leftBarButtonItem 276
 leftButton 92
 Library directory 297
 life cycle, monitoring 230
 line styles, in Canvas 114
 lineCap 114
 lineJoin 114
 lineTo 106
 lineWidth 114
 Link 58
 links 39
 list, iUI 87
 listController 136
 methods 136
 loadHTMLString:baseURL: 402
 loadRequest 402
 loadURL 201
 loadView 230, 268
 location
 and Core Location 337
 classes 336
 CLLocation 336
 CLLocationManager 336
 location awareness 84
 locationInView 243, 249
 locationManager:didUpdateTo-
 Location:fromLocation: 339

look and feel 81
 lookupSingularSQL 308

M

.m and .mm files 158
 Mac OS X, setting up Apache
 web server 143
 macro 158
 main.m 193
 mainBundle 299
 MainWindow.xib 192, 207, 226
 makefile 158
 malloc() 157
 manageTouches 248
 Marquee 58
 <marquee> 57
 media
 detection, CSS 44
 loading from files 359
 media player 357
 difficulties with 359
 framework 357–360
 integrating 359
 invoking 357
 notifications 357
 volume 359
 memory management 157
 in Address Book 321
 with tables 234
 menu, sliding 82
 metatag 36
 method 197
 Metrics inspector 133
 microphone, and audio
 queue 364
 mirrored development 26
 miterLimit 114
 mixed development 26
 mobi 10
 Mobile Orchard 428
 Mobile Safari 16, 63, 145
 mobile web standards 10
 mobileOK 10
 modal view 281
 controllers 281
 modalViewController 227
 monetization 21
 mousedown 48, 69
 mousemove 47–48
 mouseout 47–48
 mouseover 47–48
 mouseup 48, 69
 mousewheel 48–49

- movement
 - and accelerometer 326–333
 - casual, force 331
 - checking 330
 - filtering out 329
 - forceful, force of 331
 - slightly forceful, force of 331
 - moveTo 106
 - movieDidLoad 358
 - MPMoviePlayerContentPreload
 - DidFinishNotification 357
 - MPMoviePlayerController 357
 - MPMoviePlayerPlaybackDidFinishNotification 357
 - MPMoviePlayerScalingModeDidChangeNotification 357
 - MPVolumeSettingsAlertHide 359
 - MPVolumeSettingsAlertIsVisible 359
 - MPVolumeSettingsAlertShow 359
 - MPVolumeView 357, 359
 - multiple pages of screens 267
 - multipleTouchEnabled 251
 - UIView property 250
 - multi-touch screen 11
 - music 5
 - MVC 240, 242, 245–246, 249, 268, 270
- N**
-
- navigate using tables 277
 - navigation controller 271, 273
 - activating 277
 - adding a title 274
 - adding actions 275
 - adding the links 274
 - anatomy of 272
 - difference from Tab Bar 272
 - minimal configuration 272
 - navigating backward 278
 - navigating forward 276
 - other methods and properties 278
 - other types of navigation 278
 - using 276
 - navigation menu 304
 - building from database 306–313
 - navigation paradigm 278
 - Navigation-Based Application 203–204
 - template 273
 - navigationController 227
 - navigators and databases 278
 - Neal, Jonathan 99
 - nested message 196
 - Network Timeline 145, 151
 - networking, low-level 397–399
 - nextResponder 247
 - UI Responder method 250
 - Nib Document window 246
 - Nib file 192
 - vs. .xib 207
 - Nib window 274
 - nil 254
 - nonatomic 195
 - notifications 262
 - NSArray 425
 - creating table content 233
 - list of the view controllers 268
 - NSAutoreleasePool 193, 425
 - NSBundle 293, 425
 - NSCharacterSet 425
 - NSCountedSet 425
 - NSData 300, 425
 - initWithContentsOfFile 300
 - writeToFile atomically 300
 - NSDictionary 277, 417, 425
 - creating table content 233
 - NSDocumentDirectory 299
 - NSError 425
 - NSFileHandler 426
 - NSFileManager 300, 426
 - contentsAtPath 300
 - NSHandle 300
 - closeFile 300
 - fileHandleForReadingAtPath 300
 - fileHandleForWritingAtPath 300
 - readsDataofLength 300
 - readsDataToEndOfFile 300
 - NSIndexPath 235, 426
 - NSLibraryDirectory 299
 - NSLog 426
 - NSMutableArray 233, 426
 - NSMutableCharacterSet 426
 - NSMutableData 426
 - NSMutableDictionary 417, 426
 - NSMutableSet 426
 - NSMutableString 426
 - NSMutableURLRequest 398, 400, 416–417, 426
 - NSNotification 262
 - NSNotificationCenter 262, 426
 - NSNotificationQueue 262
 - NSNumber 426
 - NSObject 199, 224, 426
 - NSSearchPathForDirectoriesInDomains 299
 - NSSet 244, 248
 - NSString 157, 300, 402, 426
 - initWithData encoding 301
 - stringWithContentsOfFile encoding error 301
 - writeToFile atomically encoding error 301
 - NSURL 201, 398, 402, 426
 - creating 399
 - fileURLWithPath: 399
 - URLWithString: 399
 - URLWithString:relativeToURL: 399
 - NSURLConnection 398, 401, 416
 - NSURLRequest 201, 398, 402, 426
 - allHTTPHeaderFields 401
 - building 400
 - HTTPBody 401
 - init methods 400
 - properties 401
 - requestWithURL: 400
 - requestWithURL:cachePolicy:timeoutInterval: 400
 - valueforHTTPHeaderField: 401
 - NSUserDefaults 292
 - objectForKey 292
 - resetStandardUserDefaults 292
 - setObjectForKey 292
 - standardUserDefaults 292
 - NSNumber 426
 - NSXMLParser 407, 409–416, 426
 - delegate methods 408
 - initWithContentsOfURL: 408
 - initWithData: 408
 - parse 408
 - parser:didEndElement:namespaceURI:qualifiedName: 408
 - parser:didStartElement:namespaceURI:qualifiedName:attributes: 408
 - parser:foundCharacters: 408
 - parser:parseErrorOccurred: 408
 - parserDidEndDocument: 408
 - setDelegate: 408
 - starting 408

numberOfRows 136
 numberOfSections 237
 numberOfSectionsInTableView
 235

O

object
 creation, abstracting 225
 registers to receive notice 262
 objectForKey
 292, 297
 Objective-C 16, 18, 156–157
 onBlur 38
 onChange 38
 onClick 38
 onContextMenu 38
 onDoubleClick 38
 onError 38
 onFocus 38
 onKeyDown 38
 onKeyPress 38
 onKeyUp 38
 onLoad 38
 onLoad attribute 105
 onMouseDown 38
 onMouseEnter 38
 onMouseLeave 38
 onMouseMove 38
 onMouseOut 38
 onMouseOver 38
 onMouseUp 38
 onReset 38
 onResize 38
 onScroll 38, 47–48
 onSelect 38
 onSubmit 38
 OOP (object-oriented
 programming) 159
 OOP concept 159
 class 159
 framework 159
 inheritance 159
 message 159
 method 159
 object 159
 subclass 159
 OpenAL 360, 364
 openDatabase 65
 OpenGL 394
 EAGL 394
 standard template 394
 OpenGL ES Application
 203–204
 Organizer 205

orientation 12
 and accelerometer 325–326
 interfaceOrientation 325
 notification 325
 of a view, checking 229
 precise, determining 328
 property 325
 UIDevice 325
 orientation awareness 11, 84
 output 84
 Overriding
 hitTest:withEvent: 251

P

package 293
 page control 286
 pageTitle 86
 pageX 72
 pageY 72
 panel, iUI 91
 parentViewController 227
 parse 408
 parser:didEndElement:namespace-
 URI:qualifiedName: 408
 parser:didStartElement:name-
 spaceURI:qualifiedName:
 attributes: 408
 parser:foundCharacters: 408
 parser:parseErrorOccurred:
 408–409
 parserDidEndDocument
 408–409
 path 371
 Canvas 105–109
 commands 106
 drawing, in Quartz 371–375
 finishing 372
 reusable, creating 373
 pattern, in Canvas 117–120
 Pederick, Chris 146
 peoplePickerNavigation-
 Controller
 shouldContinueAfter-
 SelectingPerson 320
 peoplePickerNavigation
 ControllerDidCancel 320
 Perl 18
 phase 243
 property 249
 photo
 accessing 349–350
 taking 349
 photo album, saving to 350
 PHP 18
 and iUI 94
 picker view 286
 pinch 14, 48
 plist editor 295
 pointer 157
 popToRootViewController-
 Animated 278
 popToViewController:Animated:
 278
 popViewControllerAnimated
 278
 portrait mode 33
 POST 416–418
 power consciousness 11, 84, 152
 <pre> 57
 preference
 of built-in iPhone
 programs 288
 user, creating 288–293
 creating hierarchical
 settings 296
 creating settings 295
 dictionary of values 295
 editing settings 294
 maintaining 288–297
 saving 291–293
 saving in a database 291
 saving in a file 291
 saving NSUserDefaults 291
 settings, accessing 296
 using system settings
 293–297
 preferences page
 drawing 289–291
 select list 291
 switches 291
 PreferenceSpecifiers 295
 prepareRow 136
 presentModalViewController
 animated 320
 presentModalViewController:
 animated: method 281
 preventDefault 71
 previousLocationInView 243
 principalClassName 193
 procedural language 159
 profiling 151
 program
 distribution, via iPhone App
 Store 431
 project_Prefix.pch 192
 project.app 192
 projectAppDelegate 194

provisioning profile
 creating 430–431
 proxy
 creating in Interface
 Builder 218
 in Interface Builder 207
 PSChildPaneSpecifier 295–296
 PSGroupSpecifier 295
 PSMultiValueSpecifier 295
 PSSliderSpecifier 295
 PSTextFieldSpecifier 295
 PSTitleValueSpecifier 295
 PSToggleSwitchSpecifier 295

Q

quadraticCurveTo 107–108
 Quartz 367
 advanced drawing 381–386
 affine transformation 378
 bitmap, drawing to 370
 clipping path, setting 379
 Cocoa Touch, and 367
 color space 375
 color, setting 375
 context 367–371
 coordinate system 368
 Core Foundation, and 367
 gradients, drawing 381–382
 graphic state, setting 375–381
 images, drawing 383–384
 paths 367
 drawing 371–375
 finishing 372
 reusable 373
 program example 386–391
 rectangle, drawing 374
 state 367
 text, drawing 384
 transformation 376–378
 UIView, drawing to 369
 words, drawing 384–385
 Quartz 2D, UIImage 345

R

radian 107
 readsDataToEndOfFile 300
 recording 364
 rectangle
 drawing 374
 drawing in Canvas 110
 regulating events 250
 relative 40

release 201
 reload 402
 report coordinates 249
 requestWithURL 400
 requestWithURL:cachePolicy:
 timeoutInterval: 400
 resetGPS 342
 resetStandardUserDefaults 292
 Resig, John 131
 resignFirstResponder 242, 251
 resort array 136
 resourcePath 299
 Responder 244
 responder 241
 chain 241, 247
 restore 117
 results.insertId 66
 results.rows.item 66
 results.rows.length 66
 results.rowsAffected 66
 retain 195
 returnKeyType 258
 rhombus function 111
 rightBarButtonItem 276
 Ritchie, Dennis 155
 Root.plist 294
 editing 294
 Root.strings 294
 RootViewController 274
 rotate 117
 rotate animation 63
 row, iUI 91
 RSS (Really Simple
 Syndication) 20, 419
 RSS reader 409–414
 rssViewController 411
 Ruby on Rails 18

S

Safari 7
 debugging with 144
 development tools 144
 Drosera 145
 Error Console 145
 Network Timeline 145, 151
 User Agent 145
 Web Content Guide for
 iPhone 32
 Web Inspector 145
 Safe from the Losing Fight 428
 save 117
 scale 117
 scalesPageToFit 402
 screenX 72
 screenY 72
 scroll bars 14
 SDK 10, 19, 82
 docs 32
 grid starting point 197
 native apps 25
 programmer 18
 programming 17
 resources 428
 web apps 25
 search bar 287, 316
 search, iUI 90
 searchBarSearchButtonClicked
 259, 316
 secondController.tabBarItem.
 badgeValue 270
Secrets of the JavaScript Ninja 131
 segmented control 287
 select list 291
 select menus 45
 sendAction:to:forEvent: 254
 sendAction:to:fromSender:
 forEvent:
 UIApplication method 254
 sendActionsForControlEvents
 254
 setAffineTransform 393
 setCurrentView 137
 setCurrentViewWithTransition
 137
 setDelegate 408
 setObjectForKey 292, 297
 Settings page tools, creating 294
 shake 333–335
 shape
 drawing in Canvas 110–111
 drawing order 110
 function, writing 110
 sharedApplication 193, 251
 shouldAutorotateToInterface-
 Orientation 228
 simplicity 19
 SKDatabase 307
 SKMenu 307
 slider 287
 sliding menu 82
 SOAP 419
 social web, accessing 418–421
 sophistication 21
 sound
 complex, playing 362
 playing manually 360–364
 simple, playing 361
 source availability, checking 350
 special control events 253

- SQL 65
 - transaction handler 66
 - SQL responses
 - error.code 66
 - error.message 66
 - results.insertId 66
 - results.rows.item 66
 - results.rows.length 66
 - results.rowsAffected 66
 - SQLite 65, 157, 428
 - API commands 306
 - database, setting up 304–305
 - accessing 305
 - creating from command line 304
 - documentation 303
 - framework, adding 305
 - include file 305
 - limitations 303
 - using 303–313
 - sqlite3_close 306
 - sqlite3_column_int 306
 - sqlite3_column_string 306
 - sqlite3_exec 306
 - sqlite3_finalize 306
 - sqlite3_get_table 306
 - sqlite3_open 306
 - sqlite3_prepare 306
 - sqlite3_step 306
 - sqlite3.h 305
 - stack, in graphical context 368
 - stackLayout 136–139
 - building outside 137
 - creating 136
 - getAllViews 137
 - getCurrentView 137
 - manipulating 137
 - methods 137
 - populating 137
 - setCurrentView 137
 - setCurrentViewWithTransition 137
 - variable views 139
 - standardUserDefaults 292
 - start force 331
 - startAnimating 346
 - state 76
 - in Quartz 367
 - stack 117
 - statelessness 37
 - static 40
 - status bar 46
 - stop force 331
 - stopAnimating 346
 - stringByAppendingPathComponent 299
 - stringForKey 297
 - stringWithContentsOfFile
 - encoding error 300
 - stroke 106
 - stroke width 114
 - strokeRect 110
 - strokeStyle 112
 - strokeText 119
 - style, creating in Canvas 112–114
 - stylesheets, minimizing 151
 - subpage, back button 82
 - subscribe 205
 - subvert 242
 - subviews 201
 - superclass lookup 205
 - superview 241
 - SVG 37
 - switch 287
 - symbolic constants 159
 - synthesized 195
 - System Sound Services 361
 - AudioServicesAddSystemSoundCompletion 361
 - AudioServicesCreateSystemSoundID 361
 - AudioServicesDisposeSystemSoundID 361
 - AudioServicesPlaySystemSound 361
 - AudioServicesRemoveSystemSoundCompletion 361
 - functions 361
 - vibrating iPhone 362
- T**
-
- tab bar
 - adding more tabs 267
 - allow users to customize tab bar 271
 - badge 270
 - building a tab bar
 - interface 267
 - connecting views 268
 - customization 271
 - customizing items 270
 - delegate 265
 - icon image size 269
 - initWithTabBarSystemItem:tag: method 270
 - item 265
 - modifying the buttons 269
 - tabBarController:didEndCustomizingViewControllers:changed: 271
 - tabBarController:didSelectViewController: 271
 - title 270
 - view controller 265
 - where title is found in Xcode 270
 - Tab Bar Application 203–204
 - tab bar controller 267
 - delegate 265
 - setup example 268
 - tabBarController:didEndCustomizingViewControllers:changed: 271
 - tabBarController:didSelectViewController: 271
 - tabBarItem 227
 - table
 - cell properties 235
 - cell, selecting 238
 - cells 234
 - cells, accessories 236
 - content, creating 233
 - interface, building 233–238
 - memory management 234
 - sections 236
 - table view controller 231, 238
 - anatomy 231
 - cell properties 235
 - cell, selecting 238
 - creating 231
 - subclasses 233
 - table cells 234
 - accessories 236
 - table content 233
 - table interface, building 233–238
 - table sections 236
 - table view controller
 - subview 247
 - tableView
 - cellForRowAtIndexPath 312
 - didSelectRowAtIndexPath 312
 - tableView:cellForRowAtIndexPath: 233, 235, 238
 - tableView:didSelectRowAtIndexPath: 238, 277
 - tableView:numberOfRows: 237
 - tableView:numberOfRowsInSection: 235
 - tableView:titleForHeaderInSection: 237

- tap 14
 - /change 48
 - /click 47
 - /nothing 47
 - double 14, 48
 - tapCount 243, 249
 - target 71–72
 - target= 88
 - targetTouches 71
 - tempImageView 351, 354
 - templates for iPhone users 49
 - Text 58
 - text
 - drawing, in Quartz 384
 - in Canvas 117–120
 - text field 287
 - text view 18
 - TextField/Slider mashup 260
 - TextFieldDelegate 303
 - textViewDidEndEditing 259
 - thumbnails 403–405
 - timestamp 243–244
 - T-Mobile 10
 - tmp directory 297
 - toggle 92
 - toggleView method 279
 - toolbar 287
 - iUI 86
 - touch 70–71, 241–242
 - touch data 249
 - Touch events 244, 246
 - Touch Phase 249
 - Touch properties
 - clientX 72
 - clientY 72
 - identifier 72
 - pageX 72
 - pageY 72
 - screenX 72
 - screenY 72
 - target 72
 - touchcancel 70
 - touchend 70
 - touches and gestures 70
 - touchesBegan:withEvent: 244, 247
 - touchesCancelled:withEvent: 244
 - touchesEnded:withEvent: 244
 - touchesForView 244
 - touchesForWindow 244
 - touchesMoved:withEvent: 244
 - TouchJSON 419–420
 - installing 420
 - touchmove 70
 - touchstart 70
 - transaction 65
 - handler 66
 - transactionError 66
 - transactionSuccess 66
 - transformation
 - CTM 376
 - in Canvas 116
 - in Quartz 376–378
 - reusable 378
 - transition 61
 - in Dashcode 138
 - transitioning transforms 62
 - transitions 61
 - translate 117
 - transparency 348
 - in Canvas 114–116
 - tricks 204
 - turning off default behavior 71
 - two-finger flick/not scrollable 48
 - two-finger flick/scrollable 48
 - two-fingered gestures 48
 - type casting 156
 - type preference, describing 295
 - typing 156
- U**
-
- UIAcceleration 327
 - and gravity 327
 - and movement through space 327
 - parsing 327
 - UIAccelerometer 326
 - UIActionSheet 423
 - UIActivityIndicatorView 423
 - UIAlertView 423
 - UIApplication 193, 241, 423
 - regulation 251
 - sendAction:to:fromSender:forEvent: 254
 - sharedApplication 193
 - UIApplicationDelegate
 - protocol 194–195
 - UIApplicationMain 193
 - UIBarButtonItem 276, 278
 - modifying the look 278
 - UIBarButtonItemItems 272
 - UIButton 252, 286, 423
 - UIColor 196, 198, 423
 - UIControl 252, 424
 - accepting user input 286
 - UIControl events
 - editing events 253
 - objects events 253
 - slider event 253
 - touch events 253
 - UIControlEventEditingDidEnd 259
 - UIDatePicker 286, 424
 - UIDevice 325, 424
 - orientation values 229
 - UIDeviceOrientationDidChangeNotification 326
 - UIDeviceOrientationFaceDown 325
 - UIDeviceOrientationFaceUp 325
 - UIDeviceOrientationLandscapeLeft 325
 - UIDeviceOrientationLandscapeRight 325
 - UIDeviceOrientationPortrait 325
 - UIDeviceOrientationPortraitUpsideDown 325
 - UIEvent 242, 244, 424
 - allTouches 244
 - touchesForView 244
 - UIEvent reference 243
 - UIEventtimestamp 244
 - UIFont 424
 - UIGraphicsBeginImageContext 368–369
 - UIGraphicsEndImageContext 368–369
 - UIGraphicsGetCurrentContext 369
 - in Quartz 368
 - UIGraphicsGetImageFromCurrentImageContext 369
 - UIImage 300, 424
 - Core Graphics, and 347
 - drawAsPatternInRect: 348
 - drawAtPoint: 348
 - drawAtPoint:blendMode:
 - alpha: 348
 - drawInRect: 348
 - drawInRect:blendMode:alpha: 348
 - factory methods 345
 - imageNamed: 345
 - imageWithCGImage: 345
 - imageWithContentsOfFile: 345
 - imageWithData: 345
 - instance methods 347

- UIImage (*continued*)
 - loading 345
 - modifying 383
 - size restriction 345
- UIImagePickerController
 - 349, 424
 - sources 349
- UIImagePickerControllerSource
 - TypeCamera 349
- UIImagePickerControllerSource
 - TypePhotoLibrary 349
- UIImagePickerControllerSource
 - TypeSavedPhotosAlbum 349
- UIImageView 346, 424
 - animationDuration 346
 - animationImages 346
 - animationRepeatCount 346
 - drawing 346
 - frame, setting 347
 - image property 346
 - initializing 346
 - layering 347
 - properties and methods 346
 - resizing 347
 - startAnimating 346
 - stopAnimating 346
- UIImageWriteToSavedPhotosAlbum 350
- UIInterfaceOrientation
 - LandscapeLeft 229
- UIInterfaceOrientation
 - LandscapeRight 229
- UIInterfaceOrientationPortrait 229
- UIInterfaceOrientationPortrait
 - UpsideDown 229
- UIKit 196, 202, 350
 - framework 193
 - framework classes 423
 - image, modifying in 347
- UILabel 198, 245, 257, 424
- UINavigationController 223, 272, 274
- UINavigationController
 - 222, 272, 274, 424
- UINavigationController
 - View controller,
 - navigationItem 276
- UIPageControl 252, 286, 424
- UIPickerView 286, 424
- UIProgressView 424
- UIResponder 241, 424
 - regulation 250
 - touchesBegan:withEvent: 244
 - touchesCancelled:withEvent: 244
 - touchesEnded:withEvent: 244
 - touchesMoved:withEvent: 244
- UIReturnKeyDone 258
- UIScreen 424
- UIScrollView 424
- UISearchBar 257, 259, 287, 424
 - not a child of UIControl 252
- UISegmentedControl 252, 287, 424
- UISlider 252, 257, 259, 287, 424
 - action method query the
 - slider's properties 259
 - maximumValue 259
 - minimumValue 259
 - value 259
- UISwitch 252, 287, 425
- UITabBar 222
 - vs UIToolBar 267
- UITabBarController 222, 425
- UITabBarControllerDelegate
 - protocol 271
- UITabBarDelegate protocol 265
- UITableView 222, 231
- UITableViewCell 231, 233
- UITableViewCellAccessoryCheckmark 236
- UITableViewCellAccessoryDetail
 - DisclosureButton 236
- UITableViewCellAccessoryDisclosureIndicator 236, 274
- UITableViewCellAccessoryNone 236
- UITableViewController
 - 222, 231, 273, 425
 - RootViewController 274
- UITableViewDataSource 231, 233
- UITableViewDelegate 231
- UITableViewGrouped 289, 291
- UITextField 242, 245–246, 252, 257, 287, 425
 - prime control for entering
 - text 257
- UITextFieldDelegate 258
- UITextFields 245
- UITextView 242, 257, 287, 425
- UIToolBar 287
 - vs UITabBar 267
- UITouch 242, 425
 - locationInView 243
 - phase 243
 - previousLocationInView 243
 - reference 243
- tapCount 243
- timestamp 243
- view 243
- window 243
- UITouchPhaseBegan
 - 243, 247, 249
- UITouchPhaseCancelled 243
- UITouchPhaseEnded 249
- UITouchPhaseMoved 243
- UITouchPhaseStationary 243
- UIView 199, 222, 225, 425
 - autoresizesSubviews 228
 - autoresizingMask 228
 - properties 228
 - UIViewAutoresizingFlexible
 - BottomMargin 229
 - UIViewAutoresizingFlexible
 - Height 229
 - UIViewAutoresizingFlexible
 - LeftMargin 229
 - UIViewAutoresizingFlexible
 - RightMargin 229
 - UIViewAutoresizingFlexible
 - TopMargin 229
 - UIViewAutoresizingFlexible
 - Width 229
 - UIViewAutoresizingNone 229
 - drawing to 369
 - properties 211
 - regulation 251
- UIViewController 222, 272, 279, 425
 - descendent of NSObject 224
 - didRotateToInterfaceOrientation: 230
 - life-cycle events 230
 - loadView 230
 - properties 228
 - viewDidLoad 230
 - viewWillAppear: 230
 - viewWillDisappear: 230
 - willRotateToInterfaceOrientation:duration: 230
- UITableViewController 272
- UIWebView 12, 398, 401–407, 425
 - detectsPhoneNumbers 402
 - goBack 402
 - goForward 402
 - loading, methods 402
 - reload 402
 - scalesPageToFit 402
- UIWebViewDelegate 403
- protocol 202

UIWindow 241, 425
 unions 159
 URL bar 46
 eliminating 69
 URL, working with 399–401
 URLWithString 399
 URLWithString:relativeToURL:
 399
 User Agent 145
 user input
 accepting 286
 controls 286
 user preference
 creating 288–293
 creating settings 295–296
 dictionary of values 295
 editing settings 294
 maintaining 288–297
 saving 291–293
 in a database 291
 in a file 291
 using NSUserDefaults 291
 settings, accessing 296
 using system settings 293–297
 USER_AGENT 43
 utility 17
 Utility Application 203–204, 279
 flipside controller 289
 preferences page,
 creating 289

V

ValueChanged event 253
 valueforHTTPHeaderField 401
 variable controls 205
 variables 156
 vibrating 362
 view 82, 241, 243
 objects, as subviews of view
 controller 225
 orientation, checking 229
 resizing 228
 in Interface Builder 229
 rotating 228
 subviews 224
 view controller 245, 265
 .xib files 219, 226
 accessing related objects 227
 anatomy 223
 as MVC controller 227
 collage 351–354
 controlling views and
 subviews 226
 creating 224

database 311
 family 222
 flipside controller 223
 in Address Book 318
 interface, building 225–226
 interfaceOrientation 229
 introduction 223–231
 life cycle, monitoring 230
 life-cycle events 226
 MainWindow.xib 226
 modalViewController 227
 multipage 223
 navigationController 227
 parentViewController 227
 people picker 318–321
 properties 227
 proxy 246
 single-page 223
 standard 226
 subviews 225
 tabBarController 227
 tabBarItem 227
 table cells 234
 accessories 236
 table content 233
 table interface, building
 233–238
 table sections 236
 table view 231–238
 anatomy 231
 cell properties 235
 cell, selecting 238
 creating 231
 subclasses 233
 using 238
 using 226–231
 using the navigation-
 Controller property 277
 view property 227
 orientation, checking 229
 resizing 228
 rotating 228
 setting up with Interface
 Builder 226
 setting up with Xcode 225
 View-Based Application
 template 224
 viewexViewController.xib 226
 view hierarchy 247
 view property 227
 View-Based Application
 203, 245
 template 224

viewController 268
 viewDidLoad 225, 230, 268, 289,
 348, 353
 viewexViewController.xib 226
 viewport 12, 33
 default pixel size 33
 device-width 35
 height 35
 initial-scale 35, 43
 local changes 34
 maximum-scale 35
 meta tag 33
 metatag multiple values 36
 minimum-scale 35
 sitewide changes 34
 user-scalable 35
 width 35
 viewport metatag 105
 viewport tags 23
 viewWillAppear 230
 viewWillDisappear 230
 volume
 alerts 359
 controls, and iPhone
 Simulator 359
 view 359

W

W3C Mobile Web Initiative 10
 W3C XML 428
 WAP (Wireless Application
 Protocol) 10
 web
 data-centric view 83
 POSTing to 416–418
 protocols 419
 protocols, download sites 419
 social, accessing 418–421
 vs. SDK 7
 web app resources 427
 web clip 46
 PNG size 47
 Web Developer 146
 web developer 18
 web development 17
 Web Development
 Advantages 19
 web docs 32
 Web Inspector 145
 web page
 default resolution, 980
 pixels 12
 developing locally 144

- web page (*continued*)
 - redesign example
 - Facebook 51
 - Gmail 50
 - testing locally 144
 - testing on iPhone 144
 - web resources 427
 - for development 427
 - web view
 - calling up 402
 - delegate 403
 - example 403–405
 - Google Maps example 405–407
 - Webimage App Delegate 208
 - WebKit 18, 24, 32, 34, 56
 - accessing an event 70
 - accessing gestures 74
 - accessing touches 72
 - event properties 71
 - gradients 76
 - integrating with
 - Dashcode 125, 140
 - iPhone-specific CSS
 - properties 59
 - iUI, and 100
 - masks 76
 - new CSS elements 57
 - new HTML elements 57
 - recognize orientation
 - changes 75
 - WebKit database 65
 - event properties 71
 - gesture properties 74
 - WebKit events
 - gesturechange 70
 - gestureend 70
 - gesturestart 70
 - orientationchange 75
 - touchcancel 70
 - touchend 70
 - touchstart 70
 - WebKit Open Source
 - Project 427
 - WebKit transforms
 - Rotate 60
 - Scale 60
 - ScaleX 60
 - ScaleY 60
 - Skew 60
 - SkewX 60
 - SkewY 60
 - Translate 60
 - TranslateX 60
 - TranslateY 60
 - webkit-animation 64
 - webkit-animation-duration 64
 - webkit-animation-iteration-count 64
 - webkit-animation-name 64
 - webkit-background-size 57
 - webkit-border-bottom-left-radius 57
 - webkit-border-bottom-right-radius 57
 - webkit-border-image 57
 - webkit-border-radius 57
 - webkit-border-top-left-radius 57
 - webkit-box-shadow 58
 - webkit-gradient 76
 - webkit-keyframes 64
 - webkit-marquee-direction 58
 - webkit-marquee-increment 58
 - webkit-marquee-repetition 58
 - webkit-marquee-speed 58
 - webkit-tap-highlight-color 58–59
 - webkit-text-fill-color 58
 - webkit-text-size-adjust 45, 58–59
 - webkit-text-stroke-color 58
 - webkit-text-stroke-width 58
 - webkit-touch-callout 58–59
 - webkitTransform 74
 - webkit-transform 59
 - webkit-transform-origin 60
 - webkit-transition properties 61
 - webkit-transition shorthand
 - property 61
 - webkit-transition-delay 61
 - webkit-transition-duration 61
 - webkit-transition-property 61
 - webkit-transition-timing-function 61
 - webView:didFailLoadWithError: 403
 - webView:shouldStartLoadWithRequest:navigationType: 403
 - webViewDidFinishLoad 403
 - webViewDidStartLoad 403
 - while 159
 - whiteButton 93
 - widget 125
 - willRotateToInterfaceOrientation:duration: 230
 - window 243
 - as a property 195
 - window.onscroll 38
 - window.orientation 75, 134
 - values 75
 - window.scrollTo(0, 1) 46
 - Window-Based Application 203
 - template 266
 - WML (Wireless Markup Language) 10, 37
 - word drawing, in Quartz 384–385
 - Workspace 205
 - writeToFile
 - atomically 300
 - encoding error 301
- X**
-
- Xcode 158, 190
 - adding frameworks 202
 - alternate templates 203
 - templates 207
 - XHTML mobile profile
 - documents 37
 - .xib file 207, 219, 245
 - creating 219
 - for view controller 219
 - loading through view controller 219
 - main 219
 - multiple files 219
 - templates 219
 - vs. .nib 207
 - XML 409–414
 - Core Location example 414–416
 - error 409
 - parsing 407–416
 - reading from files 407
 - XSLT 37
- Z**
-
- zooming 35
 - turning off 82