

## Symbols

---

.NET 200  
  framework 306  
.NET Framework 7, 236  
  WCF 185

## Numerics

---

96 dpi 74

## A

---

absolute  
  file path 308  
  path 196  
  positioning 57  
  sizing 66–67  
  Uri 283  
Abstract ASX element 206  
AcceptsReturn property 97  
access-policy element 161  
AcquiringLicense, state 200  
Add method 346  
Add Service Reference dialog  
  box 165  
Advanced Stream Redirector.  
  *See* ASX  
alert 37, 49  
alignment  
  center text 78  
  left text 78  
  right text 78  
allow-from element 161  
Alt modifier key 92  
Angle property 242

AngleX property 244  
AngleY property 244  
animation  
  application performance 257  
  beginning and end 258  
  bouncing ball 271  
  changing a visual  
    property 254  
  controlling duration 261  
  controlling playback  
    speed 261  
  creating 253  
  defining a storyboard  
    resource 269  
  delayed start 264  
  episodic 261  
  fade 255, 257  
  fluid 259  
  From property 258  
  Geometry 258  
  grouping into  
    storyboards 264  
  jagged 274  
  jerky 259, 262  
  key frame timing 276  
  key framing 271  
  origin 257  
  playing in reverse 263  
  property types 256  
  providing interactive 253  
  Rectangle 265  
  reset to beginning 263  
  timeline 256  
  time-related properties 261  
  triggering in response 270  
  x-and-y coordinates 257

antialiasing 72  
Append file mode value 312  
Apple  
  Command key 91  
  modifier key 92  
  OS X 91  
Apple Macintosh 4, 73  
  support for PowerPC 5  
Application 41, 43, 345  
  loading embedded  
    resources 286  
  ResourceDictionary 281  
application  
  dependencies 44  
  domain 331  
  initialization 41  
  modules 322, 330  
  security 163  
Application\_Startup 41  
Application\_  
  UnhandledException 42  
ApplicationUnhandled-  
  ExceptionEventArgs 42  
AppManifest.xaml 40, 44  
archive file 352  
ArcSegment 234  
Argument property 317  
arranging content 58, 64  
Arrow cursor 81  
ASMX web service 169  
ASP.NET 9, 26, 107, 129, 282  
Assembly 331  
assembly references 11  
AssemblyPart 40, 331  
ASX 206  
  file extensions 205  
  files 206

AsyncCompletedEventArgs 331  
 asynchronous  
   communication 164  
   downloads 321  
   service call 167  
   tasks 316  
   web service calls 170  
 AsyncState property 172  
 Atom 179, 184  
   standard 173  
 attached properties 12, 58,  
   64, 85  
 Attributes property 207  
 audio  
   balance 202  
   content properties 201  
   formats 196  
   multitrack 202  
   muting 202  
   track count 202  
   volume 203  
 AudioStreamCount  
   property 202  
 AudioStreamIndex  
   property 202  
 Author ASX element 206  
 authoring custom controls 339  
 Authors property 180  
 Auto-Completion 149  
 AutoGenerateColumns  
   property 142  
 Automatic duration value 261  
 automatic sizing 66  
 AutoPlay property 199, 205  
 AutoReverse property 263  
   impact on duration 263  
 AvailableFreeSpace  
   property 309, 311

## B

---

background 34, 43  
 Background property 12, 71,  
   117, 287  
 background tasks 316  
   cancellation 318  
 BackgroundWorker 316–321  
 backlash restrictions 196  
 Balance property 202  
 Base ASX element 206  
 base class library 7  
 basic  
   data input form 64  
   marker 210  
   syntax 281

BasicHttpBinding 167  
 BasicHttpSecurityMode 167  
 Begin method 267  
 BeginGetRequestStream  
   method 173  
 BeginGetResponse  
   event handler 173  
   method 172  
 BeginningEdit event 148  
 BeginOpen method 188  
 BeginStoryboard 255, 270  
 BeginTime property 263  
 Bezier curve 274  
 BezierSegment 234  
 binary  
   content request 323  
   downloads 322  
 Binding 127, 129, 133, 167,  
   280, 341  
 binding  
   to a collection 134  
   data 128  
   to an object 133  
   source 131–136  
   syntax 127, 129, 138, 143, 292  
 binding mode  
   OneTime 129  
   OneWay 130, 133  
   TwoWay 130, 133, 137, 143  
 BindingMode enumerator 129  
 BitmapImage 216, 327, 341  
 BlackoutDates property 112  
 Blend. *See* Expression Blend  
 Border 117, 121  
 BorderBrush property 121  
 BorderThickness property 121  
 Bottom enumeration value 84  
 bouncing ball animation 271  
 browser  
   cache 306, 314  
   limitations 164  
   name 51  
   networking API 164  
   properties 50  
   security 306  
 browser plug-in 2, 23  
   implementation models 25  
 BrowserInformation 50  
 BrowserVersion 50  
 Brush 227, 235–241  
   Background property 71  
   Foreground property 76  
   Transform tool 249  
 brushes  
   Canvas 241  
   color animation 258

Fill 227  
 GradientBrush 12  
 ImageBrush 240  
 LinearGradientBrush 12, 237  
 RadialGradientBrush 239,  
   247  
 SolidColorBrush 236  
 Stroke 227  
 TextBlock 241  
 TextBox 241  
 VideoBrush 241  
 Brushes property editor 17  
 buffering progress 197  
 Buffering state 200  
 BufferingProgress property 197  
 BufferingProgressChanged  
   event 197, 204  
 BufferingTime property 197  
 build actions 284–285  
 buildPromptHTML 28  
 bundled resources 284  
 Button 99–101, 186, 290  
   changing default look and  
   feel 100  
   visual states 296  
 ButtonBase 99  
 By property 260  
 BytesReceived property 323

## C

---

C# 149  
 Calendar 110–112  
   restricting dates 112  
   selecting multiple dates 112  
 CalendarMode  
   enumeration 111  
 CalendarSelectionMode  
   enumeration 112  
 Cancel property 148  
 CancelAsync method 320,  
   323–324  
 CancellationPending  
   property 320  
 Cancelled property 320, 332  
 CanPause property 199, 210  
 CanSeek property 201  
 Canvas 12, 57, 61, 122, 346, 350  
   arranging content 58  
   position offsets 58  
   setting offset position  
   programmatically 58  
   setting stack order  
   programmatically 60  
   stack order 59

- CaptureMouse method 94
  - Cascading Style Sheets. *See* CSS
  - Categories property 180
  - Center
    - enumeration value 84
    - property 239
  - center text alignment 78
  - CenterX property 243–244
  - CenterY property 242–244
  - change-notification
    - handler 131
  - CheckBox 104
    - visual state management 297
  - checkbox, three-state 104
  - Checked visual state 297
  - child elements 57
  - Child property 116
  - Children property 57, 264
  - class library 330
  - ClearType 72
  - Click event 99, 102
  - ClickMode enumeration 99
  - ClickMode property 99
  - clientaccesspolicy.xml 160, 191
  - ClientBin
    - directory 282
    - folder 10–11
  - client-side playlist 205
  - CloseAsync method 167
  - Closed state 200
  - CLR 7, 129
    - enhancing properties 342
  - code behind 9, 134, 249, 346
  - Code Gallery 27
  - codecs, audio and video 197
  - Collapsed enumeration
    - value 82
  - collecting
    - ink 122
    - sensitive data 98
  - collection, binding to 134
  - Color
    - animation 258
    - property 124, 236–237
  - ColorAnimation 257–258
  - Column attached property 64
  - ColumnDefinition 62
  - Columns property 144
  - ColumnSpan attached
    - property 64–65
  - COM interop 7
  - ComboBox 107
  - Comic Sans font 73
  - Common Language Runtime.
    - See* CLR
  - CommonStates visual state
    - group 297
  - communication APIs 160
  - Completed event 268
  - CompletedSynchronously
    - property 188
  - complex
    - data types 168
    - property 288
  - composing dzi files 221
  - composite geometries 235
  - compound properties 12
  - compressed
    - files 322
    - packages 328
  - confirm 49
  - connected line segments 230
  - connecting to data sources 165
  - connection count limit 164
  - Content 340
  - content
    - build actions 284
    - files 284
    - rendering 59
  - Content property 140, 182, 292
  - content-access key 215
  - ContentControl 99, 105, 107–108, 291
    - changing the look and feel 100
    - data templates 139
  - ContentPresenter 292
  - ContentTemplate property 139
  - context 39
  - Contributors property 180
  - Control 85, 89, 290
    - modifier key 92
  - control templates 290–292
  - controls
    - custom 339
    - reusable 339
  - ControlTemplate 291
    - using as part of a Style 295
  - Convert method 136
  - ConvertBack method 136
  - Converter property 137
  - ConverterCulture property 138
  - ConverterParameter
    - property 138
  - cookies 163, 306
    - with Silverlight 164
  - CookiesEnabled 50
  - coordinate space 228, 237
  - Copyright
    - ASX element 206
    - property 180
  - corner
    - lower-right 237
    - upper-left 237, 243
  - CornerRadius property 121
  - cost effective media delivery 197
  - Courier font 73
  - Create file mode value 312
  - Create method 179
  - CreateDirectory method 309
  - CreateNew file mode value 312
  - createObject 28
  - createObjectEx 28, 30, 38
    - function 350
    - method 353
  - Creating a user control 339–344
  - cross-domain 160
    - access 160
    - applications 35
    - policy element 161
    - policy file 283
    - URI 196
  - crossdomain.xml 163
  - cross-thread access violation 317
  - CSS 47, 57, 72, 74, 139, 287, 289
  - CultureInfo 137–138
  - curly brace 129
    - syntax 138, 280
  - Current property 43
  - CurrentState property 199, 209
  - CurrentStateChanged event 204
  - Cursor property 81
  - curve 234
  - custom controls 339
  - custom splash screen. *See* splash screen
  - customized user experience 314
- ## D
- 
- daisy chain
    - syntax 267
    - XAML support 266
  - dashboards 227
  - data binding
    - binding source and target 127
    - binding syntax 127
    - binding to a collection 134
    - binding to an object 133
    - dependency properties 128, 132
    - design time binding 128
    - runtime 127
    - separating UI from data 127
    - value conversion 136

- data integrity 163
- data source, unbind 128
- data templates 139–141
- DataContext property 129, 133
- DataContractJsonSerializer 177
- DataGrid 141–149
  - automatically generating columns 142
  - customizing data rows 144
  - customizing row and column headers 146
  - editing data 147
  - manually generating columns 144
  - sorting 148
  - versus ItemControl 143
- DataGridBeginningEditEventArgs 148
- DataGridBoundColumn 143
- DataGridCheckBoxColumn 143
- DataGridHeaders
  - enumeration 146
- DataGridRowDetailsVisibilityMode enumeration 145
- DataGridTemplateColumn 143
- DataGridTextColumn 143
- DataTemplate 139, 144, 279
- DatePicker 113
- DatePickerFormat
  - enumeration 113
- DateTime 110, 113, 167
- DateValidationError event 113
- declarative resources 279–282
- Deep Zoom 216
  - Composer 221
- DeepZoomImageTileSource 217
- default namespace 10
  - deferred
    - download 44
    - query execution 151
- delegate-base download model 321
- DeleteDirectory method 308
- DeleteFile method 308
- dependency property, data
  - binding 128, 132
- dependency system 342
- DependencyObject 85, 341–342
- DependencyProperty 86, 135, 288, 340–343
  - naming guidelines 343
- DependencyPropertyChangedEventArgs 341, 343
- deployable archive file 352
- deploying media from a web application 196
- Deployment element 40
- Deployment.Parts 40
- Description property 180
- deserialization 171
- Deserialize method 177
- design time binding 128
- designer experience 8
- designer/developer collaboration 6
- developer experience 7
- development
  - fundamentals 13
  - workflow 335
- device support 89
- dialog box 116
- Dictionary 207
- digital rights management.
  - See* PlayReady
- Disabled visual state 297
- discrete interpolation 275
- Discrete key frame types 273
- DiscreteColorKeyFrame 273
- DiscreteDoubleKeyFrame 273
- DiscretePointKeyFrame 273
- display ink 121
- DisplayDateEnd property 112
- DisplayDateStart property 112
- displayed, order of 144
- DisplayIndex property 144
- displaying text 96
- DisplayMemberBinding
  - property 143
- DisplayMemberPath
  - property 135, 140
- DisplayMode property 111
- DLR 305, 332–336
- DnsEndPoint 191
- DnsSafeHost property 192
- Document Object Model.
  - See* DOM
- Document property 44
- DocumentUri 48
- DOM 2, 23–25, 30
  - accessing the browser window 48
  - calling from managed code 44
  - enable access to 35
  - hosting Silverlight content 23
  - interactions with Silverlight 44
  - variants supported by Silverlight 25
  - W3C specification 24
- domain element 161
- DoubleAnimation 255, 257
- downloading data 166
- DownloadProgress property 198
- DownloadProgressChanged
  - event 198, 204, 323
- DownloadProgressChangedEventArgs 323
- downloads
  - buffer 197
  - completion percentage 199
  - compressed packages 328
  - managing large 323
  - module on demand 330
  - option to cancel 324
  - progress monitoring 323–324
  - size 323
- DownloadStringAsync
  - method 322, 331
- DownloadStringCompleted
  - event 325
- DownloadStringCompletedEventArgs 326, 331
- DoWork event 316, 319–320
- DoWorkEventArgs 317
- drag and drop 94
- drawing, line art 230
- DrawingAttributes property 123
- DRM. *See* PlayReady
- DropDownClosed event 108
- DropDownOpened event 108
- duck typing 333
- duplex
  - communication 186
  - services 186
- Duration 200
  - property 261
- dynamic
  - playlist creation 208
  - resizing 70
- dynamic language 332
  - dynamic typing support 332
  - metaprogramming support 332
- Dynamic Language Runtime.
  - See* DLR
- dynamic typing 332
  - advantages 333
  - disadvantages 334
  - duck typing 333
- dynamically loading fonts 327
- dzi file 221

**E**

Eastern Asian fonts 73  
 editing text 96  
 effects, state-based 298  
 element tree 86  
 ElementToLogicalPoint  
   method 219  
 Ellipse 228, 230, 237,  
   239, 350  
   animation 256  
   control templates 292  
   key frame animation 272  
   properties 230  
   tool 246  
 elliptical  
   gradient 239  
   transitions 239  
 EMBED tag 31  
 embedded  
   files 285  
   mode 212–213  
 Emoticon 140  
   sort by Keys property 149  
   sort by Name property 149  
 emoticon  
   definition 132  
   keyboard shortcut 145  
 enableHtmlAccess 35  
   manifest element 353  
 encryption 312  
 EndGetResponse method 172  
 EndPoint property 237  
 EndpointAddress 167  
 enhancing CLR properties 342  
 Entry ASX element 206  
 entry point 40–41  
 EntryPointAssembly 40  
 EntryPointType 40  
 Eraser cursor 81  
 error handling 38  
 Error property 320, 332  
 errorArgs 38  
 event handler 167  
 event handling 10  
 EventArgs 185  
 event-based download  
   model 321  
 EventTrigger 255, 270, 349  
   defining an action 270  
   supported events 270  
 Exception 42, 332  
 ExceptionObject 42  
 Excl SMIL element 208  
 Exit event 42

Expression Blend 8, 13–21, 245,  
   277, 303, 316  
   Brushes property editor 17  
   Objects and Timeline  
     panel 19  
   Properties panel 16  
   Toolbox panel 16  
 ext namespace 109  
 extended controls 110, 141  
   Calendar control 110  
   DatePicker control 113  
   System.Windows.Controls  
     assembly 109  
   TabControl 109  
 eXtensible Application Markup  
   Language. *See* XAML  
 ExtraBlack font weight  
   constant 74  
 ExtraBold font weight  
   constant 74  
 ExtraCondensed font stretch  
   constant 75  
 ExtraExpanded font stretch  
   constant 75  
 ExtraLight font weight  
   constant 74

**F**

fade animation 255, 257  
 feed items 181  
 FileDialogFileInfo 120  
 FileMode 312  
 files  
   .xap 282, 284  
   code-behind 346  
   content 284  
   deployable archive 352  
   embedded 285  
   extracting from a compressed  
     package 329  
   valid zip 354  
   ways to open 312  
   zip 328  
 filesystem  
   access restrictions 306  
   available free space 309  
   creating directories and  
     subdirectories 309  
   default quota 310  
   deleting files and  
     directories 308  
   isolated storage 306  
   listing files and  
     directories 307  
   reading files 313  
   writing files 311  
 Fill  
   property 236  
   stretch option 224  
 FillBehavior property 263  
 FillRule property 235  
 Filter property 119  
 FilterIndex property 119  
 finding elements 86  
 FindName method 86, 269  
 Firefox 5, 25  
 FirstDayOfWeek property 111  
 Flash, cross-domain policy 163  
 focus 89  
   Popup controls 117  
     setting via JavaScript 89  
 Focus method 89  
 Focused visual state 297  
 FocusStates visual state  
   group 297  
 font stretch constant  
   Condensed 75  
   Expanded 75  
   Medium 75  
   Normal 75  
   SemiCondensed 75  
   SemiExpanded 75  
   UltraCondensed 75  
   UltraExpanded 75  
 font weight constant  
   Black 74  
   Bold 74  
   ExtraBlack 74  
   ExtraBold 74  
   ExtraLight 74  
   Light 74  
   Medium 74  
   Normal 74  
   SemiBold 74  
   Thin 74  
 FontFamily property 73, 287,  
   328  
 fonts  
   Ariel 73  
   Comic Sans 73  
   Courier 73  
   download on demand 327  
   dynamically downloaded 328  
   Eastern Asian 73  
   Georgia 73  
   Italic style 75  
   Lucida 73  
   Normal style 75  
   Times New Roman 73

fonts (*continues*)  
   Trebuchet 73  
   TrueType 73  
   Verdana 73  
 FontSize  
   animation 257  
   pixels versus points 74  
   property 74, 287  
 FontSource 328  
 FontStretch property 74  
 FontStyle property 75  
 FontWeight property 74, 287  
 Foreground property 76  
 Forever duration value 261  
 frameRate 34  
 FrameworkElement 80, 117  
   common properties 80–85  
   data binding 129  
   ResourceDictionary 281  
   styles 287  
 From property 257, 299  
   default behavior 259  
 FullName property 346  
 full-screen mode 212  
 FullScreenChanged event 213

## G

---

garbage collection 167, 332  
 Gavrilov, Alexey 3  
 Gecko 25  
 Generator property 181  
 geometries  
   composite 235  
   path 233  
   simple 232  
 Geometry 231–235  
   animation 258  
 GeometryGroup 235  
 geonames 177  
 Georgia font 73  
 GET 170  
 GetDirectoryNames  
   method 307  
 GetElementById 45  
 getElementById 31  
 GetElementsByTagName 45  
 GetFileNames method 307  
 GetLeft method 58  
 GetPosition method 93  
 GetProperty method 46  
 GetResourceStream 286  
 GetResourceStream  
   method 329  
 GetResponseStream 172

GetStyleAttribute 47  
 GetStylusPoints method 123  
 GetTop method 58  
 GetUserStoreForApplication  
   method 306  
 GetUserStoreForSite  
   method 306, 311  
 GetValue method 86, 342  
 GoToState method 299  
 Gradient Brush 12  
   property editor 17  
   declared as a  
   resource 279  
 GradientOrigin property 239  
 GradientStop 237, 239, 349  
   property 267  
 grant-to element 161  
 graphics  
   raster 240  
   raster-based 222, 227  
   vector-based 227  
 Grid 12, 14, 62–69  
   absolute sizing 67  
   adding rows or columns  
     programmatically 68  
   arranging content 64  
   automatic sizing 66  
   ColumnDefinitions  
     property 62  
   dimensions of a row or  
     column 65  
   dynamic resizing 70  
   removing rows or columns  
     programmatically 69  
   RowDefinitions property 62  
   spanning content across  
     multiple cells 65  
   star sizing 66  
   grid lines 63  
 GridLength 65  
 GridSplitter 63, 70  
 grouping animations 264  
 GroupName property 103, 296

## H

---

Hand cursor 81  
 Handled property 42  
 handling text 96  
 handwriting 121  
 HasHeader property 110  
 Header property 109, 147  
 HeadersVisibility property 146  
 headless application 54  
 height 32

Height property 16, 65, 229, 287  
 HoldEnd enumeration  
   value 263  
 horizontal  
   offset 58  
   orientation 61  
 HorizontalAlignment  
   property 83, 118  
 host 30  
 Host property 43  
 hosting applications with Silver-  
   light Streaming 351  
 hosting domain 212  
 Hover 99  
 HTML 2  
   EMBED tag 31  
   ID 31  
   OBJECT tag 31  
   table element 62  
   tags, no support 139  
 HtmlAttributeEncode 28  
 HtmlDocument 44, 48, 54  
   Body property 45  
   DocumentElement  
     property 45  
   GetElementById method 45  
   GetElementsByTagName  
     method 45  
 HtmlElement 45–47, 54  
 HtmlPage 44, 48, 52  
   Document property 44  
 HtmlWindow 48, 54  
 HTTP GET method 322  
 HTTP verbs 170  
 http-request-headers  
   attribute 161  
 HTTPS 163  
 HttpRequest 170–171, 175  
 HyperlinkButton 101  
 Hypertext Transfer Protocol  
   over Secure Sockets Layer.  
   *See* HTTPS

## I

---

IAsyncResult 172, 187  
 IBeam cursor 81  
 IChannelFactory 188  
 ICollectionView 148  
 Id property 181  
 IDictionary 280  
 IDuplexSessionChannel 188  
 IEnumerate 135, 154  
 ignoreBrowserVer 35  
 IList 148

Image 216, 340  
 animating the Opacity  
   property 254  
 animation 259  
 data binding 134  
 pixelation 225  
 preserving native aspect  
   ratios 223  
 referencing loose  
   resources 283  
 stretching 223  
 supported image formats 216

ImageBrush 240

ImageSource 216

ImageSource property 240

ImageUrl property 181

include-subpaths attribute 162

IncreaseQuotaTo method 310

IndexOutOfRangeException  
 330

individualized DRM client 214

Individualizing state 200

initial user experience 314

initialization parameters  
 38, 41

InitializeComponent  
 method 10

initParams 38–39, 41

ink 121  
 canvas 122

InkPresenter 121–124

Inline flow control elements 76

inline XAML 30

Inlines property 76

INotifyPropertyChanged 132

inplaceInstallPrompt manifest  
 element 353

input devices 89

Insert method 69

installation 25, 34

IntelliSense 149, 167

Interaction panel 19

interactive media playback 209

interface keyword 334

Internet Explorer 5, 25, 236

Internet Explorer 8 164

interop 7

interpolation 271  
 discrete interpolation 275  
 linear 273  
 spline 274  
 types 273

invalid cross-thread access 317

InvalidOperationException 101

Invoke method 54

IO. *See* filesystem

IQueryable 154

IronPython 332–333

IronRuby 332

IsBusy property 324

IsChecked property 102

IsDirectionReversed  
 property 116

IsDropDownOpen  
 property 107, 113

IsFullScreen property 213

IsLoaded 43

IsMuted property 202

isolated storage 306–314  
 clearing all data 314  
 creating directories and  
   subdirectories 309  
 default quota 310  
 deleting files and  
   directories 308  
 increasing quota 310  
 listing files and  
   directories 307  
 per domain quota 311  
 physical locations 314  
 reading files 313  
 sensitive data 312, 314  
 writing files 311

IsolatedStorageException 308

IsolatedStorageFile 306

IsolatedStorageFileStream 311,  
 313

IsOpen property 117

IsPressed property 99

IsReadOnly property 96, 147

IsThreeState property 104

IsTodayHighlighted  
 property 111

isWindowless 33  
 manifest element 353

isx file 205

Italic font style 75

Items property 105, 134, 181,  
 293

ItemsCollection 105

ItemsControl 105, 108,  
 291, 347  
 data binding 134  
 data templates 140

ItemsPanel 293

ItemsPresenter 292–293

ItemsSource property  
 134, 140

ItemTemplate property 140

IValueConverter 136

**J**


---

JavaScript 2, 89  
 calling from managed  
   code 51, 54  
 creating a Silverlight  
   control 28  
 custom splash screens 348  
 right-click event 93  
 script tag 27

JavaScript Object Notation.  
*See* JSON

jerky animation 274

JPG image format 216

JScript 332

JSON 28, 171, 173, 282,  
 322, 325  
 converting 177  
 serialization 178

JsonObject 177

jsOrder manifest element 353

JSP 27

**K**


---

key combinations 91

key frame  
 animation 271  
 types 273

Key property 91

keyboard 90  
 input limitations 213  
 responding to events 90

Keyboard class 91

KeyDown event 90, 219, 251

KeyEventArgs 91

KeyFrame 271

KeySpline 274  
 curves for interpolation 275  
 property control points 274

keystrokes 89

KeyTime property 276

KeyUp event 90, 219

keyword  
 foreach 152  
 interface 334  
 var 151

Konquerer 5

**L**


---

Language Integrated Query.  
*See* LINQ

Language property 181

- languages
    - dynamic 332
    - static 332
  - large download
    - management 323
  - LastOperation property 192
  - LastUpdatedTime property 181
  - late-binding 332
  - layout
    - calculation 60, 66
    - performance 60
  - Layout property editor 17
  - Left
    - attached property 13, 58
    - enumeration value 84
  - left text alignment 78
  - LeftProperty, dependency property 86
  - licensing server 214
  - Line 228
    - x-and-y coordinate pairs 228
  - linear interpolation 273
  - Linear key frame types 273
  - LinearColorKeyFrame 273
  - LinearDoubleKeyFrame 273
  - LinearGradientBrush 12, 237, 287
    - animation 267
    - declared as a resource 279
  - LinearPointKeyFrame 273
  - LineBreak flow control
    - element 76
  - LineHeight property 78
  - lines, squiggly 233
  - LineSegment 234
  - Links property 181–182
  - LINQ 149–158
    - deferred query execution 151
    - to JSON 152
    - to Objects 149, 153
    - query operations. *See* query operations
    - query syntax 151
    - to XML 149, 154, 174–175
  - Linux 4
  - ListBox 105, 183
    - control templates 293
    - data binding 135
    - defining items at design time 105
    - defining look and feel 105
    - selecting items 107
  - ListBoxItem 105
  - load data from a file 118
  - Load method 178, 314
  - load progress, monitoring 351
  - Loaded event 10, 270
  - loadFunction manifest
    - element 353
  - LockableTextBox 339
  - LogicalToElementPoint
    - method 219
  - loose resources 282–284
  - loose XAML 30
  - Lucida font 73
- M**
- 
- manifest file 352
  - manifest file.
    - See* AppManifest.xaml
  - Margin property 84, 121
  - MarkerReached event 204, 211
  - Markers property 211
  - MaxDropDownHeight
    - property 108
  - Maximum property 116
  - MaxLength property 96
  - MBR 197
  - media
    - content 15
    - duration 200
    - format support 196
    - formats 196
    - interactive playback 209
    - length 200
    - metadata 207
    - pausing not an option 210
    - player 13
    - use permissions 196
  - Media Element, progressive
    - downloading 198
  - Media SMIL element 208
  - MediaElement 14, 195–215, 327
    - animation 268
    - audio specific properties 201
    - automatic bit rate
      - selection 197
    - automatic play 199
    - common media
      - properties 199
    - duration 200
    - media lifecycle 205
    - media metadata 207
    - playback state 199
    - playlist support 205
    - PlayReady 213
    - programmatic
      - positioning 201
    - programmatically controlling
      - playback 209
      - sound volume 203
      - streaming media 197
      - supported media formats 196
      - timeline markers 210
      - VideoBrush 241
  - MediaEnded event 204
  - MediaFailed event 204, 215
  - MediaOpened event 200, 204, 207
  - metaprogramming 332, 335
    - advantages 335
    - disadvantages 336
  - method, SetValue 86, 342
  - Microsoft Expression 221
  - Microsoft Public License. *See* Ms-PL
  - Microsoft Visual Studio 15
  - Microsoft Windows 4
  - MIME type 329
  - Minimum property 116
  - mixtape 205, 209
  - MMS protocol 209
  - Mode property 128–129
  - mode, Visible 146
  - modifier keys 91
  - ModifierKeys enumeration 91
  - monitor content downloads 321
  - Moonlight project 4
  - MoreInfo ASX element 207
  - motion animation 257
  - MotionFinished event 221
  - mouse events 92
    - collecting ink 122
    - location 93
    - responding to 92
  - MouseButtonEventArgs 93
  - MouseEnter event 94
  - MouseEventArgs 93
  - MouseLeave event 94
  - MouseLeftButtonDown
    - event 93–94, 122
  - MouseLeftButtonUp
    - event 93–94, 122
  - MouseMove event 94, 122
  - MouseOver visual state 297, 299, 301
  - moving elements
    - programmatically 58
  - MP3 Audio File format 197
  - Ms-PL 27
  - multiline text support 96
  - multilingual video files 202
  - multiple bit rate. *See* MBR

multiple color transitions 238  
 MultiScaleImage 217  
   composing dzi files 221  
   viewport 220  
   zooming  
     programmatically 218  
 MultiScaleTileSource 217  
 Multiselect property 119  
 multitrack audio 202

## N

---

Name property 296  
 NaturalDuration property 200  
 NaturalVideoHeight  
   property 203  
 NaturalVideoWidth  
   property 203  
 NavigateUri property 101  
 navigating between pages 347  
 Navigation 344–347  
   application structure 345  
   navigation 49  
 NavigationService 345  
 nesting layout panels 62  
 Netscape 25  
 New Project dialog box 13  
 NewValue property 343  
 Normal font style 75  
 Normal visual state 297, 301

## O

---

OBJECT tag 31  
 Objects and Timeline panel 19  
 objects, strongly typed 177  
 Offset property 237  
 OldValue property 343  
 on demand, content 321  
 onError 36–37, 42  
 onLoad 36  
 onSourceDownloadComplete  
   event 350  
 onSourceDownloadProgress-  
   Changed event 350  
 Opacity property 81  
   animation 254, 259  
 Open file mode value 313  
 OpenFileDialog 118  
 Opening state 200  
 OpenOrCreate file mode  
   value 313  
 OpenRead method 120  
 OpenReadAsync 331  
   method 322

OpenReadCompleted event 325  
 OpenReadCompletedEventArgs  
   327, 329, 331  
 OpenText method 120  
 Opera 5  
 options, select from a list 105,  
   107  
 Orientation  
   enumerator 116  
   property 61, 116  
 origin animation 257  
 OS X 91–92  
   isolated storage locations 314  
   support for PowerPC 5  
 OutlineColor property 124  
 overlapping content 59

## P

---

packaged XAML 30  
 Padding property 79, 121  
 Page.xaml 14  
 Panel 294, 340, 345  
   animation 257  
 Param ASX element 207  
 Parent property 86  
 parentElement 31  
 parts 297  
   and states model 296, 303  
 Password property 99  
 PasswordBox 98  
 PasswordChar property 98  
 passwords 314  
 Path 228  
 path  
   absolute 196  
   geometries 233  
 PathFigure 233  
 PathGeometry 233  
 PathSegment 233  
 Pause method 210, 241, 267  
 Paused state 200  
 performance 33  
 PHP 27  
 Plain Old Xml. *See* POX  
 PlatformKeyCode property 91  
 Play method 210  
 playback control 199  
 Playing state 200  
 playlists  
   client-side 205, 207  
   dynamic 208  
   server-side 207, 209  
   support 205  
 PlayReady 213  
   installation 214  
   server SDK 215  
 plug-in. *See* browser plug-in  
 PNG image format 216  
 Point 94, 220, 230, 237, 239  
 PointAnimation 257  
 Points, property 231  
 policy element 161  
 PollingDuplexHttpBinding 188  
 PolyBezierSegment 234  
 Polygon 228, 231  
   Points property 231  
 Polyline 228, 230  
   coordinate pairs 230  
 PolyLineSegment 234  
 PolyQuadraticBezierSegment  
   234  
 Popup 116  
   positioning 118  
 Port attribute 162  
 position  
   absolute 228  
   relative 228  
 Position property 201  
 POST 170, 172  
 Post method 171  
 POX 171, 173  
   reading 173  
 PreparingCellForEdit event  
   148  
 Press click mode 99  
 Pressed visual state 297  
 progress  
   bar 197  
   property 351  
 ProgressBar 115  
 ProgressChanged  
   event 317–318  
 ProgressChangedEventArgs 319  
 progressive downloading 198  
 project schema 8  
 prompt 49, 118  
 Properties panel 246  
 properties, attached 12, 58, 64,  
   85  
 property 101  
 Property attribute 288  
 PropertyChanged event 133  
 PropertyChangedCallback 341,  
   343  
 PropertyChangedEventArgs 133  
 PropertyMetadata 341  
 protected media 214  
 Protocol attribute 162

protocols  
 HTTP 196  
 HTTPS 196  
 MMS 196–197  
 Silverlight 196  
 PublishDate property 182

## Q

---

QuadraticBezierSegment 234  
 query operations  
 Average 150  
 Cast 150  
 Concat 150  
 Count 150  
 Distinct 150  
 Element 150  
 ElementAt 150  
 Except 150  
 First 150  
 GroupBy 150  
 Intersect 150  
 Join 150  
 Last 150  
 Max 150  
 Min 150  
 OrderBy 150  
 OrderByDescending 150  
 Reverse 150  
 Select 150  
 SelectMany 150  
 Sum 150  
 ToArray 150  
 ToDictionary 150  
 ToList 150  
 Union 150  
 Where 150  
 query string 47  
 Quota property 309

## R

---

RadialGradientBrush 238, 247,  
 349  
 RadioButton 102  
 grouping 103  
 RadiusX property 239  
 RadiusY property 239  
 RangeBase 114  
 raster 227, 240  
 -based graphics 222  
 raster-based 222, 227  
 reading text files 120  
 ReadObject method 178  
 receiving data 166

Rectangle 12, 16, 228–229  
 animation 265  
 dynamic loading from  
 XAML 315  
 rectangle  
 bulging 229  
 properties 229  
 rounded 229  
 redirecting the browser 50  
 reducing startup times 332  
 Ref ASX element 207  
 reflection 330  
 region 232  
 Register method 342  
 RegisterScriptableObject 52  
 relative  
 path 195  
 sizing 32  
 URI 283–284  
 Release click mode 99  
 ReleaseMouseCapture  
 method 95  
 Remove method 282, 346  
 RemoveAt method 69  
 rendering order 26  
 RenderTransform 349  
 RepeatBehavior  
 property 262–263  
 ReportProgress method 318  
 Representational State Transfer.  
*See* REST  
 requesting  
 binary content 323  
 a page 170  
 protected content 214  
 string-based content 322  
 resource  
 element 162  
 keys 282  
 scoping 279  
 Resource, build action 285  
 ResourceDictionary 280  
 resources  
 referencing at design  
 time 280  
 referencing at runtime 281  
 Resources property 269,  
 280–281  
 REST 170, 354  
 REST Service  
 consuming 170  
 GETting from 171  
 RESTful services 170  
 Result property 320, 326, 329  
 Resume method 267

reusable  
 components 279  
 controls 339  
 templates 295  
 RGB 236  
 aRGB format 236  
 RxBz format 236  
 RIA 305  
 rich internet application. *See* RIA  
 Right enumeration value 84  
 right text alignment 78  
 right-to-left text 72  
 RootVisual 41, 345  
 rotate 242  
 counter-clockwise 243  
 in place 243  
 RotateTransform 242, 249, 349  
 RoutedEvent property 270  
 Row attached property 64  
 RowDefinition 62  
 RowDetailsTemplate 144  
 property 144  
 RowDetailsVisibilityMode,  
 property 144  
 RowSpan attached property 65  
 RSS 179  
 displaying a feed 179  
 standard 173  
 Run text flow control  
 element 76  
 RuntimeVersion attribute 40  
 RunWorkerAsync method 317  
 RunWorkerCompleted 321  
 event occurs 320  
 RunWorkerCompleted  
 event 317  
 RunWorkerCompletedEvent-  
 Args 320

## S

---

Safari 5, 25  
 safeguards  
 full-screen mode  
 restriction 213  
 limits to user input 213  
 ScaleTransform 242–243, 249,  
 349  
 instead of animation 257  
 ScaleX property 243  
 ScaleY property 243  
 screen mode toggle 212  
 screen mode, resizing  
 content 213  
 script marker 210

- ScriptableMember 52
- ScriptableType 52
- ScriptAlias 52
- SDK. *See* Silverlight SDK
- security
  - attack 212
  - safe browsing 306
  - sandbox 5, 120
- Seek method 267
- segment
  - Arc 234
  - Bezier 234
  - Line 234
  - PolyBezier 234
  - PolyLine 234
  - PolyQuadraticBezier 234
  - QuadraticBezier 234
- select from a range of values 115
- SelectedDate property 110, 113
- SelectedDateFormat property 113
- SelectedDates property 110
- SelectedFile property 120
- SelectedFiles property 120
- SelectedIndex property 107
- SelectedItem 347
- SelectedItem property 107
- SelectedText property 97
- selecting dates 110
- SelectionChanged event 107
- SelectionLength property 97
- SelectionMode property 112
- SelectionStart property 97
- sending data 168
- server push 186
- server-side playlists 207, 209
- service
  - proxy 167
  - references 165
- SetBinding method 128
- SetLeft method 58
- SetProperty method 46
- SetSource method 326
- SetStyleAttribute 47
- Setter element 287
- Setters property 287
- SetTop method 58
- Shape 222, 227, 236
  - tool 246
- shapes
  - circular 230
  - closed 231
  - five-pointed star 232
  - geometric 232
  - open 231
- shearing transform 243
- ShowDialog method 119
- ShowGridLines property 63
- Silverlight
  - accessing the browser window 48
  - API 341
  - application 26
  - Application Model 39
  - Application project template 13
  - ASP.NET Server Control 26
  - ASX elements 206
  - asynchronous communication restriction 164
  - browser limitations 164
  - brushes 236
  - collect handwritten information 121
  - Communication APIs 160
  - configuration dialog 34
  - connecting to web services 166
  - data binding 127
  - database access 165
  - deploying media 196
  - designer experience 8
  - designer/developer collaboration 6
  - developer experience 7
  - development
    - fundamentals 13
  - entry point 40
  - every page a UserControl 339
  - font support 73–74
  - hosting server 30
  - the HTML DOM 23, 30–32
  - improvement over HTML 104, 107, 121
  - initializing 38
  - input device support 89
  - installation 25
  - integrating media 195
  - integration with a web page 33
  - keyboard support 89
  - mouse support 92
  - Networking APIs 160
  - Object Model 23, 25–26
  - as part of a web property 23
  - performance 3, 33
  - PlayReady 213
  - plug-in 25
  - portability 3
  - productivity 2
  - protocols 196
  - SDK 26, 141, 244
  - security safeguards 213
  - SMIL elements
    - supported 208
  - SOAP 1.1 protocol support 165
  - startup events 36–38
  - streaming media 197
  - support for PowerPC 5
  - supported DOM variants 25
  - unified development 3
  - use of cookies 164
  - visual prompts 116
  - workflow 129
- Silverlight 1.0
  - migrating to Silverlight 2.0 39
  - source URI 30
- Silverlight application
  - bundled resources 284
  - content files 284
  - declarative resources 280
  - embedded files 285
  - location of isolated storage 314
  - loose resources 282
  - site of origin 282
  - storing data on the local filesystem 306
- Silverlight control 23, 26
  - creating from JavaScript 28
  - integrating with a web property 29
  - keyboard input 89
- Silverlight plug-in
  - input focus 89
  - security 306
  - setting focus via JavaScript 90
- Silverlight SDK 176
- Silverlight Streaming 351–355
  - accessing content 355
  - accessing the uploaded content 354
  - compressing the packaged application 354
  - embedding hosted applications 355
  - packaging the application 352
  - preparing the application 352
  - REST APIs 354
  - supported file types 354
- Silverlight.js 27–28
- Silverlight.net 13
- website 27

- SilverlightApp element 352
- Silverlight-Enabled WCF
  - Service 185
- SilverlightHost 43, 53, 213
- simple geometries 232
- Simple Object Access Protocol.
  - See* SOAP
- simple property 288
- site of origin 282
- SizeNS cursor 81
- SizeWE cursor 81
- sizing precedence order 68
- SkewTransform 242–243, 349
- Sleep method 319
- Slider 115
- SMIL 208
- SOAP 165
  - services 165
- SOAP 1.1, protocol 165
- Socket 191
- SocketAsyncEventArgs 192
- socket-resource element 162
- SocketType 191
- Software Development Kit.
  - See* SDK
- SolidColorBrush 77, 236
  - declared as a resource 280
- SortMemberPath property 148
- sound, volume 203
- Source manifest element 353
- Source property 128, 195, 214, 216, 283, 327
  - playlists 205
- source URI 30, 43
- SourceFeed property 182
- SourceName property 241
- spanning cells 65
- SpeedRatio property 261
  - impact on duration 261
- splash screen 348–351
  - defining the appearance 348
  - integrating with a web application 350
  - monitoring the load progress 351
- splashScreenSource
  - property 350
- spline interpolation 274
- Spline key frame types 273
- SplineColorKeyFrame 273
- SplineDoubleKeyFrame 273
- SplinePointKeyFrame 273
- splines 274
- spoofing 212
- spring animation 221
- SQL 149
- SSL 167
- stack order 59
- StackPanel 61–62, 103, 294, 340
  - layout of invisible elements 82
- star sizing 66
- StartPoint property 237
- Startup event 41, 351
- StartupEventArgs 41
- state-based effects 298
- states
  - change between 299
  - manage change between 298
  - management 296
  - transition 296
  - visual 295
- See also* visual states
- static
  - content 2
  - languages 332
- StaticResource 279–280
- Stop
  - enumeration value 263
  - method 210, 241, 267
- Stopped state 200
- Storyboard 255, 264, 267, 279, 297, 341, 349
  - defined 264
  - defining as a resource 269
  - programmatic control 267
  - triggering in response 270
- storyboard control 267
- Stream 120, 171–172, 325, 327–328
- streaming.live.com 355
- StreamReader 120, 313
- StreamResourceInfo 286
  - compressed packages 328
- StreamWriter 173, 312
- Stretch enumeration value 84
- Stretch property 222
- stretching, preventing 223
- string-based content,
  - request 322
- Stroke 121
- strongly typed objects 177
- Style 286–290
  - property 287
- styling
  - ink 123
  - and templating 279
- stylus 89
- Stylus cursor 81
- StylusDevice 123
- StylusDevice property 93
- StylusPoint 124
- submitting form data 170
- Summary property 182
- Switch SMIL element 208
- SynchronizationContext 170, 187
- Synchronized Multimedia Integration Language. *See* SMIL
- syndicated feeds 179
  - reading 179
- SyndicationFeed 179, 183
- SyndicationFeedFormatter 179
- SyndicationItem 181
- System.Collections
  - namespace 148
- System.ComponentModel
  - namespace 132, 316
- System.Drawing namespace 236
- System.IO namespace 120
- System.IO.IsolatedStorage
  - namespace 306
- System.Json namespace 178
- System.Linq namespace 154
- System.Net namespace 321
- System.Runtime.Serialization
  - namespace 166
- System.Runtime.Serializa-
  - tion namespace 178
- System.ServiceModel
  - namespace 166
- System.ServiceModel.Channels
  - namespace 166
- System.ServiceModel.Polling-
  - Duplex assembly 186
- System.ServiceModel.Syndica-
  - tion namespace 179
- System.ServiceModel.Web
  - assembly 178
- System.Windows
  - namespace 296, 345
- System.Windows.Browser
  - namespace 44, 50, 52
- System.Windows.Controls
  - namespace 70, 141, 195, 215
- System.Windows.Controls.Data
  - assembly 141
- System.Windows.Controls.dll
  - 109
- System.Windows.Documents
  - namespace 76
- System.Windows.Ink
  - namespace 124

- System.Windows.Input
    - namespace 81, 89, 91, 124, 251
  - System.Windows.Markup
    - namespace 314
  - System.Windows.Media
    - namespace 210, 236
  - System.Windows.Media.Animation
    - namespace 254
  - System.Windows.Resources
    - namespace 286
  - System.Xml.Linq
    - assembly 156
  - System.Xml.Linq
    - namespace 156
  - System.Xml.Serialization
    - namespace 176
- T**
- 
- TabControl 108
    - defining look and feel 109
  - TabItem 108
    - visual tree 108
  - TabStripPlacement
    - property 110
  - tabular format 62
  - Tag property 82
  - TargetName 101
    - attached property 255, 258, 265
  - TargetProperty, attached
    - property 255, 258, 265–266
  - TargetType property 289
  - tcp sockets 191
    - cross-domain access 163
  - TCP sockets, allowed ports 191
  - Template property 291
  - TemplateBinding 292
  - TemplatePartAttribute 297
  - templates
    - control 290
    - reusable 295
  - TemplateVisualStateAttribute
    - 296
  - text
    - collecting 96
    - displaying 96
    - editing 96
    - handling 96
    - multiline support 96
    - selection 97
    - viewing 96
  - Text property 96, 113
  - TextAlignment property 78
  - TextArea 97
  - TextBlock 8, 57, 72, 95, 167, 186, 350
    - aligning text 78
    - animation 257
    - dynamically downloaded
      - fonts 328
    - flow control 76
    - font properties 72
    - line spacing 78
    - text wrapping 77
    - using resource brushes 279
  - TextBox 63, 96–98
    - data binding 128, 134
    - dynamically downloaded
      - fonts 328
    - multiline support 96
    - styles 286
    - using in a UserControl 339
    - wrapping text 96
  - TextChanged event 96
  - TextDecorations property 77
  - TextWrapping property 77, 97
  - threading
    - background processing 316
    - problems 170
    - task cancellation 318
    - UI updates 317
  - three-state checkbox 104
  - thumb 116
  - Time property 211
  - time-consuming tasks 316
  - time-intensive tasks 317
  - Timeline 256, 261–262, 264
  - TimelineMarker 210
  - TimelineMarkerRoutedEvent
    - Args 211
  - TimeOfDay property 131
  - Times New Roman font 73
  - TimeSpan 197, 211, 261, 263, 276
  - Title
    - ASX element 207
    - property 181
  - To property 257, 260, 299
  - ToggleButton 102, 104
  - Toolbox panel 16
  - tools
    - Brush Transform 249
    - Ellipse 246
    - Shape 246
  - Top
    - attached property 13, 58
    - enumeration value 84
  - TopProperty, dependency
    - property 86
  - ToString method 135, 140
  - TotalBytesToReceive
    - property 323
  - track 116
  - Transform 242–245
  - transformations, multiple 244
  - TransformGroup 244, 349
  - transforms
    - groups 244
    - RotateTransform 242
    - ScaleTransform 242–243
    - shearing 243
    - SkewTransform 242–243
    - TranslateTransform 242, 244
    - UIElement 242
  - transitions
    - elliptical 239
    - multiple color 238
  - TranslateTransform 242, 244
  - transparency 81
  - transparent 33
  - trapezoid 231
  - tree, visual 100, 105
  - triggering event 270
  - Triggers, attached property 270
  - TrueType fonts 73
  - Truncate file mode value 313
  - TurboTax 195
  - Type property 211
  - type-safety 332
- U**
- 
- UI
    - separation 6
    - updates 171
    - virtualization 142
  - UIElement 57, 80, 340, 345
    - capturing the mouse 94
    - common properties 80–85
    - keyboard events 90
    - mouse events 92
    - transforms 242
  - UnauthorizedAccessException
    - 317
  - Underline property 77
  - Unfocused visual state 297
  - UnhandledException event 42
  - Uniform stretch option 223
  - UniformToFill stretch
    - option 225
  - unlocking protected
    - content 215
  - UpdateUI method 341
  - uploading a file to a server 118

URI 167, 197  
   destination 171  
   relative 283  
 Uri 101, 284, 322, 327  
   absolute 283  
   relative 284  
 UriKind 172  
 URL, for embedded files 285  
 user control  
   calling the control 344  
   defining behavior 340  
   defining the appearance 339  
   development 339  
 user data 306  
 UserControl 251, 339, 345  
   data binding 134  
   keyboard events 90  
 user-controlled sizing 69  
 UserState property 329  
 UseSprings property 221  
 using images 215

## V

Value  
   attribute 288  
   property 116, 272  
 values  
   EvenOdd FillRule 235  
   Nonzero FillRule 235  
 variable, implicitly typed 151  
 VC-1 video format 197  
 Verdana font 73  
 version 34  
 vertical  
   offset 58  
   orientation 61  
 VerticalAlignment property 83, 118  
 VerticalOffset property 118  
 video  
   dimensions 203  
   format support 197  
   formats 196  
   frame rates 203  
   multilingual files 202  
 VideoBrush 241, 327  
 viewport 217  
   defined 220  
   managing 220  
   setting the size 220  
 ViewportOrigin property 220  
 ViewportWidth property 220  
 virtual filesystem.  
   *See* filesystem

visibility modes  
   All 146  
   Collapsed 145  
   Column 147  
   Row 147  
   VisibleWhenSelected 146  
 Visibility property 82  
 visual  
   parts 297  
   tree 86  
 Visual Basic 149  
 visual state groups  
   CommonStates 297  
   FocusStates 297  
 visual states 295  
   Checked 297  
   Disabled 297  
   Focused 297  
   MouseOver 297, 299  
   Normal 297  
   Pressed 297  
   transition 297  
   Unfocused 297  
 Visual Studio 8, 13, 21, 40, 149, 196  
   build actions 284–285  
   creating service  
     references 165  
 Visual Studio 2008 250  
 VisualState 298–299, 301  
 VisualStateGroup 299, 301  
 VisualStateManager 303  
 VisualStateTransition 299  
 VisualTransition 301  
 Volume property 203

## W

W3C 24  
 Wait cursor 81  
 wax file 205  
 WCF 185  
   duplex services 186  
 web property 23  
 web server, maintaining an open  
   media connection 197  
 Web Services Description Lan-  
   guage. *See* WSDL  
 WebClient 44, 321–332  
   and downloading fonts 73  
 WebKit 25  
 Whac-a-Mole 275  
 width 32  
 Width property 16, 65, 71, 229, 287

wildcard characters 307  
 Window property 48  
 Windows Communication Founda-  
   tion. *See* WCF  
 Windows Forms 236  
 Windows Live ID 354  
 Windows Logo key 91  
 Windows Media Audio  
   format 197  
 Windows Media Player 206  
 Windows Media Video  
   format 197  
 Windows modifier key 92  
 Windows Presentation Founda-  
   tion. *See* WPF  
 Windows Vista, isolated storage  
   locations 314  
 Windows XP, isolated storage  
   locations 314  
 wmx file 205  
 WorkerReportsProgress  
   property 318  
 WorkerSupportsCancellation  
   property 320  
 World Wide Web Consortium.  
   *See* W3C  
 WPF 3, 44, 75, 77, 129, 306  
 WPF/E 3  
 wpl file 205  
 WriteObject method 178  
 WS-\* protocols 185  
 WSDL 165  
 wsx file 208  
 wxw file 205

## X

X property 244  
 x:Class attribute 10  
 x:Key attribute 280, 289  
 x:Name attribute 280  
 XAML 7–8, 325  
   data binding 128–129  
   declaring value  
     converters 136  
   defining a Line 228  
   defining an Ellipse 230  
   dynamically add and remove  
     files 345  
   element structure 25  
   Line shape 232  
   loading at runtime 314  
   loose 30  
   rendering process 25  
   root element 26

XAML (*continued*)  
  runtime parsing 314  
  switching between files 344  
XamlParseException 281, 315  
XamlReader 314  
xap file 30, 40, 44, 330  
  displaying a splash screen during download 348  
  Silverlight Streaming 352  
XElement 156, 175  
XLINQ. *See* LINQ to XML

XML 322, 325  
  namespace 315  
  xmlns attribute 10, 315  
XmlReader 156, 175–176, 179  
XmlSerializer 176–177  
XPath 155  
XQuery 149, 155

---

**Y**

---


Y property 244

**Z**

---

ZIndex property 59  
zip file 328, 354  
  extracting contained files 329  
zoom  
  in 243  
  out 243  
ZoomAboutLogicalPoint  
  method 218

MORE TITLES FROM MANNING



*WPF in Action*

*with Visual Studio 2008*


by Arlen Feldman and Maxx Daymon

ISBN: 1-930110-29-4

592 pages

\$44.95

November 2008



*C# in Depth*

by Jon Skeet

ISBN: 1-933988-36-3


424 pages

\$44.99

April 2008

*For ordering information go to [www.manning.com](http://www.manning.com)*

MORE TITLES FROM MANNING



*ASP.NET Ajax in Action*


by Alessandro Gallo, David Barkol and  
Rama Krishna Vavilala

ISBN: 1-933988-14-2

576 pages

\$44.99

August 2007



*LINQ in Action*

by Fabrice Marguerie, Steve Eichert, and  
Jim Wooley

ISBN: 1-933988-16-9


576 pages

\$49.99

February 2008

*For ordering information go to [www.manning.com](http://www.manning.com)*

MORE TITLES FROM MANNING



*jQuery in Action*


by Bear Bibeault and Yehuda Katz

ISBN: 1-933988-35-5

376 pages

\$39.99

February 2008



*Ajax in Practice*

by Dave Crane, Jord Sonneveld  
and Bear Bibeault  
with Ted Goddard, Chris Gray,  
Ram Venkataraman and Joe Walker

ISBN: 1-932394-99-0

536 pages

\$44.99

June 2007

*For ordering information go to [www.manning.com](http://www.manning.com)*