

Symbols

`$addHandler` method 51
`$addHandlers` method 51, 56, 285, 326
`$alias` 34
`$clearHandlers` method 56, 285
`$create` method 272–274, 281, 285, 288, 291, 300, 346
 arguments 274
`$create` statement 318, 328, 434
`$find` method 272–273, 276, 281, 342, 379
 syntax 281
`$get` command 34
`$get` method 50, 273, 302
`$removeHandler` method 51
.NET framework
 comment syntax 449
`@Register` directive 328, 335, 354
 `__doPostBack` 239
 `__doPostBack` 238
 `__doPostBack` function 389
 `__EVENTTARGET` field 239
 `__createAddHandler`
 method 459
 `__createRemoveHandler`
 method 459
 `__displayImage` method 297, 366
 `__onFormElementClick` 239
 `__onFormSubmit` 239
 `__onFormSubmitCompleted`
 240, 243
 `__onImageElementLoaded`
 method 366

`__onLoginButtonClicked` event
 handler 326
`__onLoginComplete`
 callback 326
`__onLoginFailed` callback 326
`__onTimerTick` method 350
`__playTransition` method
 366–367
 `__raiseEvent` method 112
 `__setCssClass` method 285
 `__startTimer` method 350
 `__stopTimer` method 350

A

abstract class 359
abstraction API 38, 48–54
acceptedDataType
 attribute 483
 property 478
accessor 91
action
 in animation framework 363
 defined 363
actions
 XML Script 385, 387–398
activity diagram 307
Add method 61, 434
 IShoppingCart interface
 430, 434
add_eventName method 275
add_init method 109, 330
add_navigate event handler 468
add_propertyChanged
 method 279
add_valueChanged method 342
AddComponentProperty
 method 304
addCssClass method 53
AddElementProperty
 method 303, 328
AddEvent method 304
addHandler method 48, 110
addHistoryPoint 465
addHistoryPoint function 468
AddProperty method 303
addRange method 61
AddScriptProperty method 304
ADO.NET 472
AdventureWorks database 219
 extracting product list 470
 installing 497–498
AdventureWorksDB.msi
 installer 498
Agility Team 333
AJAX
 Asynchronous JavaScript and
 XML 4
 See also ASP.NET AJAX
Ajax
 background request 334
 Cascading Style Sheets 5
 components 5
 definition of 4–5
 Document Object Model 5
 for ASP.NET developers
 115–116
 JavaScript 5–6
 XMLHttpRequest 5
Ajax agent 9

- Ajax Control Toolkit 521
 - controls, adding to Visual Studio Toolbox 495
 - definition 333
 - extenders 333–342
 - installing 493–497
 - namespace 343
 - project 343
 - sample website 342
 - script files 340
 - Ajax Control Toolkit API 343–357
 - attributes 345
 - base classes 343–344
 - Ajax patterns 521
 - Ajax programming
 - browser compatibility 14
 - development issues 14–15
 - JavaScript 15
 - Ajax server extensions
 - controls 116
 - defining 115–116
 - guidelines 116
 - AjaxControlToolkit.Animation namespace 359
 - AjaxControlToolkit.Animation.createAnimation method 368
 - AjaxControlToolkit.Design namespace 355
 - AjaxControlToolkit.dll 335
 - AjaxControlToolkit.dll assembly 340
 - Ajax-enabled control 300, 333, 428, 431, 434
 - creating 343
 - overview 306–311
 - Ajax-enabled user control 437
 - AjaxLogin class 326
 - AjaxLogin control
 - creating 323–326
 - AjaxLogin script control
 - building 326–328
 - AjaxPatterns.org 521
 - Alert action 395
 - alert function 75, 271, 395
 - AlertAction 394
 - anchor tag 474
 - AND operator 103
 - animation 357–369
 - basics 359–360
 - creating 358
 - extender 360–364
 - with JSON 365–369
 - Animation class 357, 359
 - animation framework 357
 - actions 363
 - classes 357
 - families 358
 - reference 521
 - AnimationChildren
 - attribute 368
 - AnimationExtender 358, 360, 364–365
 - control 360–364
 - AnimationName attribute 368
 - Animations element 360, 364
 - AnimationTarget attribute 363, 368
 - anonymous method 81
 - API (Application Programming Interface)
 - abstraction 48
 - App_Code directory 317
 - App_Data folder 337, 429
 - append method 60
 - appendLine method 60
 - application element 377
 - Application model
 - 37, 42–47, 225
 - Application object 37, 42, 109, 269, 286, 375
 - application service
 - 38, 183–192, 323
 - authentication 184–187
 - bridge 19
 - enabling 183–184
 - overview 19
 - profile 187–191
- application/json 158
 - argument property 385
 - ArgumentException
 - exception 102
 - ArgumentOutOfRangeException exception 102
 - arguments variable 451
 - Array 61, 74, 76, 110
 - adding elements 76
 - built-in object 61
 - built-in object, extension methods 61
 - empty 76, 85
 - JSON 86
 - literal 76, 85–86, 394
 - object 84
 - type 76
 - XML Script 392–393
 - Array.addRange method 62
 - Array.forEach method 62
 - ArticleAdd event 434, 439
 - asbx 177–178
 - ASP.NET 297
 - controls 287
 - sample site 117
 - site, configuring 118–120
 - site, enhancing 116–120
 - Web Services 142–160
 - ASP.NET 2.0
 - unsupported controls 263
 - ASP.NET AJAX 275, 291
 - architecture 15
 - client framework 16–18
 - Cold Fusion 16
 - controls, adding to Visual Studio Toolbox 490
 - defining 15
 - goals 22
 - installing 488–493
 - PHP 16
 - server framework 19
 - service proxies 18
 - web.config 120
 - XML Script 17
 - ASP.NET AJAX server controls
 - ScriptManager 19
 - UpdatePanel 19
 - ASP.NET AJAX-CTP enabled
 - website 426
 - ASP.NET AJAX-enabled
 - website 317, 427
 - configuring 489
 - ASP.NET Futures 18, 175, 375, 462, 470
 - base components 412
 - element wrapper examples 291
 - enabled website 479
 - transformers, built-in 406
 - ASP.NET Futures CTP
 - installing 491–492
 - ASP.NET markup 374
 - ASP.NET page 285
 - ASP.NET page 285
 - Ajax-enabling 39–40

- ASP.NET validator 326
 - Assembly
 - attribute 328
 - property 306
 - assembly 306
 - resource 125
 - associated element 280–281, 293, 474
 - associative array 74
 - asynchronous
 - communication layer 160–166
 - definition 7
 - HTTP request 14
 - model 9
 - web programming 7–10
 - asynchronous postback 28, 130, 200, 202
 - anatomy 236–243
 - events after 243
 - events before 238–240
 - events during 240–242
 - foundation 236–238
 - series of events 233
 - asynchronous request 38, 347
 - sequential 263
 - AsyncPostBackTrigger 208
 - ControlID property 209
 - EventName property 209
 - Atlas 16
 - attribute 345
 - definition 344
 - authentication service 183–187, 323, 329
 - login function 186
 - logout function 189
 - authenticationService 183
 - element 329
 - auto-complete 308
 - extender 334–340
 - functionality 334–340, 348
 - auto-complete text box 309
 - testing 339
 - AutoCompleteBehavior 339–340
 - component 334
 - AutoCompleteExtender 347
 - control 335
 - automatic attribute 405
 - automatic property 405
 - AutoPostBack 26, 128
 - property 465
 - AutoSave pattern 190
- ## B
-
- Back button
 - behavior in Ajax applications 461
 - backgroundColor property 365, 388
 - base class 91
 - constructor 97
 - base implementation
 - overriding 98
 - beginRequest event 234
 - BeginRequestEventArgs 252
 - postBackElement 252
 - behavior 279–287
 - accessing 281–282
 - creating 281
 - definition 267
 - describing 302–304
 - empty 280
 - in an extender 310
 - initialization 282
 - instantiating on the client side 301
 - overview 280–281
 - vs. control 268
 - BehaviorBase class 344, 349
 - BehaviorID property 340–342
 - bidirectional mode 400
 - binding 277, 391, 397–398, 475
 - as component 402–404
 - declaration 400
 - direction 400
 - evaluating 399–400, 403
 - source 399–400
 - target 399–401
 - Binding object 405
 - bindings 266–409
 - element 401
 - property 399
 - tag 399
 - blur event 285
 - Book class 429–430, 433
 - bookId property 431
 - BookItem control 417, 420, 426, 431, 436
 - bookmark 461
 - adding richer support 468–470
 - behavior in Ajax applications 461
 - BooksCatalog control 435, 437, 439
 - Boolean
 - type 76
 - value 285
 - bounds
 - of a DOM element 54
 - breakpoint
 - setting 517–519
 - bridge 175–182
 - communicating with 178
 - configuring 175–176
 - file 177–178
 - Flickr 176–182
 - technology 175
 - XPathBridgeTransformer 179
 - XsltBridgeTransformer 180
 - browser detection 65–66
 - browser history 465
 - managing during asynchronous updates 462
 - build action 323
 - buildProviders 176
 - business layer 429–430
 - business object 430
 - BusinessLayer class 430–431
 - Button control 291
 - button tag 386
- ## C
-
- cache 455
 - Cache-Control 240
 - Calendar control 356, 365
 - CalendarExtender control 356
 - call
 - cross-domain 168
 - callback 11, 57–58, 149, 196, 326, 389
 - function 149
 - callBaseMethod method 98, 271, 396
 - canDrop method 424–425
 - CartZone control 422, 425–426, 431–432

- control (*continued*)
 - overview 287–288
 - property 289
 - in a script control 310
 - vs. behavior 268
 - in XML Script 378–380
 - Control class 316
 - ControlBase class 344
 - Cooper, Alan 282
 - count parameter 337
 - counter 404
 - createEvent method 458, 460
 - createHelper method 458
 - createProperty method 457
 - cross-browser
 - event object 49
 - cross-domain
 - call 168
 - requests 166–167
 - crunching 454–455
 - CSS 48, 53–54, 279, 480
 - CSS class
 - changing
 - programmatically 282
 - culture
 - UI 124
 - CultureInfo object 63
 - CurrentCulture object 63
 - currentState element 468
 - custom action 392, 394–398
 - custom component
 - in XML Script 380
 - custom object 79
 - creating 81–82
 - Customer component 277
 - customErrors 139
 - Off 139
 - On 139
 - RemoteOnly 139
 - CustomValidator 261
- D**
-
- data binding 427, 431–432
 - declarative 470–476
 - data layer 429–430
 - data path 402
 - data property 478–479
 - DataBoundControl class 322
 - dataContext attribute 399, 401
 - dataContext property 475
 - DataGrid control 217
 - data-interchange format 86
 - DataList 213, 465
 - control 431, 436–437, 473
 - dataPath attribute
 - 399, 401–402, 475
 - dataType property 478
 - date
 - ISO 8601 88
 - in JSON 88
 - UTC format 88
 - date literal 88
 - Date object 63
 - Date.parseInvariant method 64
 - Date.parseLocale method 64
 - DateTimeService class 390
 - debug
 - script versioning 40
 - debugging 40, 66–69, 445
 - client code 444
 - JavaScript, in Visual Studio 2005 516–520
 - scripts in IE 516–517
 - declarative code 398
 - declarative language
 - bindings 277
 - defaultRedirect 139
 - delegate
 - in JavaScript 54–56
 - in the .NET framework 55
 - deploying
 - JavaScript files 122
 - dequeue method 61
 - descriptor property 384
 - deserialize method 88
 - Designer attribute 345, 352
 - DetailsView control 131
 - DHTML 128
 - diagnostics
 - in Web Development Helper 511–512
 - dictionary 74
 - direction
 - attribute 400, 483
 - property 405, 478
 - dispose event 266, 275
 - dispose method
 - component 265
 - div element 292
 - documentation engine
 - XML tags 449
 - DOM (Document Object Model) 38, 266
 - enhancing with behaviors 279
 - event handler 78
 - overview 48–58
 - subtree 291
 - tree 48
 - DOM element 281, 310, 402, 453
 - associating with client control 326
 - controls associated with 378
 - drag and drop 411
 - draggable 477
 - encapsulating into client control 483
 - handling events raised by 282
 - ID 483
 - mapping to controls 475
 - plugging in client logic 287
 - programming against 268
 - upgrading 379
 - domElement property 452
 - dotted notation 401
 - drag and drop 38, 411
 - data access 414
 - engine 411–414
 - engine, overview 413–414
 - mode 420
 - operation status 424
 - shopping cart 414–439
 - in Windows 420
 - drag data 421, 425
 - drag *See* drag and drop
 - drag visual 418
 - dragDataType attribute 483
 - drag-drop list 477–479, 484
 - DragDropList behavior 477–479
 - dragDropList element 483
 - DragDropManager object
 - 412, 422
 - draggable item 412–413, 420
 - creating 416–418
 - DraggableListItem
 - behavior 477–479
 - draggableListItem element 484
 - dragMode
 - attribute 483
 - property 478

dragVisualTemplate
 property 479
 drop cue 478
 drop method 424–425
 drop *See* drag and drop
 drop target 412–413
 creating 422–423
 drop zone 478
See also drop target
 drop-cue template 481
 dropCueTemplate
 property 478
 tag 483
 dropTargetElement
 property 478
 Duration attribute 368
 duration property 359, 362

E

e parameter 409
 element
 adding to array 76
 element wrapper 268, 287, 378
 creating 289–292
 elementInteger property 452
 elementMayBeNull
 property 452
 ElementReference attribute 346
 elementType property 452
 embedded resources 121
 empty
 array 76, 85
 object 75, 384
 string 85
 template 473, 481
 EmptyBehavior class 280
 EmptyControl class 287
 emptyTemplate
 property 478
 tag 475, 483
 EnableAction 363
 enableCaching attribute 455
 enableCompression
 attribute 455
 enabled property 405
 EnableScriptGlobalization
 property 63
 ended event 360

endRequest 255
 event 235, 243
 EndRequestEventArgs 255
 error property 256
 errorHandled property
 255–256
 endsWith method 59
 EndValue attribute 365
 Enter key
 ignoring keypress 289
 enumeration 101–103
 type 102
 error
 code, obtaining 163
 non-HTTP 163
 server-returned HTTP 163
 typed 69–71
 error handling 163–166
 client-side 255–256
 Error object 69, 451–452
 Error.create method 70
 Error.notImplemented
 method 69
 escape character
 JSON 88
 eval function 87
 evaluateIn method 403, 405
 evaluateOut method 403, 405
 event
 arguments 112, 460
 automating creation 458–461
 client component model 266
 descriptor 385
 exposing in client class 276
 exposing in JavaScript
 109–112
 handling in XML Script 387
 raised by components 45
 raised by DOM element 51
 raising 109
 subscribing to and
 handling 112–113
 synthetic 350
 event descriptor 385
 event handler 55, 78, 112
 adding 109
 detaching from element 56
 disposing 56
 removing 109
 event model 45, 108–113
 event object 52

event viewer
 client-side 243–256
 eventArgument attribute 389
 events property 385
 exception
 custom 70
 message 70
 type 70
 Executor
 get_responseData 162
 executor 161–162
 extended control 308
 extender 311–318, 333–342, 427
 animation 360
 building 347–355
 creating 314–316
 instantiating
 programmatically 318
 model 308
 overview 308–311
 project, creating 348–349
 properties 352–354
 provider 309
 registration 312–313
 using 316–318
 ExtenderBase folder 343
 ExtenderControl class 311–312,
 314, 343
 ExtenderControlBase class
 340, 343, 349, 351–352
 ExtenderControlBaseDesigner
 class 349, 355
 ExtenderControlEvent
 attribute 345, 354
 ExtenderControlMethod
 attribute 345
 ExtenderControlProperty
 attribute 345, 353
 extensibility 83–84
 Extensible Markup Language
See XML

F

fade effect 361, 363, 366, 368
 FadeIn element 363
 fadeIn variable 368
 FadeInAnimation class 357, 369
 FadeOut element 363
 FadeOutAnimation class
 357, 363

- feedback
 - providing to user 133–135
 - Fiddler
 - debugging HTTP with 512–515
 - FileUpload control 263
 - Firebug 66, 147, 155, 339, 522
 - installing 501
 - overview 502–505
 - using 500–505
 - Firefox 10, 49, 146–147, 388
 - first-class function 77
 - flags
 - used in enumerations 103
 - Flickr 4
 - flickr.photos.search 178
 - focus event 285
 - focusCssClass property 286
 - for/in
 - construct 62
 - foreach construct 75
 - forEach method 61
 - for-in construct 75
 - form tag 285, 426
 - format method 58–59, 63
 - formatLocale method 63
 - FormattingBehavior
 - behavior 282, 302, 314, 316
 - extender 313–316
 - FormattingExtender
 - class 317
 - Extender 314
 - forms authentication 184, 329
 - fps property 359, 362
 - fully qualified name 91, 94, 382
 - function 77–78
 - anonymous 77, 445
 - arguments 77
 - assigning to a property 445
 - child 80
 - first-class 77
 - global 78
 - keyword 85
 - literal 85
 - as method 78
 - nested 79
 - in the prototype object 83
 - scope 78–81
 - shared 61
 - Function object 89
 - Function._validateParams 450
 - Function.createCallback
 - method 57–58
 - Function.createDelegate 55, 81
- ## G
-
- GAC 23, 39
 - GenerateScriptType 157
 - generic event
 - raising 460
 - Generics 153
 - GET
 - HTTP verb 390
 - get_direction method 408
 - get_dragDataType method 419
 - get_dragMode method 419
 - get_dropTargetElement
 - method 423–424
 - get_element method 280, 287, 350, 388
 - get_event method 111
 - get_events method 277, 460
 - get_history method 468
 - get_propertyName
 - method 278–279
 - get_stateString function 469
 - get_targetPropertyType
 - method 408
 - get_transformerArgument 408
 - get_Value method 342
 - get_value method 408
 - getBaseMethod method 104
 - getBaseType method 104
 - GetBookById method 437
 - GetBooks methods 430
 - GetBooksById method 430
 - getBounds method 54
 - getDescriptor method 384
 - getDragData method 419
 - getHandler method 112
 - getInterfaces method 104
 - getLocation method 54
 - getName method 104, 106
 - GetPropertyValue method 353
 - GetScriptDescriptors
 - method 316, 328, 435, 438
 - GetScriptReferences
 - method 311, 316, 319, 328, 435, 438
 - getStateString method 469
 - getter 92, 456
 - GetTimeAsString web
 - method 389
 - GetWebResourceUrl
 - method 328
 - global
 - function 78
 - object 78
 - variable 56
 - Global Assembly Cache *See* GAC
 - global namespace
 - declaring in XML Script 380
 - lack of prefix 381
 - globalization 63–64
 - Google 476
 - Google Maps 4–5, 167
 - Back button behavior 461
 - GridView control 131, 213, 217, 291, 347
 - filter 216–227
 - filtering
 - on the fly 217
 - paging and sorting 221
- ## H
-
- handle
 - attribute 484
 - property 479
 - helper 455–460
 - hexadecimal notation 365
 - HideAction 363
 - history
 - managing from
 - JavaScript 467
 - unencrypted state 466
 - History class 468
 - History control 462, 468
 - adding to page 465
 - history repository
 - adding entry 465
 - HistoryEventArgs type 467
 - hoverCssClass property 286
 - HTML (HyperText Markup Language) 42
 - HTTP (Hyper Text Transfer Protocol)
 - debugging 67, 339
 - debugging with Fiddler 512–515

HTTP GET 158–159, 167–168
 HTTP handler 122
 loading web resource 351
 ScriptResource.axd 454
 HTTP POST 167
 HTTP request
 asynchronous 347
 HTTP status codes 163
 Firefox 166
 Internet Explorer 166
 Opera 166
 HTTP traffic
 inspecting in Web Development Helper 507–509
 reducing 351
 HTTP verb
 GET 390
 HyperLink control 291

I

IArticle interface 430–431
 IComparable interface 100
 id property 274, 281
 IDisposable interface 265
 IDragSource interface
 implementation 420
 IDropTarget interface
 implementation 425
 IEnumerable type 312
 IExtenderControl
 interface 311–312, 314, 343
 IFRAME 5, 197
 IFrameExecutor 162
 ignoreEnterKey property 289
 Image control 433
 img element 292, 368
 imperative code 388, 393
 imperative syntax
 creating animations 358
 vs. JSON 369
 implementsInterface
 method 104
 indexed notation 75–76
 indexOf method 61
 inheritance 89, 95–99
 chain 97
 in JavaScript 90
 prototype-based 95–97
 resolution 105

inheritsFrom method 106
 init attribute 377
 init event 45, 286
 hooking up declaratively 375
 init stage 47, 291, 300
 client page lifecycle 270
 initialize method 453
 initializeBase method 97, 280
 initializeRequest event 234, 239
 aborting a postback 250–251
 InitializeRequestEventArgs 250
 cancel property 251
 postBackElement 250
 innerHTML
 property 59
 INotifyDisposing interface 266
 INotifyPropertyChanged
 interface 266
 in-place edit 282, 285, 313
 input element 379
 insert method 61
 installation folder
 contents 489
 instance method 446
 instanceof operator 105
 integer property 451
 IntelliSense 447, 449, 522
 interface 99–101
 definition 265
 implementing 307
 method 101
 type 90
 Internet Explorer
 behaviors 279
 drag and drop 413
 interval attribute 405
 InvalidOperationException
 126, 211
 InvariantCulture object 63
 InvokeMethod action
 389, 391–392, 398, 405
 IScriptControl interface
 311, 318–320, 326, 343, 431
 implementation 434, 437
 isDomElement property 454
 isEmpty method 60
 IShoppingCart interface 430, 434
 isImplementedBy method 104

isInstanceOfType method
 104–105

item
 draggable 476, 478
 template 473

ItemCommand event 436

itemTemplate tag 475

itemTemplateParentId
 attribute 475

iterations property 362

iterator 312

J

JavaScript

 classes in 89–94

 debugging in Visual Studio
 2005 516–520

 disabled 133

 files, deploying 122

 injecting during partial
 postback 258–260

 proxy 31

 simplifying development 58–
 71

 XML comments in 447–449

JavaScript file

 loading with

 ScriptManager 306

JavaScript object

 type descriptor 384

JavaScript Object Notation *See*
 JSON

javascript scheme 381

join method 60

JSON 6, 86, 89, 153, 176, 304

 and animation 365–369

 array 305

 creating animations 358

 data 87

 hijacking 158

 parser 87

 serialization 17

 serializing array 338

K

keypress event 49, 52,
 225, 290, 350

Kothari, Nikhil 506

L

Label control 268, 291, 404
 language
 loosely typed 77
 Layered web application 429
 layers
 application 429
 layout template 473
 layoutElement attribute 475
 layoutTemplate tag 475
 LengthAnimation class 357
 lifecycle
 page 130
 server 42
 line break 60
 link rot 469
 ListView control 473–476
 associating with template
 HTML 475
 defining global layout 470
 listView tag 475
 literal 84–85
 Live.com 4, 7, 476
 load event 18, 34, 45,
 225, 235, 391
 isPartialLoad 247
 load stage
 client page lifecycle 270
 localeFormat method 59
 localization 17, 124–126
 location
 of a DOM element 54
 logical navigation 462–468
 logical view
 re-creating page state 465
 login button 326
 Login control 322, 326–330
 adding Ajax 322
 loginUrl property 184
 loosely typed language 77

M

markup
 structured 479
 markup code 287, 291
 of a binding 403
 XML Script 380
 Marx, Steve 522
 mashup 20, 169–183

master page 120, 127
 MaximumOpacity attribute 363
 maybeNull property 451
 Menu control 263
 message
 attribute 397
 board application 192
 property 396
 sending to browser 502
 metadata-driven API 344–346
 method
 anonymous 81
 descriptor 385–386
 JavaScript 83, 445
 property 385
 in the prototype object 83
 shared 84
 static 61, 84
 methodName attribute 391
 Microsoft Ajax Library 142, 225,
 411, 445
 accessing authentication
 service 323
 actions, built-in 387
 adding comments to
 JavaScript 447
 application model 17
 components 17
 example program 45–47
 features 37–39
 and JSON 88–89
 overview 16–17, 37–41
 type system 16
 Microsoft Developer Network
 See MSDN
 microsoft surface 182
 Microsoft.Web.Preview
 assembly 375
 Microsoft.Web.Preview.dll 175
 Microsoft.Web.Preview.dll
 assembly 411
 Microsoft.Web.Preview.Services.
 BridgeBuildProvider 176
 Microsoft.Web.Preview.Services.
 BridgeRestProxy 178
 Microsoft.Web.Preview.UI.Con-
 trols namespace 467
 MIME (Multipurpose Internet
 Mail Extensions)
 type 351
 MinimumOpacity attribute 363

MinimumPrefixLength
 property 336
 mousedown event 416, 418
 mouseout event 285
 mouseover event 285
 MoveAnimation class 358
 Mozilla 10
 MSDN 279
 mutator 91

N

name property
 281, 342, 385–386
 namespace 93–94, 108
 client 91, 93
 registration 94
 Namespace attribute 328
 naming convention
 for events 109
 for properties 92
 Navigate event handler 466
 navigateURL property 476
 navigation
 logical 461–470
 navigator object 65
 new
 operator 59, 75, 81,
 83, 272, 274
 NOT operator 103
 notImplemented
 exception 100, 102
 now method 84
 Number
 object 64
 type 76

O

object
 custom 79
 custom, creating 81–82
 detection 10
 dump 67
 external, subscribing to
 even 460
 global 78
 JavaScript 75–76
 JSON 86
 literal 75, 85–86, 392

- object (*continued*)
 - model 89
 - prototype 82–83
 - typing 105–106
 - XML Script 392
 - Object type 75
 - object-oriented
 - construct 89
 - language 74
 - OnClick element 360
 - onDrag method 419–420
 - onDragEnd method 419–420, 422, 431
 - onDragEnterTarget method 424
 - onDragInTarget method 424
 - onDragLeaveTarget method 424
 - onDragStart method 419–421
 - onGetComplete function 476
 - onGreetButtonClick function 379
 - onKeyPress event handler 291
 - OnLoad element 360
 - onNavigate event handler 468
 - OnPreRender method 321, 328
 - OnRender method 321
 - onSequenceEnded function 368
 - OnTextChanged property 353
 - OnTick event 136
 - OnUpdated element 364–365
 - OnUpdating element 364
 - onValueChanged event handler 342
 - OpacityAction 363
 - opaque ID 349
 - Opera 10
 - optional property 451
 - OR operator 103
 - Orcas 145, 183, 191
 - IntelliSense 449
 - Outlook Web Access 5
 - override 98–99
- P**
-
- Page class 258
 - ClientScript property 258
 - page element 376, 380, 382
 - page lifecycle 8, 34, 42, 130, 200, 207
 - client 269
 - Init event 207, 209–210, 212
 - Load event 207
 - PreRender event 211
 - similarity to PageRequest-Manager events 233
 - Unload event 207
 - and UpdatePanel 201
 - Page object 37, 42
 - page state
 - last, retrieving 467
 - Page.Form.Controls collection 318
 - Page_Load 203
 - method 439
 - PageFlakes.com 20, 476, 522
 - pageInit function 286, 377
 - pageLoad event 175
 - pageLoad function 46, 57, 468, 476
 - pageLoaded 243, 253
 - event 235
 - PageLoadedEventArgs 255
 - pageLoading 253
 - event 234, 243
 - PageLoadingEventArgs 254
 - PageMethods 159–160
 - pageNavigate event handler 468
 - PageRequestManager 38, 232–243
 - _initialize method 237
 - _updateControls method 237
 - abortPostBack 250
 - add_beginRequest 247
 - add_endRequest 247
 - add_initializeRequest 247
 - add_pageLoaded 247
 - add_pageLoading 247
 - getInstance 247–248
 - isInAsyncPostBack property 252
 - OnInit event 237
 - pageUnload function 46, 52
 - Panel control 356, 433
 - Parallel element 362
 - ParallelAnimation class 358, 362
 - param tag 449
 - parameter descriptor 386, 449, 451, 453
 - parameter validation 77
 - parameters
 - property 392
 - validating 449–454
 - params property 386
 - parse method 61, 64
 - enumerations 102
 - parseFromMarkup method 383
 - parseLocale method 64
 - parseNode method 382
 - partial rendering 38
 - partial-page rendering 195
 - partial-page update 127–140
 - pause method 359
 - performAction method 394–395
 - performance 52
 - permalink 468
 - Pet class 89
 - photo
 - URL, saving 292
 - PhotoGallery control 297, 304, 365–369
 - creating 292–297
 - PHP–Hypertext Preprocessor 176, 522
 - play method 359
 - Point constructor 84
 - positioning 53–54
 - postback 117, 395
 - aborting 250–251
 - asynchronous 19, 130
 - definition 9
 - notifying user 252–253
 - partial, injecting
 - JavaScript 258–260
 - priority, managing 251–252
 - shopping card 439
 - PostBack action 389, 395–396
 - PostBackTrigger 208
 - ControlID property 211
 - Event name property 211
 - prefixTest parameter 337
 - presentation layer 429–431
 - preventDefault method 52, 291
 - PreviewDragDrop.js file 411, 478
 - PreviewScript.js file 291, 374, 406, 411
 - private
 - member 91

private (*continued*)
 method 450
 scope 92, 452
 production code 454
 validating parameters 453–454
 profile
 adding properties 188
 reading from 189
 updating 189–190
 profile service 183, 187–191
 autosave 190
 load function 189
 save function 189
 profileService 183
 properties property 385
 property
 automating declaration 456–458
 client 91–93
 of JavaScript objects 75
 property attribute 365, 388, 399, 402
 property change
 notification 276–279, 398, 403
 property descriptor 385, 392
 propertyChanged event 277, 402
 adding event handler 279
 PropertyKey attribute 365
 propertyKey attribute 388, 402
 prototype
 chain 95
 object 74, 90, 95, 280, 294, 446
 property 166
 provider
 of client functionality 308
 proxy
 definition 18
 PulseAnimation class 357

R

raisePropertyChanged
 method 277, 403
 RangeValidator 261
 Really Simple Syndication
See RSS
 real-time input processing 347

reference
 in the prototype object 83
 required 453
 references element 382
 reflection 38, 104–108, 345, 383
 methods 104–106
 RefreshPanel 196
 registerClass method 90, 105, 265, 271, 422, 425
 inheritance 96
 RegisterClientScriptBlock 259
 RegisterClientScriptInclude 259
 RegisterClientScriptResource 259
 registerDropTarget
 method 413, 422–423
 registerEnum method 102
 RegisterExtenderControl
 method 312
 registerInterface method 100
 RegisterScriptControl
 method 320
 RegisterScriptDescriptors
 method 311–312, 319–320
 RegisterStartupScript 259–260
 registration
 script control 320–321
 registration procedure 307
 RegularExpressionValidator 261
 release
 script versioning 40
 remote procedure call 142
 remote scripting 5
 remove method 61
 remove_init method 109
 removeAt method 61
 removeCssClass method 53
 removeHandler method 110
 Render method 328
 RenderMode
 Block 205
 Inline 205
 Repeater 129, 213
 control 431–432, 434–435
 Representation State
 Transfer 142
 request
 HTTP 67
 Request Headers 240
 Request object 239

RequiredFieldValidator 261
 RequiredProperty attribute 346
 RequiredScript attribute 345
 ResizeAnimation class 358
 response
 HTTP 67
 Response.Write 262
 REST 142, 176
 result parameter 149
 role service 183, 191–192
 get_roles 192
 isUserInRole function 192
 load function 192
 RPC 142
 RSS 463
 RSS feed 134
 runtime error 450

S

Safari 10, 447
 Samples.Customer class 460
 Samples.PhotoGallery class 293
 satellite assembly 124
 ScaleAnimation class 358, 361
 ScaleFactor attribute 362
 scope 55
 of a function 78, 80–81
 private 92
 script
 callback 195
 debugging in IE 516–517
 debugging in Web Development Helper 509–510
 prefix 382
 reference 306, 344
 tag 307, 330
 tracing in Web Development Helper 509–510
 versioning
 40–41, 444, 449–455
 script control 309, 319–330, 427
 design strategies 322
 model 309
 overview 308, 311
 registration 320–321
 using in web page 328–330
 script descriptor 300–306, 344
 hierarchy 300–302
 methods 302–304

- script file 306, 308
 - compressing 454–455
 - crunching 454–455
 - reducing size 455
 - referencing in web page 328
 - serving to browser 454
- script user control
 - creating 344
- ScriptAction 363
- ScriptBehaviorDescriptor
 - class 301–304, 438
- ScriptComponentDescriptor
 - class 300–301
- ScriptControl class 311, 343
- ScriptControlDescriptor
 - class 301, 304–305, 435
- ScriptControls assembly 330
- ScriptDescriptor class 300
- ScriptLibrary folder 317, 426, 431, 435
- ScriptManager 39, 120–126, 146, 178, 199, 208, 210, 236, 245, 343, 468
 - adding 25
 - adding to a master page 120
- AllowCustomErrorsRedirect
 - property 140
- AsyncPostBackError
 - event 138
- AsyncPostBackSource-ElementID
 - property 239
- EnablePageMethods 159
- EnablePartialRendering
 - property 245
- EnableScriptLocalization
 - property 124
- error handling 138–140
- GetCurrent method 121, 131
- IsInAsyncPostBack
 - property 131, 237
- localization 124
 - benefits 126
- OnInit event 236
- render event 237
- ResourceUICultures
 - property 125
- ScriptMode property 125
- ScriptReferences object 122
- Scripts property 122
- ServiceReference object
 - 123, 147, 178
- Services property 123, 147
- ScriptManager control 285, 301, 305, 313, 320, 374, 434, 454
 - enabling drag and drop 411
- ScriptManagerProxy 126–127
- ScriptMethod 158
 - attribute 31, 390
 - UseHttpGet property 158
- ScriptMode property 41
- ScriptPath property 316–317, 340
- ScriptReference 41
 - class 306, 316, 319, 435
- ScriptResource handler 454
- ScriptResource.axd 121–123
- scriptResourceHandler
 - element 455
- ScriptService attribute 145, 170, 390, 472
- ScriptUserControl class 344
- ScrollMessage transformer 408
- security in depth 158
- sender parameter 409
- Sequence element 362
- SequenceAnimation class
 - 358, 362
- serialize method 88
- server control 306
 - creating with ASP.NET 322
 - implementing Ajax-enabled control 307
 - instantiating client components 307
- server extensions
 - timer 135
- server trace 262
- server type
 - creating on client 155–157
- Server.Transfer 262
- server-centric
 - development model 21–22
 - example 23
 - History control 462
 - model 427
- ServiceMethod property 336
- ServiceMethodRequest
 - class 390, 392
- serviceMethodRequest
 - element 391
- ServicePath property 336
- ServiceReference
 - InlineScript property 147
 - Path property 147
- services
 - registering 123
- Session 433
- session 187
- set_data method 476
- set_text method 379
- set_value method 408
- setLocation method 54
- SetProperty action 387–389, 391
- SetPropertyAction class 387
- setPropertyAction element 388
- SetPropertyValue method 353
- setter 92, 456
- setTimeout function 349
- shared
 - function 61
 - method 84
- shopping cart 415, 427–439
- ShoppingCart class 430
- ShoppingCart control
 - 432, 434–435, 437, 439
- SingleChildControlCollection
 - 202
- Size enumeration 101
- skeleton class 280
- slider extender 341–342
- SliderBehavior 341
- SOAP 176
- span element 292, 379, 474, 479
- SQL Server 118
- SQL Server Express 219
- SqlDataSource 223
 - control 221
- stack trace 40, 70
 - informative 445–447
- startDragDrop method 413, 416
 - arguments 418–419
- started event 360
- startsWith method 59
- StartValue attribute 365
- state string
 - retrieving 469
- State variable 467
- static method 61, 84
- status code 68
- stop method 359

- string
 - builder 59–60, 108
 - empty 85
 - literal 85
 - manipulation 58
- String object 58–59
 - methods of 59
- String type 76, 84, 385
- StringBuilder 154
- StringCollection object 453
- strongly typed collection 453
- structured markup 479
- style object 54, 365
- StyleAction 363
- subscribing
 - to events 112
- summary tag 449
- synchronous model 8
- synthetic event 350
- Sys namespace 39, 380
- Sys._Application class 90, 269
- Sys.Application 235, 468
 - events 44–45
 - load event 243
- Sys.Application object 272, 375
 - objectives 42
- Sys.Application variable 267
- Sys.Application.add_init 246
- Sys.Application.add_load 246
- Sys.Application.addComponent method 274
- Sys.Application.findComponent method 272
- Sys.Browser object 59, 65
- Sys.Browser.agent object 66
- Sys.Component 276
 - class 265, 287, 301, 383, 395, 460
- Sys.Component.create method 272
- Sys.CultureInfo object 63
- Sys.Debug 262
 - class 66
 - traceDump function 155
- Sys.Debug.assert method 519
- Sys.Debug.fail method 519
- Sys.Debug.trace method 67, 355, 502
- Sys.Debug.traceDump method 67
- Sys.EventArgs.Empty 162
 - class 112
- Sys.EventHandlerList class 110, 460
- Sys.EventHandlersList class 277
- Sys.IContainer interface 91, 269, 276
- Sys.INotifyPropertyChanged interface 277
- Sys.Net namespace 380
- Sys.Net._WebRequestManager 163
- Sys.Net.WebRequest 161–162, 239
 - add_completed 161
 - invoke 163
- Sys.Net.WebRequestExecutor 162
 - executeRequest 162–163
- Sys.Net.WebRequestManager 163
 - get_object 162
 - get_xml 162
- Sys.Net.XMLHttpExecutor 162
- Sys.Preview namespace 381
- Sys.Preview.Action class 394
- Sys.Preview.Binding class 402
- Sys.Preview.BindingBase.Transformers object 405
- Sys.Preview.BindingDirection enumeration 403
- Sys.Preview.BindingEventArgs class 408
- Sys.Preview.Data namespace 380
- Sys.Preview.InvokeMethodAction class 385
- Sys.Preview.ITypeDescriptorProvider interface 384
- Sys.Preview.MarkupParser variable 382
- Sys.Preview.Net namespace 381
- Sys.Preview.Net.ServiceMethodRequest class 389
- Sys.Preview.Services.Components namespace 380
- Sys.Preview.Timer class 405
- Sys.Preview.UI namespace 380
 - element wrappers 379
- Sys.Preview.UI.Button class 385
 - control 379
- Sys.Preview.UI.CheckBox control 379
- Sys.Preview.UI.Data namespace 381
- Sys.Preview.UI.Data.ListView class 473
- Sys.Preview.UI.DragDropList class 478
- Sys.Preview.UI.DragDropManager variable 412
- Sys.Preview.UI.DraggableListItem class 478
- Sys.Preview.UI.DragMode enumeration 420
- Sys.Preview.UI.Effects namespace 381
- Sys.Preview.UI.GenericDragDropManager class 413
- Sys.Preview.UI.HyperLink control 379
- Sys.Preview.UI.IDragSource interface 414, 419–422
- Sys.Preview.UI.IDropTarget interface 414, 423–426
- Sys.Preview.UI.IEDragDropManager class 413
- Sys.Preview.UI.Image control 380
- Sys.Preview.UI.Label control 379
- Sys.Preview.UI.Selector control 380
- Sys.Preview.UI.TextBox control 380
- Sys.PropertyChangedEventArgs class 278
- Sys.Serialization.JavaScriptSerializer 154
 - object 88
- Sys.Services.AuthenticationService.login method 323
- Sys.StringBuilder class 59–60
- Sys.UI namespace 268, 380
- Sys.UI.Behavior class 267, 280, 344
- Sys.UI.Control class 267, 287, 293, 344
 - accessing base functionality 380
- Sys.UI.DomElement class 48

Sys.UI.DomEvent class 48
 properties 52
 Sys.WebForms.PageRequest-
 ManagerParseError-
 Exception 261–262
 System.Collection.Generic 152
 System.ComponentModel
 namespace 267
 System.ComponentModel.
 Component class 265
 System.EventArgs.Empty 162
 System.Web.Extensions 120
 assembly 300, 489
 system.web.extensions
 element 455
 System.Web.Extensions.Design
 assembly 489
 System.Web.Extensions.dll 23
 System.Web.Script.Services
 31, 145
 System.Web.Script.Services.
 ScriptHandlerFactory 176
 System.Web.UI namespace
 300, 322, 343

T

tag mapping 261
 target
 attribute 388–389, 397, 401
 control 308
 property 359
 targetControl parameter 311
 TargetControlID property
 317, 336, 339, 355, 360
 TargetControlType
 attribute 316, 352
 Temperature class 100
 template
 cloning 474
 declaring for drag visual 478
 empty 473, 481
 item 473
 layout 473
 supported by ListView 473
 text box 49
 auto-complete 334–340
 enhancing 282
 text field
 limiting input 49
 text property 391, 404
 text/html 241
 text/javascript MIME type 351
 text/plain 241
 text/xml-script 375, 382
 TextBox 268, 287, 289
 auto-complete 333
 class 308
 wiring in-place edit
 functionality 314
 TextChanged
 event 224
 extender 347–355
 textChanged event 349
 TextChangedBehavior
 class 349–351
 TextChangedExtender
 class 351–354
 this keyword 55, 78
 throw keyword 69
 tick event 405
 Timeout property 349, 353
 timeouts 150
 timer
 component 405
 starting 350
 Timer control 135–138
 Interval property 136
 ToDetailsUrl function 476
 Toolbox
 Visual Studio 335
 Toolkit
 animation framework *See* ani-
 mation
 extender, building 347–355
 Toolkit API *See* Ajax Control
 Toolkit API
 Toolkit *See* Ajax Control
 ToString method 60
 enumerations 102
 toUpperCase method 76
 tracing 262
 transform
 attribute 405
 event 405
 transformer 404–409, 475
 Add 405, 407
 argument 406, 408
 Compare 407
 CompareInverted 407

 creating custom 408–409
 Invert 407
 Multiply 406–407
 RSSTransform 407
 ToLocaleString 407
 ToString 407
 transition
 animated 366
 static pages to DHTML 357
 TreeView control 263, 291
 trigger 208–213
 asynchronous 208–210
 manual 211–213
 postback 210–211
 trim method 59
 trimEnd method 59
 trimStart method 59
 try-catch 69
 Type alias 94
 type checking 453
 type descriptor 383–386, 395
 in .NET 384
 structure 384–386
 type name
 registering 90
 Type object 457
 type property 385, 451
 type system 89, 104
 Microsoft Ajax Library 384
 Type.isClass method 104
 Type.isInterface method 104
 Type.isNamespace method 104
 Type.registerNamespace
 method 94
 typeof operator 105

U

UI
 culture 124, 126
 unique URL 468–470
 unload event 34, 45, 225
 unload stage
 client page lifecycle 270
 unregisterDropTarget
 method 423
 update mode 203–205
 UpdateMode
 Always 203
 Conditional 203

- UpdatePanel 38, 199, 318, 322, 364, 427, 434, 438, 462
 - adding content
 - declaratively 201
 - adding content
 - programmatically 202
 - advanced techniques 213–216
 - Always update mode 133
 - asynchronous trigger 208–210
 - AsyncPostBackTrigger 209
 - property 226
 - basics 201–207
 - caveats and limitations 262–263
 - ChildrenAsTriggers
 - property 211–212, 238
 - Conditional update mode 133
 - content 201–203
 - ContentTemplate
 - property 130, 249
 - ContentTemplate tag 201
 - cookbook of techniques 256–262
 - design view 132
 - EnablePartialRendering
 - property 237
 - evolution 195–196
 - introducing 128–131
 - nested 216
 - page lifecycle 207
 - performance drop, solving 256–258
 - postback trigger 210–211
 - postback trigger added
 - declaratively 211
 - postback trigger added
 - programmatically 210
 - PostBackTrigger 211
 - PostBackTrigger
 - property 210, 262
 - RegisterAsyncPostBackControl method 209
 - RenderMode property 205–206
 - repeating 213–215
 - simple example 27, 196, 200
 - SupportsPartialRendering
 - property 237
 - trigger 208, 213
 - trigger added
 - declaratively 209
 - trigger added
 - programmatically 208
 - Triggers collection 136
 - Update method 203, 212
 - UpdateMode property 133, 203–205, 216
 - UpdateMode tip 205
 - UpdatePanelTrigger 210
 - using with a
 - DropDownList 128
 - working with GridView 216–227, 256–258
 - working with multiple 131
 - UpdatePanelAnimation
 - extender 364–365
 - UpdatePanelAnimation-Extender 365
 - UpdatePanelTriggerCollection 210
 - UpdateProgress 28–29, 134, 234
 - AssociatedUpdatePanelID
 - property 134
 - ProgressTemplate
 - property 134
 - URL
 - unique 461–470
 - url attribute 391
 - UseHttpGet parameter 390
 - user control 196
 - user experience
 - improving with drag and drop 411
 - user input
 - validating 49
 - user interface
 - design 282
 - more appealing 357
 - PhotoGallery control 292
 - userContext parameter 385
- V**
-
- validation
 - parameters 449–454
 - ValidationSummary 261
 - validator 260–261
 - value
 - JSON 86
 - value attribute 388
 - valueChanged event 341
 - variable
 - namespaced 90, 94
 - ViewState 241, 263, 316, 353
 - Virtual Earth 167, 169
 - Visual Studio
 - add reference 119
 - Designer 355–357
 - extender template 348
 - IntelliSense 447
 - new site dialog 118
 - new website 23
 - Orcas 263
 - template 323
 - toolbox 116
 - Visual Studio 2005
 - debugging JavaScript in 516–520
 - Visual Studio Toolbox
 - adding Ajax Control Toolkit
 - controls 495
 - adding ASP.NET AJAX
 - controls 490
- W**
-
- WCF 145
 - web application
 - layered 429
 - web control 352
 - definition 300
 - Web Developer Helper 66, 155, 240, 506–512, 522
 - installing 506
 - launching 506
 - web form
 - in-place editing 282
 - preventing submission 289
 - web method 336, 471
 - calling 148
 - invoking 389
 - parameters 149
 - web programming
 - asynchronous 7–10
 - web resource 306, 340, 351, 454, 478
 - embedding 328
 - Web Service 37
 - configuring 146
 - creating 470–473

- Web Service (*continued*)
 - external 166–183
 - methods, invoking from
 - JavaScript 146–150
 - proxy 146
 - setting up 336
 - Web Services 142
 - ASP.NET 142, 160
 - bridge 19
 - complex types 150–157
 - web user control 322, 430, 435
 - web.config 260
 - web.config file 41, 45, 120, 489
 - webcasts 521
 - WebRequestExecutor
 - error handling 164–166
 - get_statusCode 166
 - WebRequestManager 161, 163
 - WebResource attribute
 - 125, 328, 351–352
 - WebResource.axd 122
 - widget
 - declarative 476–484
 - declaring as client
 - control 484
 - handle 484
 - window object 45, 78, 108
 - window._event property 418
 - window.event property 49
 - Windows Communication Foundation 145
 - Windows Forms 309
 - Windows Live 6
 - Windows Local Live
 - Back button behavior 461
 - Windows Update
 - deploying validators 260
 - wiring client behavior to 310
 - WSDL 173
- X**
-
- X-MicrosoftAjax 240
 - XML 86
 - comments in JavaScript 447–449
 - creating animations 358
 - file as data store 435
 - namespace 376, 380–382, 395
 - namespace prefix 381
 - namespace, declaring 381
 - Script 38, 92
 - XML Script
 - basics 374–386
 - code block 375
 - comments 375
 - Hello, World example 375–378
 - instantiating ListView 474
 - parser 382
 - parsing 382–383
 - turning static HTML into dynamic 481
 - writing client-side logic 470
 - XML Script code block 382
 - structure 376
 - XmlDataSource 214
 - XMLHttp protocol 198
 - XMLHttpRequest 163
 - XMLHttpRequest
 - 5, 10–14, 37, 162, 166, 195, 198
 - ActiveX 10
 - object detection 10
 - onreadystatechange
 - property 11
 - readyState property 12
 - send function 11
 - sendRequest function 11
 - xmlns attribute 381
 - XML-RPC 176
 - XSLT 180
- Y**
-
- Yahoo JSON APIs 167
 - Yahoo! Design Pattern Library 522
 - Yahoo! Geocoding APIs 169
 - yellow spotlight effect 364–365
- Z**
-
- Zabir, Omar Al 522