

Symbols

!important directive 273
% Change column 154

A

AbsoluteLayout class 100–101
accept.png file 275
AccordionLayout class 102, 104
Action class 293–296
activeItem property 106
activeOnTop option 103
activeTab parameter 87
adapter folder 22
add method 64, 87, 401
addEvent method 52
Address column 167, 169
addSorted method 402
addToGroup method 305, 312
Adobe AIR. *See* AIR, support of
afterLogout event 457
afterRender event 61
age data point 41
air folder 22
AIR, support of 7–8
Ajax
 submitting forms via 145–146
 using with Element class 39–40
Ajax.request method 185, 197, 202, 264–267
 deleting nodes with 263–264

 deleting records with 195
 and editing nodes 263
 and node names 261, 266
 and node parameters 256
 and onSave handler 193, 200
 POST parameter 188
 saving code 439
alert box 49
align parameter 110, 112
align property 110, 144
allowDrag property 344
allowDrop property 344
anchor element 50
anchor event handler 50
anchor parameter 95–97, 100, 103
anchor tag 49–50
AnchorLayout class 95, 97
and fields property 128
and render phase 61
animateEl property 77
anonymous method 185
API documentation 5–7
API Home tab 7
api property 198
appendChild method 313
apply method 353
applyTo attribute 57–58, 61
applyTo element 60
applyTo parameter 59–60
Array class 64
arrayData variable 159
ArrayReader class 159
ArrayStore class 128, 133, 159–161, 163–165

arrowAlign option 287, 290
arrowAlign property 287
arrowHandler handler 286
assocemployees event 404, 414, 449
attributes property 262
autoDestroy property 65
autoExpandColumn property 169
AutoLayout class 18
autoLoad property 208, 216, 335
autoSave property for DataWriter 203
autoScroll property 94, 107–109
autoShow property 61
axes, adding titles for 232–234

B

b4Drag method 304, 316
b4EndDrag method 319
b4MouseDown method 304
b4StartDrag method 304, 311, 314–315
Back Button 105–106
BarChart
 Cartesian chart option 228
 constructing 243–245
 similarity with ColumnChart 226
BarSeries class 226–228
BaseCar class 352–355
baseParams property 130
bbar property 74, 169, 291
before<action> event 61–62

beforedestroy event 62
 beforeDestroy method 62
 beforehide listener 273
 beforeload event 132
 beforerender event 51, 60
 beforeshow event 59
 BLANK_IMAGE_URL
 property configuring 25
 BODY tag 26
 <body> tag 31
 BooleanColumn class 20
 border parameter 79
 BorderLayout class 115, 120
 BorderLayout layout
 manager 7
 BorderLayout.Region
 class 115–116, 118
 BorderLayout.SplitRegion
 class 116
 BoxComponent class 205, 227,
 287
 boxLabel property 137
 BoxLayout class 18–19
 browser compatibility, and
 icons for menus 274–275
 btnHandler handler 284
 bubbling model 48
 build folder 22
 buildChart method 392–393
 buildCityStateZip method 422
 buildCtxMenu factory
 method 258, 260
 buildDepartmentInfo-
 Container method 419
 buildDepartmentListView
 method 435
 buildEmailDobContainer
 method 421
 buildEmployeeForm
 method 435
 buildFormItems method 417
 buildGeneralInfoForm
 method 408
 buildGeneralInfoForm-
 LeftHalf method 411
 buildListView method 397–398
 buildListViewPanel
 method 404
 buildLoginWindow
 method 453
 buildNameContainer
 method 416, 418
 buildPhoneNumbersContainer
 method 423
 buildSeries method 392

buildStore method 392, 394,
 397–398
 buildTbar method 411, 416
 buildViewport method
 453–454
 buildWindow method 26
 Button class 283
 buttonAlign property 79
 ButtonGroup widget 287–290
 Buttons
 attaching menu to 284–285
 building 284
 centering 79
 grouping of 287–290
 on toolbars 74
 overview 16
 and SplitButton layout
 of 287
 and SplitButton
 overview 286
 using Action class with
 293–296
 buttons array 75
 buttons parameter 81
 buttons property 222

C

cache buster parameter 170
 call method 353
 callback method 268
 callback parameter 170, 200
 callback property 165
 Cancel Button 81
 CardLayout class 84, 86, 104,
 106
 cars array 43–44
 Cartesian chart 21
 CartesianChart class 226, 228
 CartGrid class 380
 CartGrid.js file 380
 Cascading Style Sheets. *See* CSS
 CategoryAxis class 232, 234
 categoryField property 247
 cellcontextmenu event
 191–192, 360
 cellcontextmenu method 192,
 361
 CellSelectionModel class 177,
 192
 CellSelectionModel selection
 model 12, 358, 360, 364
 chaining 39
 Change column 154
 Chart class 228, 230, 395
 CHART_URL property 230
 chartExtraStyles class 393
 ChartPanel class 427
 chartpanel class 397
 chartpanel namespace 399
 ChartPanelBaseCls class, for
 TKE company
 example 389–392
 charts 225–249
 are Flash-based 228
 BarChart 243–245
 class hierarchy for 227
 ColumnChart 239–242
 mixing line with 241–242
 stacking columns 240–241
 LineChart 230–235
 adding titles to axes
 232–234
 customizing ToolTip
 for 232
 legends for 238–239
 multiple series in 235–239
 styling of 234–235
 overview of 226–227
 PieChart 245–249
 swf file 230
 types of 228–229
 version 3.0 improvements 21
 CHART_URL property 230
 Checkbox 136–138
 Checkbox class 15, 280
 CheckboxGroup class 138
 checked parameter 282
 checked property 281
 checkHandler property 281
 CheckItem, for menus
 overview 280–281
 selecting only one of
 group 281, 283
 child nodes, and Element class
 creating 35–37
 removing 37–39
 childNode class 38
 children array 253
 children property 253, 256
 children, managing with
 Container class 64–66
 class hierarchy for charts 227
 cleanSlate method 442, 458
 clear event 132
 clearDDStyles method 339–340
 clearForm method 407, 436,
 440
 clearMask method 442
 click event 50–51, 217, 396,
 435–436

- click gesture 227
 - clicksToEdit property 183
 - closable option 79, 87
 - close method 77
 - close tool 77, 79
 - closeAction option 77
 - cls parameter 61
 - collapseMode parameter 118
 - collapsible attribute 74
 - collapsible parameter 117
 - color data point 41
 - ColorMenu for menus 278–280
 - ColorPalette widget 279
 - colors property 280
 - colorTextBlue method 166–167
 - colspan attribute 114
 - colspan parameter 113
 - Column chart 21
 - Column class 20, 155
 - column parameter 130
 - ColumnChart 239–242
 - example of use 229
 - mixing line with 241–242
 - similarity with BarChart 226
 - stacking columns 240–241
 - ColumnLayout class 107, 109
 - ColumnModel class
 - enhancements to version 3.0 improvements 19–20
 - features of 163
 - and GridPanel 155, 161
 - with custom renderers 166, 168
 - columnModel variable 168
 - columns attribute 138
 - Columns menu 167, 171
 - columns property 168, 215
 - ColumnSeries class 226–227
 - columnWidth attribute 108
 - ComboBox 127–134
 - components of 132
 - customizing 132–133
 - local 128–129
 - remote 129–132
 - TimeField for 134
 - ComboBox class 14, 16
 - ComboBox widget 40
 - combo-result-item class 133
 - commit method 223
 - commitChanges method 185
 - CompanyManager
 - namespace 429
 - CompanySnapshot class
 - Dashboard screen 427, 429, 431
 - for TKE company application example 392–394
 - complete event 261, 263–264, 268
 - complete handler 261
 - Component class
 - add and insert methods 64
 - initComponent method 359
 - lifecycle for 58, 63
 - model for 4, 54, 58
 - searching for child components 66
 - Component model 273
 - ComponentMgr class 59, 62, 359, 364
 - ComponentMgr.create method 55
 - Conjoon application 4
 - constrain parameter 77
 - constructor method 353, 356, 359, 369
 - Container class
 - AbsoluteLayout for 100–101
 - AccordionLayout for 102–103
 - add and insert methods 64
 - AnchorLayout for 95, 97
 - BorderLayout for 115, 120
 - building Container 63
 - CardLayout for 104, 106
 - child management 86
 - ColumnLayout for 107, 109
 - ContainerLayout for 93, 95
 - FitLayout for 101–102
 - FormLayout for 98, 100
 - GridPanel in 169–171
 - HBoxLayout for 109, 112
 - managing children 64, 66
 - onDestroy method 62
 - in parent-child relationships 10–11
 - querying hierarchy 66–67
 - TableLayout for 112, 114
 - UI widget 72
 - VBoxLayout for 109, 112
 - Viewport subclass 67–68
 - See also* Component class
 - Container hierarchy 253
 - Container model 271
 - Container, div element 50
 - ContainerLayout class 10, 93, 95
 - containers 10–12
 - containerScroll property 327
 - context menu handler 257
 - context menu method 257
 - context menus in TreePanel for
 - CRUD requests 257–260
 - contextmenu event 50–51, 171, 257, 260, 358
 - contextmenu listener 257
 - ContextMenuGridPanel
 - extension 366
 - Core for Ext JS framework 9
 - create method 160
 - create, read, update, and delete. *See* CRUD
 - createAndSelectRecord method 432, 441
 - createChild method 35–37
 - Crockford, Douglas 185
 - CRUD, requests
 - in DataWriter 200–202
 - in DataWriter, automating 203
 - in EditorGridPanel 183–196
 - create method for 189–192
 - creating record 192–196
 - delete method for 189–192
 - deleting record 192–196
 - reject method for 184–186
 - rejecting changes 187–188
 - save method for 184–186
 - saving changes 187–188
 - in TreePanel 257–269
 - adding context menus for 257–260
 - create methods for 266–269
 - delete methods for 264–266
 - edit methods for 261–264
 - CSS, use by Ext JS 8
 - custom renderers, ColumnModel with 166–168
- D**
-
- Dashboard class 427, 430–431
 - Dashboard screen, for TKE
 - company example 382–384, 429–431
 - data classes and version 3.0 improvements 18
 - data fields 155

- data property 128, 147
- data services
 - area of purpose for Ext JS classes 8–9
 - for Ext JS framework 9
- data Store class 128, 154, 159, 165
 - and ComboBox 128, 132
 - and fields property 128
 - and GridPanel 154–155
- data Store.loadData method 157
- data Store.reload method 157
- data.Record class 160, 164, 432
- data.Record.create method 160
- data.Tree class 13
- data.txt file 146
- datachanged event 51, 132, 162
- dataField property 247
- dataIndex property 155, 161
- DataProxy class 156
- DataGridView
 - binding to
 - FormPanel 221–224
 - ListView 216–218
 - drag and drop with 322–332
 - drag gestures for 326–330
 - drop target for 330–332
 - implementing 206–214
 - JsonStore for 207–208
 - in Viewport 211, 214
 - XTemplate for 208–211
 - overview 132, 205
 - See also* ListView
- DataGridView class 13, 20
- DataWriter 196–203
 - adding to JsonStore 197–200
 - autoSave property for 203
 - CRUD requests in 200–202
 - overview of 196–197
- date property 136
- Date.parseDate method 134
- DateColumn class 20
- DateField widget 136
- dateHired field 438
- DateMenu for menus 278–280
- DatePicker widget 136, 279
- _dc parameter 170
- dc parameter 200
- DD class for drag and drop
 - DOM changes made by 307–308
 - drop invitation for 310–313
 - drop targets for 309–310
 - invalid drop method 314–315
 - making items draggable 306–307
 - valid drop method 313–314
- ddel property 336
- ddGroup parameter 344
- ddGroup property 329, 336, 338
- DDProxy class for drag and drop 303, 316–319
- DDTarget class 302–303, 309, 312, 314, 329
- decimalPrecision property 127
- defaultType attribute 98, 102
- defaultType property 55, 124, 273, 277, 291
- defer attribute 31
- defer method 28
- deferredRender
 - parameter 84–85
- Delete Button 438
- Delete context menu item 202
- Delete Department Button 446
- Delete Employee Button 448
- deletedepartment event 409
- deleteemployee event 409
- Department field 220
- DepartmentBreakdown class 429
 - Dashboard screen 427, 431
 - for TKE company application example 394–395
- DepartmentForm class, for TKE company example 407–415
- departmentId field 438
- departmentId parameter 413
- departmentId property 403
- DepartmentManager class 428, 443
- departmentName
 - property 403, 413
- DepartmentsListView class
 - Manage Employees screen 432
 - for TKE company application example 397–398
- DepartmentsListView widget 442
- DepartmentsListView
 - XType 435
- destroy event 63
- destroy handler 369
- destroy method 174
 - and render phase 61
 - destroying context menu 174
 - destroying Windows 77
 - for cleanup after logout workflow 459
 - in final phase of Component's life 62, 362
 - specifying whether should be called 65
 - when changing id for elements 307
- destruction phase, lifecycle for Component class 62–63
- Diaz, Dustin 39
- DirectProxy class 18, 157
- DirectStore class 18
- dirty field markers 183
- disable method 61, 260
- disabled property 61
- displayInfo property 168
- displayName property 237
- div element 34, 49, 51, 75, 210, 316
- div:last-child selector 38
- dob data point 41
- doCellCtxMenu method 192–193
- docReadyEvent event 32
- docs folder 22
- Document Object Model. *See* DOM
- document.body class 40, 57
- document.body element 442
- document.getElementById() method 37
- document.readyState
 - property 31
- doDelete method 190
- doLayout method 64–65, 86, 88, 109, 143
- DOM
 - changes made by DD class 307–308
 - event flow in 48, 50
 - events based on 50–51
- dom property 37
- DOMContentLoaded event 31
- doMsgBoxAlert method 172
- doRowCtxMenu method 173
- doRowDbClick method 172
- doSomething method 48
- Dow Jones Indexes website 5–6
- downloading Ext JS framework 21

- drag and drop 299–349
 - area of purpose for ExtJS 8–9
 - description of process 300–301
 - elements must be associated with groups 304–305
 - hierarchy of classes for 301–303, 321–322
 - implementing with DD class
 - DOM changes made by 307–308
 - drop invitation for 310–313
 - drop targets for 309–310
 - invalid drop method 314–315
 - making items
 - draggable 306–307
 - valid drop method 313–314
 - implementing with DDPProxy class 316–319
 - overriding methods for 303–304
 - overview 10
 - with DataView 322–332
 - drag gestures for 326, 330
 - drop target for 330, 332
 - with GridPanel 332, 342
 - drag gestures for 335–336
 - drop invitation for 337
 - drop target for 337–342
 - drop target for drag and drop 342
 - with TreePanel 342–349
 - enabling 343–344
 - overriding methods for 345–349
 - DragDrop class 301, 321
 - dragDropEl element 328
 - draggable option 79
 - DragProxy class 329
 - DragProxy element 317
 - dragRecords property 328
 - DragSource class 303, 321, 329
 - DropZone class 303
 - and DropZone 303, 338
 - employing drag and drop with DataViews 343
 - features added by 321, 326
 - GridDragZone subclass 333
 - StatusProxy used by 326
 - drive method 354
 - DropTarget class 303, 321
 - DropZone class 327, 330, 336
 - employing drag and drop with DataViews 343
 - features added by 321 and GridPanel 333
 - multiple-node drops 303
 - notifyOver method 338
 - purpose of 303
 - dropZoneOver CSS class 311
 - dummy wait dialog box 82
 - duration property 35
 - dynamic TreePanel
 - overview 254–255
 - server interaction of 255–257
- E**
-
- easing property 35
 - Edit Button 295
 - edit event 262
 - editEmployee event 409
 - editing mode 182
 - editNode property 263
 - EditorGridPanel 176–203
 - building 178–182
 - CRUD requests in
 - create method for 189–192
 - creating record 192–196
 - delete method for 189–192
 - deleting record 192–196
 - reject method for 184–186
 - rejecting changes 187–188
 - save method for 184–186
 - saving changes 187–188
 - navigating 182–183
 - overview of 177–178
 - using DataWriter in 196–203
 - adding to JsonStore 197–200
 - autoSave property for 203
 - CRUD requests in 200–202
 - overview of 196–197
 - EditorGridPanel class 12, 366
 - el property 58
 - el.on method 48
 - Element class 33–40
 - and child nodes
 - creating 35–37
 - removing 37–39
 - example using 33–35
 - overview 33
 - EmployeeAssociationWindow
 - class 387–388, 404, 406, 413
 - EmployeeEditorWindow
 - class 446
 - EmployeeForm class, for TKE
 - company example 415–425
 - EmployeeForm Panel 388
 - EmployeeForm widget 442
 - EmployeeGridPanel class 385, 387, 402, 412, 428
 - EmployeeList class
 - Manage Employees screen 432
 - for TKE company application example 398–399
 - EmployeeList extension 388
 - EmployeeListView widget 441–442
 - EmployeeListView XType 435
 - EmployeeManager class, for TKE company
 - example 433–443
 - employeesaved event 447–448
 - emplSelected CSS class 323
 - emplSelected rule 207
 - emplWrap rule 207
 - enable method 260
 - enable<someTool>
 - properties 135
 - enableDragDrop property 336, 341, 344
 - enableTabScroll parameter 87
 - end value 110
 - endDrag method 311, 315, 319
 - errors property 188
 - event bubbling, preventing 50–51
 - event capture model 48
 - eventObj argument 313
 - eventObj.stopEvent method 50
 - purged 62
 - using Ajax with 39–40
 - [element id] attribute 125
 - Element.dom property 37
 - Element.down method 38
 - Element.insertFirst method 36
 - elements, association with
 - groups for drag and drop 304–305
 - else block 260
 - empInfo string 232
 - emplName rule 207
 - emplOver rule 207
 - EmployeeAssociationWindow
 - class 387–388, 404, 406, 413
 - EmployeeEditorWindow
 - class 446
 - EmployeeForm class, for TKE
 - company example 415–425
 - EmployeeForm Panel 388
 - EmployeeForm widget 442
 - EmployeeGridPanel class 385, 387, 402, 412, 428
 - EmployeeList class
 - Manage Employees screen 432
 - for TKE company application example 398–399
 - EmployeeList extension 388
 - EmployeeListView widget 441–442
 - EmployeeListView XType 435
 - EmployeeManager class, for TKE company
 - example 433–443
 - employeesaved event 447–448
 - emplSelected CSS class 323
 - emplSelected rule 207
 - emplWrap rule 207
 - enable method 260
 - enable<someTool>
 - properties 135
 - enableDragDrop property 336, 341, 344
 - enableTabScroll parameter 87
 - end value 110
 - endDrag method 311, 315, 319
 - errors property 188
 - event bubbling, preventing 50–51
 - event capture model 48
 - eventObj argument 313
 - eventObj.stopEvent method 50

- EventObject class 260
- EventObject.getXY
 - method 173
- events
 - managing with Observable class
 - custom events 52
 - DOM-based events 47–48
 - event flow in DOM 48–49
 - preventing event bubbling 50
 - registering events 53
 - overview 47
- evtObj.getXY() method 173
- evtObj.stopEvent method 173, 192, 260
- examples folder 22
- exception event listener 199
- expanded property 253, 255
- Ext Core library 9
- Ext JS API Documentation
 - application 5–6
- Ext JS Core. *See* Core for Ext JS framework
- Ext JS framework 25, 29
 - benefits of using
 - API documentation 5–7
 - integration with existing sites 5
 - prebuilt widgets for 7
 - supports AIR 7–8
 - supports other libraries 7–8
- configuring
 - BLANK_IMAGE_URL property 25
 - SDK contents 22–23
 - setting up for first time 23
 - for use with other libraries 23–24
- containers in 10–12
- Core 9
- data services 9
- DataView class 13
- downloading 21
- drag and drop 10
- form input fields in 14–16
 - Checkbox class 15
 - ComboBox class 16
 - HtmlEditor class 15
 - RadioGroup class 15
 - Textarea class 15
 - TextField class 15
- GridPanel class 12–13
- layouts in 10–11
- ListView class 13
 - overview 4–5
 - programming prerequisites 8
 - UI components 9
 - utilities 10
 - version 3.0
 - improvements 17–21
 - charts added 21
 - ColumnModel class
 - enhancements 19–20
 - data classes 18
 - layouts added 18–19
 - ListView class added 20–21
 - web remoting with Direct class 18
- web remoting 9
- widgets in
 - Menu widget 17
 - MessageBox widget 17
 - Slider widget 17
 - Toolbar widget 16
 - TreePanel widget 13–14
- Ext MessageBox window 32
- Ext namespace 378
- Ext.Ajax.request method 40, 185
- Ext.apply method 141, 311, 329, 335
- Ext.applyIf method 417
- Ext.BLANK_IMAGE_URL property 25–26
- Ext.chart.Chart class 383, 392–394
- Ext.chart.PieChart class 247
- Ext.charts namespace 228
- Ext.Component class 54, 57–58, 61, 329
- Ext.ComponentMgr class 55, 362, 368
- Ext.data class 18, 251
- Ext.data.ArrayStore class 160
- Ext.data.DataWriter class 177, 184, 196
- Ext.data.Field class 160
- Ext.data.field class 179
- Ext.data.Fields class 198
- Ext.data.JsonStore class 180, 394
- Ext.data.JsonWriter class 199
- Ext.data.Node class 251
- Ext.data.Record class 148, 179, 198, 328, 401
- Ext.data.Record() method 160
- Ext.data.Store class 128, 130, 165, 396
- Ext.DD class 311
- Ext.dd.DD class 304, 307, 310, 313, 315
- Ext.dd.DDProxy class 304, 308
- Ext.dd.DDTarget class 309, 315
- Ext.dd.DragDrop class 307
- Ext.dd.ScrollManager.register method 327
- Ext.decode method 185, 195
- Ext.Direct class 18
- Ext.DomQuery class 133
- Ext.each method 42, 185, 195, 248, 307, 328, 331
- Ext.Element class 30, 33, 45, 48, 58, 338
- Ext.Element.load method 40
- Ext.emptyFn method 258–259
- Ext.encode method 185, 187
- Ext.EventManager.onDocumentReady 32
- Ext.EventObject class 50, 173, 192, 272
- Ext.extend method 351, 354–357, 359
- Ext.form.BasicForm class 407
- Ext.Form.ComboBox class 99, 180
- Ext.form.field subclasses 7
- Ext.form.FormPanel class 385, 407
- Ext.form.NumberField class 180
- Ext.form.TextField class 179, 181
- Ext.form.VTypes class 124
- Ext.fx class 314
- Ext.get method 34, 38–39, 48–49, 58
- Ext.getBody method 39, 284
- Ext.getCmp method 26–27, 190, 223
- Ext.getCmp('myWin').doLayout() method 109
- Ext.grid.Column class 161, 167
- Ext.grid.ColumnModel class 167–168, 400
- Ext.grid.GridPanel class 360, 385, 400
- Ext.grid.RowSelectionModel class 162
- Ext.id method 191
- Ext.isArray method 347
- Ext.list.ListView class 396
- Ext.LoadMask class 168

Ext.menu.Menu class 257, 273, 276, 278, 360, 364
 Ext.menu.MenuItem class 192
 Ext.MessageBox class 73–74, 195
 Ext.MessageBox.confirm method 190, 435
 Ext.MessageBox.OKCANCEL property 81
 Ext.ns method 379–380
 Ext.onReady function 32
 Ext.onReady method 26, 31, 34, 452
 Ext.Panel class 55, 57, 390, 396
 Ext.Panel widget 55
 Ext.preg method 368
 Ext.reg method 363
 Ext.StoreMgr class 165
 Ext.StoreMgr.get method 169, 217
 Ext.TabPanel class 84
 Ext.Toolbar class 73, 75
 Ext.Toolbar.Button class 186, 411
 Ext.Toolbar.Fill class 411
 Ext.Toolbar.Separator class 186
 Ext.util.Format class 10
 Ext.util.JSON class 185
 Ext.util.JSON.decode method 185
 Ext.util.JSON.encode method 185
 Ext.util.MixedCollection class 64
 Ext.util.Observable engine 48, 51
 Ext.Viewport class 431
 Ext.Window class 26, 169, 182, 255, 325–326, 372
 child panels derived from XType configuration objects 56
 DataViews encapsulated in instance of 322, 326
 EditorGridPanel instance of 182
 GridPanel as child of instance of 169
 instance of utilizing HBoxLayout 325, 342
 myWin instance of 64, 95
 and TreePanel 255
 Ext.XTemplate class 208
 ext-all.css file 23
 ext-all.js file 23

ext-all-css file 25
 ext-all-debug.js file 23–24, 26
 ext-base-debug.js file 23
 Extcharts class 227
 ext-core.js file 23
 extend method, extensions with 354–357
 extensions
 for Ext JS components 357, 366
 GridPanel extension 359, 363
 implementing 363, 365
 limitations of 365–366
 purpose of 358
 with extend method 354, 357
 with JavaScript 352, 354
 See also plug-ins
 extraStyle property 235, 237–238

F

failure handler 263, 265, 267
 failure method 148, 188
 female element 312
 femaleLockerRoom element 307
 Field element 421
 field element 123
 fieldLabel attribute 123
 fieldLabel property 99
 fields property 128, 160, 164
 FieldSet class 11, 139–140
 fieldset xtype 140
 find method 195
 findBy method 66
 findByType method 66, 457
 findHidden method 67
 findRowIndex method 338
 Firebug DOM inspection tool 37
 fireEvent method 53
 First Name column 171
 firstChild method 38, 268
 firstChild.remove method 38
 firstName parameter 52–53
 FitLayout class 101–102
 Flash checking support for 228
 FlashComponent class 228
 flex parameter 111
 for attribute 42, 44, 98, 209–210
 for loop 89

for operator 43
 form element 421
 form input fields 14–16
 Checkbox class 15
 ComboBox class 16
 HtmlEditor class 15
 RadioGroup class 15
 Textarea class 15
 Textfield class 15
 form namespace 385
 format property 136
 FormLayout class 98, 100
 FormPanel 11
 binding DataView to 221–224
 Checkbox for 136–138
 ComboBox for 127–134
 components of 132
 customizing 132–133
 local 128–129
 remote 129–132
 TimeField for 134
 creating 219–221
 DateField for 136
 flexibility of 138–144
 HtmlEditor for 134–135
 loading data into 146–149
 NumberField for 126–127
 Radio for 138
 submitting forms 145–149
 standard submit 145
 via Ajax 145–146
 TextArea for 126
 TextField for 122–127
 and file select fields 125–126
 password attribute for 125–126
 FormPanel class 11, 385
 FormPanel.getForm() method 145
 FormPanelBaseCls class 406–407
 FormPanelBaseCls constructor extension 432
 Forward Button 106
 fp.getForm().isValid() method 125
 fpItems variable 124
 frame property 213
 framework. *See* Ext JS framework
 Full Name column 162
 fullName property 130–131
 Function method 28

G

gear method 354
 general utilities 8–9
 genericHandler method 272, 276, 279, 294
 get method 190
 GET parameter 188
 getAt method 190, 195
 getCompany.php controller 256
 getDragData method 327, 329, 336
 getDropPoint method 347
 getEl method 33, 58
 getElementById method 33
 getEmployeeGridSelections method 414
 getForm method 145
 getModifiedRecords method 185
 getRepairXY method 327–329
 getSelected method 172, 358, 401, 436–437
 getSelectedCell method 358
 getSelectedRecord method 360, 362, 364, 368, 370
 getSelections method 414
 getStore method 397
 getValues method 148
 getView method 397
 getXY method 260
 grid namespace 385
 grid.Column class 20
 GridDD group 336
 GridDragZone class 303, 333, 336, 342, 344
 GridPanel 5, 153–175
 ColumnModel for with custom renderers 166–168
 columns 237
 drag and drop with 332–342
 drag gestures for 335–336
 drop invitation for 337
 drop target for 337–342
 event handlers for 171–175
 extending 359–363
 implementing 159, 161–175
 in Container 169, 171
 overview 154–155
 PagingToolbar for 168–169
 setting up ArrayStore overview 159, 161
 shortcuts for 163–165
 and Store class 156, 158

supporting classes for 154–155
 See also EditorGridPanel
 GridPanel class 12–13, 47, 366, 369, 385
 gridRowInsertBottomLine CSS class 339
 gridRowInsertTopLine CSS class 339
 GridView class 154–155
 grouping, of buttons 287–290
 Guard, Damien 274

H

handleNav method 106
 handler property 273
 HBox layout 19
 HBoxLayout class 18–19, 109, 112, 212
 HEAD tag 26
 height parameter 116
 Hello world example 25–29
 helloWorld.html file 27–28
 helloWorld.js file 26–27
 hidden property 61
 hiddenName property 130
 hide method 61, 77, 260
 hideable flag 171
 hideable property 167
 hideTabStripItem method 88
 highlight effect 27
 highlight method 39
 highlightWindow function 27
 Hot Tub element 309
 HTML button 16
 HTML, use by Ext JS 8
 HtmlEditor 134–135
 HtmlEditor class 15
 htmlFragment.html file 39
 HttpProxy class 156
 Hypertext Markup Language.
 See HTML

I

icon property 82, 253
 icon-accept CSS class 273
 iconAlign option 287
 iconCls property 253, 273, 275, 281, 283–285
 icons for menus and browser compatibility 274–275
 overview 273–274
 icons.css file 274
 icons.ie6.css file 274

ID column 171
 id parameter 200, 439
 id property 26–27, 75, 131, 201, 254, 256
 idProperty property 179
 if attribute 44
 if block 260
 if condition 44
 if operator 43
 if statement 313
 increment property 134
 init method 59, 367, 369–370, 452, 459
 initComponents method in ChartPanelBaseCls 391–392
 creating contents for 403
 and EmployeeManager construction 433–434
 reducing size of 408
 this.items property 409
 initialization phase, lifecycle for Component class 58, 60
 innerHtml class 35
 insert method 87, 191
 insertBefore method 268
 insertFirst method 36–37
 instanceof operator 362
 inter-Component events 51
 invalidDrop property 311, 315, 319
 isCamry method 45
 isTarget property 311
 isValid method 125
 isValidDropPoint method 347–348
 isVisible method 67
 Item handler 273
 Item property 284
 Item.setIconClass method 281
 itemclick event 227, 229, 249, 390, 392
 itemclick event handler 431
 itemclick event listener 429
 itemId property 258
 items array 73, 87, 282, 291
 items parameter 417
 items property 64, 192, 273, 291
 itemSelector property 133, 215
 itemType property 455, 457, 459

J

James, Mark 274
 JavaScript Serialized Object Notation. *See* JSON

JavaScript, extensions
 with 352–354

JSON 9

JsonReader class 199

JsonStore class
 adding DataWriter to
 197–200
 configuring 165
 creating ArrayStore 164
 for DataView 207–208
 for extension
 implementation 363
 GridPanel 334
 implementing remote
 loading ComboBox 130
 mapping fields 230

jsonstore XType 165

JsonWriter class 198

K

keyup event 51

Koch, Peter-Paul 49

L

label element 98

labelWidth attribute 98

Last Name column 171

lastChild.remove method 38

lastName parameter 52–53

layout parameter 113

layout property 26, 106–107,
 213

layoutConfig parameter 103,
 114

layoutOnTabChange option
 85, 90
 and incorrectly sized child
 items 85–86

layouts 10–11
 and containers 10–11
 and version 3.0
 improvements 18–19

leaf attribute 345

leaf property 253, 256, 268

left attribute 100–101

left property 308

legends for LineChart 238–239

libraries, use of Ext JS with
 other libraries
 configuring for 23–24
 support for 7

limit parameter 170

limit property 168–169

LineChart 21, 230
 adding titles to axes 232–234

customizing ToolTip for 232

legends for 238–239

mixing with ColumnChart
 241–242

multiple series in 235–239

styling of 234–235

LineSeries class 226–228

listeners option 257

listpanel class 397

listpanel namespace 399

ListPanelBaseCls class 396–397

ListView
 binding DataView to
 216–218
 implementing 214–218
See also DataView

ListView class 13

ListPanelBaseCls 396

TKE namespace 385

version 3.0
 improvements 20–21

LiveGrid extension 4

load method 146–147, 169,
 171, 401, 414, 424

loadData method 157, 407, 413

loadEmployeeGrid method
 414

loadFormAfterRender
 method 424

loading data into FormPanel
 146–149

loadingText string 130

LoadMask class 169

loadMask property 168

loadRecord method 148, 221

loadStoreByParams method
 436

lockerRoom element 306

lockerRoomChildren class 317

Log Out Button 451

Login Button 453

logout Button 455

looping with XTemplate
 class 42–43

M

majorGridLines property 237

Manage Departments screen,
 for TKE company
 example 384–387,
 443–450
 CRUD workflow in 446–449
 employee association work-
 flow in 449–450
 workflow of 443–446

Manage Employees screen, for
 TKE company
 example 387–389,
 431–443

EmployeeManager class
 for 433–443
 workflow of 431–432

mapping attribute 130

margins parameter 117

mask method 185

maxHeight parameter 117

maxLength parameter 123

maxValue property 127, 134

maxWidth parameter 117

MemoryProxy class 157

memoryProxy variable 159

menu property 275, 295

Menu widget 17, 271, 273,
 361, 369

menu.BaseItem class 277

menu.CheckItem widget 281

menu.Separator class 276,
 278, 281

MenuItem handler 371

menuItems array 273, 275,
 279–281

MenuLayout class 18–19

menus
 attaching to buttons
 284–285
 building 272–273
 CheckItem for
 overview 280–281
 selecting only one of
 group 281–283
 ColorMenu for 278–280
 DateMenu for 278–280

icons for
 and browser compatibility
 274–275
 overview 273–274
 overview of 271–272
 Separator for 276–277
 submenus for 275–276
 TextItem for 277–278

MessageBox alert dialog
 box 276

MessageBox alert method 80

MessageBox class
 animated wait dialog box
 with 82, 84
 options for 81–82
 replacing alert and
 prompt 79–80

MessageBox widget 17

MessageBox.alert method 80
 MessageBox.confirm method 195, 264–265, 438
 MessageBox.prompt method 80, 264
 MessageBox.show method 80
 minChars property 130
 minHeight parameter 79, 117
 minLength parameter 123
 minVal property 127, 134
 minWidth parameter 79, 117
 MixedCollection utility 64
 modal dialogs
 animated wait dialog box, with MessageBox class 82, 84
 creating rigid modal Window 78–79
 modal option 78
 mode attribute 128
 modified records list 185
 mousedown event 304
 mouseover event 232
 mouseover gesture 227, 229
 msg property 146, 188
 msgTarget property 125
 multiple series in LineChart 235–239
 multiSelect property 212
 MyApp namespace 379–380
 MyApp.grid namespace 380
 myBottomToolbar array 74–75
 myBtnHandler method 75
 myCallback method 80
 myDiv class 34
 myDiv element 49
 myDiv1 variable 34, 36
 myDiv1.createChild() method 36
 myDiv1.dom.childNodes 37
 myFormPanel.getForm().getValues() method 148
 myFormPanel.getForm().setValues(dataObj) method 148
 myHref tag 50
 myObservable.addListener method 53
 myObservable.on method 53
 myObservable.removeListener method 53
 myPanel class 55
 myPanel.getBottomToolbar() method 74
 myPanel.getTopToolbar() method 74

myPanel.render method 57
 myPanel.show method 59
 myTpl variable 40
 myTpl.append method 40
 myValidFn method 123

N

name attribute 130, 220
 name data point 41
 nameRecord variable 159
 namespaces 378–379
 segmentation of
 for large applications 381
 for small applications 379–380
 for TKE company application example 429
 New Employee Button 385, 446
 newDepartment handler 272
 newHires attribute 230
 newHires column 245
 newRecordId property 191, 194–195
 node parameter 256
 notifyOut method 339
 notifyOver method 338
 NumberColumn class 20
 NumberField 15, 126–127
 NumericAxis class 232, 234, 241, 244

O

Observable class, managing events with
 custom events 51–52
 DOM-based events 47–48
 event flow in DOM 48, 50
 preventing event bubbling 50–51
 registering event 52–53
 octaneRequired property 354
 on method 53
 onAdd handler 268
 onAddNode method 268
 onAddToDepartment method 404–405
 onAfterAjaxReq method 452, 455, 458
 onAfterDeleteEmployee method 438, 440
 onAfterLogout method 457
 onAssociateEmployees method 413, 450
 onBeforeDrag method 345, 348
 onCellContextMenu method 359, 364, 368, 370
 onclick attribute 47
 onClose method 404–405
 onComplete method 264
 onCompleteAdd method 268
 onCompleteEdit handler 262
 onCompleteEdit listener 263
 onConfirmDelete method 265, 438
 onConfirmDeleteEmployee method 436, 439
 onContainerDrop method 331–332, 339
 onContainerOver method 331, 337–338, 340
 onCtxMenu handler 257–258
 onDelete method 190, 195, 200, 265
 onDeleteDepartment method 414
 onDeleteEmployee method 435, 438
 onDeleteEmployees method 414
 onDepartmentListClick method 405, 435–436, 444
 onDepartmentStoreLoad method 405
 onDeptFormSave method 444
 onDeptFormSaveFailure method 444
 onDeptFormSaveSuccess method 444
 onDestroy method 62, 360, 362, 367, 370
 onDestroyMethod method 367
 onDrag method 304
 onDragDrop method 304, 311, 313–314, 317, 319
 onDragEnter method 304, 311–312, 317
 onDragOut method 304, 311–313, 317
 onDragOver method 304
 onEdit method 261, 263
 onEditEmployee method 413
 onEmpFormSaveFailure method 442
 onEmpFormSaveSuccess method 441

- onEmployeeListClick handler 435
- onEmployeeListClick method 437
- onEmployeeLoadFailure method 437
- onEmployeeWindowSaveSuccess method 448
- onGridRowDbClick method 412
- onInsertRecord method 193
- onInvalidDrop method 304, 311, 313–315, 319
- onLayout method 108
- onLoad attribute 31
- onLogin method 456
- onLoginFailure method 456
- onLoginSuccess method 456
- onLogout method 457
- onMenuItemClick method 365
- onMouseMove event 304
- onNewDepartment method 444
- onNewEmployee method 412, 435, 438, 441–442
- onReady initializing JavaScript with 31–33
- onRejectChanges method 184, 186
- onRender method 61
- onReset method 412
- onSave method 184, 187, 193, 200, 412
- onSaveEmployee method 435
- onSuccessOrFail method 146
- onSwitchPanel method 455, 457
- options.succCallback method 459
- originalXY property 315, 317
- overClass CSS class 212
- overCls property 215
- overflow-x attribute 94
- overflow-y attribute 94
- overriding methods, for drag and drop 303–304

P

- pack parameter 110
- padding property 239
- pageSize property 127, 131, 168, 182
- PagingToolbar 168–169
- PagingToolbar class 12, 16

- Panel class
 - parent-child relationship 10–11
 - Toolbar widget 16
 - toolbars in 72, 76
 - TreePanel 251
- params property 169, 185
- parentNode property 263
- password attribute for TextField 125–126
- personName field 160
- phoneNumbers property 209–210
- PieChart 245, 248–249
- PieChart class 226, 228–229
- PieSeries class 227
- Plain Old JavaScript Object. *See* POJSO
- plain parameter 79
- plug-ins
 - creating 368–370
 - implementing 370–374
 - overview of 366–368
- PNG 274
- POJSO 128
- Pool element 309
- Portable Network Graphics. *See* PNG
- position attribute 100–101
- position property 308
- POST parameter 188
- PremiumCar class 352, 354, 357
- PremiumCar.prototype.drive method 353
- prepareFormForNew method 438, 442
- pressed option 455
- prevHired attribute 230
- prevHired column 245
- progress option 83
- ProgressBar class 17, 82
- ProgressBar PagingToolbar plug-in 373
- ProgressBarPager.js file 373
- prompt method 80
- PropertyGridPanel class 366
- Prototype library 23–24
- Proxy class 159, 197
- proxy property 130

Q

- qtip attribute 125
- QuickTip class 11
- QuickTip widget 11

R

- Radio class 138
- RadioGroup class 15, 280
- Record field 161
- record parameter 185
- Record template 191
- Record.create method 159
- record.get method 172
- records parameter 188, 194, 200–202
- recordsToInsertUpdate property 185
- recordsToSend array 185
- recordType property 191
- regex method 14
- Region class 115
- region property 117
- registering events 53
- Reject Changes Button 184, 186, 188
- reject method 188
- rejectChanges method 186, 188, 200, 203
- reload method 188
- Remote Procedure Calls. *See* RPCs
- remoteJsonStore class 182
- remoteJsonStore.load method 182
- remoting methods 157
- remove method 37, 66, 87, 265
- removeAll method 401
- removeFromGroup method 305
- render event 61
- render method 57–58, 60, 106
- render phase, lifecycle for Component class 60, 62
- rendering, of Component class 57–58
- renderTo attribute 57–58, 60–61
- renderTo parameter 59
- repairXY property 328
- request inspection tool 200–201
- request parameter 188
- reset Button 432
- reset method 224, 407, 412
- resizable option 78
- resizeTabs parameters 90
- resources folder 22
- response.responseText property 195

return method 190
 reusability of code.
 See namespaces, for TKE
 company application
 example
 root property 165
 RootTreeNodeUI class 251
 rootVisible property 253
 rowclick event 224
 rowcontextmenu event 47,
 163, 360
 rowCtxMenu property 173, 192
 rowdblclick event 171, 401, 412
 rowdblclick method 163
 rowIndex parameter 173
 RowSelectionModel class
 162–163, 174
 RowSelectionModel selection
 model 12, 358, 364
 rowspan parameter 113
 rowspan property 290
 rowToDelete parameter 190,
 195
 RPCs 157

S

s.gif file 24–25
 sameClass class 38
 Save Button 218, 222–223
 Save Changes Button 184,
 186–187, 193, 200, 202
 save method 200
 saveemp event 441
 sayGoodbye event 52–53
 sayGoodbyeFn method 53
 sayHello event 52
 sayHi.html file 27
 scale property 287, 290
 script tag 27, 39
 Scriptaculous library 24
 ScriptTagProxy 180, 198, 201,
 208, 324, 334
 in EditorGridPanel
 construction 179
 in ListView construction 215
 overview 157
 recreating to work with
 instance of
 Ext.data.JsonWriter 199
 scroll property 327
 segmentation of namespaces
 for large applications 381
 for small applications
 379–380
 select method 192, 259, 307

selectCell method 358
 selectedClass CSS class 212
 selectedCls property 215
 selectedNodes list 328
 selectedRecord property 223
 SelectionModel class 154–155,
 163
 SelectionModel.getSelectedCell
 method 190
 selectRow method 173, 358
 Separator for menus 276–277
 series array 242
 series property 238, 247
 series.data array 248
 series.xField property 244
 series.yField property 244
 set method 195
 setActiveItem method 104, 458
 setActiveTab method 87
 setFlagColor handler 282,
 285–286
 setHeight method 34
 setIconCls method 282
 setId method 268
 setSize method 35
 setTimeout method 28, 83
 setValues method 85, 146
 setWidth method 34
 shiftTo method 353
 show event 61
 show method 80, 82, 260
 showAt method 173, 273
 side attribute 125
 singleSelect: true property 163
 Slider widget 17
 someContainer.items
 property 64
 sort method 162, 401
 sourceDataView property 328
 sourceEl element 327
 spacing property 239
 split parameter 116–117
 SplitButton
 layout of 287
 overview 286
 StackedBarChart 243–244
 StackedBarChart class 228,
 242, 244
 StackedColumnChart
 class 240, 242–243
 stacking columns, in
 ColumnChart 240–241
 stackingEnabled property 241,
 244
 standardSubmit property 145
 start parameter 170
 start property 169
 start value, pack parameter 110
 startDrag method 304,
 316–317
 startEdit method 263
 startEditing method 191
 State column 162
 state field 141, 160
 StateManager class 59
 static TreePanel 252–253
 StatusProxy class 326, 329–330,
 332, 336, 348
 stopEvent method 50
 Store class
 DataView class 205
 and GridPanel 156–158
 overview 156–158
 Store ID string 169
 store property 128
 STP. *See* ScriptTagProxy
 stretch properties, FieldSet 142
 stretch value, align
 parameter 110
 stretchmax value, align
 parameter 110
 String class 434
 string value 54
 String.format method 166,
 379, 433–434, 443
 stripCharsRe property 123
 style attribute 308
 style parameter 61
 style tag 309
 style.position attribute 313, 315
 stylizeAddress method 166–167
 subclasses. *See* extensions
 submenus 275–276
 submit method 145
 submitHandler method 146
 submitting forms 145–149
 standard submit 145
 via Ajax 145–146
 succCallback method 439, 459
 success handler 263, 265
 success method 188
 success property 146–147, 185,
 263, 459
 successFalse.js file 178
 successProperty property
 199, 201
 successTrue.js file 178, 185,
 190, 193, 198
 superclass method 353–354,
 356
 superclass.afterRender
 method 61

superclass.beforeDestroy
method 62
superclass.loadData method
414
superclass.onRender method
61
SWFObject class 228
switchToCard method 458

T

TableLayout class 112
TabPanel class 84, 91
 construct complex form 139
 creating simple
 TabPanel 86–87
 deferredRender parameter,
 and setValues method
 84–85
 displaying documentation 7
 layoutOnTabChange param-
 eter, and incorrectly sized
 child items 85–86
 tab management methods
 for 87–88
 tab widths in 88
TabPanel container 10–11
TabPanel widget 5–6, 11
TabScrollerMenu plug-in 372
TabScrollerMenu.js file 372
targetElId argument 313
tbar parameter 417
tbar property 74, 291–292, 295
Template class 40–45
 example using 40–42
 extension of by
 XTemplates 42
 See also XTemplates
Template constructor 41
TemplateColumn class 20
text attribute 252
text property 253, 256, 258,
 273, 282, 284, 290
TextArea 15, 80, 126
TextField 6, 14, 122–127
 and file select fields 125–126
 password attribute for
 125–126
Textfield class 15
TextItem for menus 277–278
this.buildEmployeeGrid
 method 409
this.buildGeneralInfoForm
 method 409
this.buildSeries method 393
this.buildStore method 393
this.buildViewport method 456
this.clearMask method 437
this.close method 405
this.departmentId
 parameter 404
this.destroy method 457
this.doLogout method 457
this.gear property 352
this.isCamry method 44–45
this.items class 55
this.loadFormAfterRender
 method 417
this.octaneRequired property
 352
this.onCellContextMenu
 method 361
this.onConfirmDelete-
 Employee method 438
this.onDepartmentListClick
 method 404
this.onDepartmentStoreLoad
 method 404
this.onLogin method 453
this.onLoginFailure
 method 456
this.point property 339
this.setDeptIdOnForm
 method 436
this.shiftTo method 352
this.switchToCard method 458
TimeAxis class 232
TimeField class 15
TimeField for ComboBox 134
tipRenderer method 232, 237,
 244, 247, 249, 392–393
tipRenderer property 238
title attribute 125
title rule 207
titleRotation property 235, 237
titles adding for axes 232–234
TKE company application
 example
 ChartPanel components in
 389–395
 ChartPanelBaseCls class
 389–392
 CompanySnapshot class
 392–394
 DepartmentBreakdown
 class 394–395
Dashboard screen for 382–
 384, 429–431
EmployeeAssociationWin-
 dow class for 402–406
EmployeeGridPanel class
 for 399–402
form namespace for
 406–425
 DepartmentForm
 class 407–415
 EmployeeForm class
 415–425
 FormPanelBaseCls
 class 406–407
ListPanel components
 in 396–399
 DepartmentsListView
 class 397–398
 ListPanelBaseCls
 class 396–397
ListView components in
 EmployeeList class
 398–399
Manage Departments screen
 for 384–387, 443–450
 CRUD workflow in
 446–449
 employee association work-
 flow in 449–450
 workflow of 443–446
Manage Employees screen
 for 387–389, 431–443
 EmployeeManager class
 for 433–443
 workflow of 431–432
namespace design for 429
and reusability in 382
workspace class for 451–459
workspace class for, workflow
 of 451–452
TKE.window.UserLogin-
 Window class 453
ToastWindow extension 4
Toolbar Button 74
Toolbar Buttons widget 6
Toolbar class 7
Toolbar.Fill widget 292–293
Toolbar.Separator class 291
Toolbar.TextItem widget 292
ToolbarLayout class 18
Toolbars 6, 16
 implementing 290
 in Panel class 72, 76
 using Action class with
 293–296
tools array 75
ToolTip class 17
ToolTips customizing
 for LineChart 232
 for PieChart 248–249
top attribute 100–101
top parameter 110
top property 308

TotalCompany class 392
 totalCount property 165, 168
 TotalEmployees class 384
 totalProperty property 165
 tpl element 43
 tpl flag 44
 tpl modifier 44–45
 tpl tags 43, 209–211
 trackResetOnLoad
 method 407
 trackResetOnLoad option 432
 trackResetOnLoad
 property 412
 tree.TreeNode class 251, 253
 TreeDragZone class 303, 344
 TreeDropZone class 303, 344
 TreeDropZone.proto-
 type.isValidDropPoint
 method 346–347
 TreeEditor class 263, 266,
 268–269
 TreeLoader class 14, 251, 254
 TreeNode class 344
 TreeNodeUI class 251
 TreePanel 6, 104, 250–269
 CRUD requests in 257–269
 adding context menus
 for 257–260
 create methods for
 266–269
 delete methods for
 264–266
 edit methods for 261–264
 drag and drop with 342–349
 enabling 343–344
 overriding methods
 for 345–349
 dynamic 254–255
 server interaction of
 255–257
 overview of 251
 static 252–253
 widget 13
 try/catch block 459
 type attribute 125, 245
 type property 242

U

UI Component class 76
 UI components 9
 un method 53
 under attribute 125
 unhideTabStripItem
 method 88
 update event 162
 updateFn function 83

url property 27, 130, 164, 197,
 254
 urlOnlyText property 124
 UserLoginWindow class 382
 utilities for Ext JS
 framework 10

V

validateValue method 135
 validation, lack of in
 HtmlEditor 135
 validDropPoints array 347–348
 values property 44
 VBoxLayout class 18–19, 110,
 112
 Viewport class
 DataView in 211–214
 exploring scrollable tabs 89
 flexing BorderLayout 115
 subclass of Container
 class 67–68
 Viewport widget 6
 vtype property 124

W

web remoting 9, 18
 widgets, benefits of 7
 width property 167, 216
 win.show method 26
 winBody class 27
 Window class 76, 84, 292, 325
 and Container model
 methods 63
 creating helloWorld.html 25
 creating rigid modal
 Window 78–79
 MessageBox class 79–80
 animated wait dialog box
 with 82, 84
 options for 81, 84
 out-of-the-box form
 elements 14
 parent-child relationships
 10–11
 placing DataViews inside 325
 Toolbar 292
 winBody 27
 Window widget 5
 WishlistGrid.js file 380
 workspace class, for TKE com-
 pany example 451–459
 writeAllFields parameter 201
 writeAllFields property 198
 Writer class 196–198, 200–202

X

xaction parameter 170–171
 xAxis property 234, 244
 xcount array 44
 x-dd-drop-ok CSS class 331
 xField property 231, 243, 247
 x-form-item class 98
 XHR inspection tool 148, 188,
 193, 269
 xindex index 44
 XMLHttpRequest 148
 x-panel-fbar class 75
 XTemplate constructor 31, 45
 XTemplates 132–133
 advanced concepts with
 43–45
 for DataView 208–211
 looping with 42–43
 See Template class
 XType 94, 96, 98, 102
 and Component class 54, 57
 definition 122
 xtype option 455
 xtype property 231, 277, 458
 in ColumnChart
 construction 239
 of EditorGridPanel 182
 in onSwitchPanel 455
 in PieChart configuration
 247
 specifying combo as simple
 POJSO 128
 in StackedBarChart
 configuration 244
 in XType configuration
 object creation 364

Y

Yahoo! User Interface. *See* YUI
 yAxis property 234, 244
 yearInfo string 232
 Yes Button 81, 265
 yField property 231, 236, 238,
 243, 247
 YouTubePlayer extension 4
 YUI 3

Z

ZIP Code cell 183
 ZIP Code column 181
 ZIP Code field 141