

Special characters and numbers

\$ function, 238
 @fileserver.call method, 538
 @javascript tag, 232
 @purchase.errors.any? method, 11
 @ticket variable, 110
 304 Not Modified status, 457–459

A

abilities, 189–190
 Ability class, 189, 201
 accepts_nested_attributes_for method, 223, 225
 access control, 136–163.
 See also authentication; authorization
 admins
 adding admin field to users table, 138
 restricting access to, 362–365
 restricting actions to, 138–147
 restricting project creation to, 137–138
 namespace-based CRUD, 151–155
 create action, 154–155
 index action, 152–153
 namespace root, 151–152
 new action, 153–154
 namespace routing, 148–151
 users
 admin, 155–157
 deleting, 161–163
 editing, 157–163
 Account class, 40
 Action Mailer classes, 312, 318–320, 334
 configuring, 336–337
 templates for, 320–322
 ActionController::Caching::Sweeper class, 454
 ActionDispatch::Static class, 536–538
 ActionDispatch::Static middleware, 534
 actionpack gem, 536
 actions
 caching, 451–454
 restricting to admins, 138–147
 fixing broken scenarios, 143–144
 hiding links, 144–147
 ActiveRecord::Base association method, 222
 ActiveRecord::Migration class, 8
 ActiveRecord::RecordInvalid exception, 80
 ActiveRecord::RecordNotFound exception, 74,
 94, 184, 368
 Adam, James, 469
 add_column method, 264
 addresses, reply-to, setting, 340–341
 admin attribute, 137
 admin field, adding to users table, 138
 admin users, 155–157
 admin_root_path method, 514
 admins
 adding admin field to users table, 138
 restricting access to, 362–365
 restricting actions to, 138–147
 fixing broken scenarios, 143–144
 hiding links, 144–147
 restricting project creation to, 137–138
 admins method, 170
 admins_only method, 146–147, 151
 Admin::StatesController controller, 270
 admin_states_path method, 271
 Admin::UsersController show action, 198
 after_inactive_sign_up_path_for method,
 179–180
 After method, 335
 after_create method, 257–258, 316, 321, 326,
 455, 463

- after_destroy method, 456
- after_update method, 456
- Agile software, 44
- all method, 87, 253, 439
- And keyword, 37
- any? method, 354
- ApiHelper module, 352
- APIs (application programming interfaces), 347–384
 - paginating, 443–444
 - projects, 349–374
 - API authentication, 355–356
 - destroy action, 372–374
 - error reporting, 356–358
 - restricting access to, 362–365, 368–369
 - serving, 354–355, 358–359
 - single, 365–367
 - updating, 370–372
 - rate limiting, 377–384
 - Rate limit exceeded error, 379
 - request_count field, 377–378
 - by Sinatra framework, 528–532
 - tickets, 374–377
 - versioning, 381–384
- Api::V1::BaseController class, 531
- Api::V1::TicketsController class, 531
- Api::V3::JSON::Tickets class, 529
- app folder, 472–474
- app method, 352
- app role, 398–399
- Application class, 520
- application programming interfaces. *See* APIs
- ApplicationController class, 141
- applications, 44–82
 - committing changes, 72
 - deployment of, 401–403
 - developing, 5–22
 - deleting, 20–22
 - generating applications, 6
 - installing Ruby on Rails, 5–6
 - migrations, 8–9
 - purchases, 9–13
 - routing, 15–16
 - scaffolding, 7–8
 - show action, 14–15
 - starting applications, 6–7
 - updating, 16–20
 - validations, 13–14
 - integrating engines with, 513–515
 - projects, 55–60
 - Rack framework, 517–522
 - breaking up, 522–524
 - mounting with Rails framework, 525–533
 - running combined, 524–525
 - registering with Twitter authentication, 416–417
- RESTful routing, 60–72
 - setting page title, 72–76
 - setting up, 45–82
 - application story, 45–46
 - applying stylesheet, 54–55
 - database configuration, 53–54
 - Gemfile file and generators, 50–53
 - version control, 47–50
 - users for, authentication, 391–394
 - validations, 76–82
- aptitude command, 394
- Aptitude system, 388
- as option, 171
- assert method, 26, 28, 216
- asset_file_name method, 217–218
- assets
 - privatizing, 230–231
 - public, 230
 - show action, 228–230
- assets method, 222–224
- assets_attributes= method, 225
- Assigning Permissions feature, 206, 280
- association count, showing, 492–493
- association method, 184
- associations
 - tags, defining, 289
 - watchers, defining, 316–318
- asynchronous requests, 234
 - responding to, 235–237
 - sending parameters for, 237–241
 - learning CoffeeScript language, 237–240
 - passing through number, 240–242
- Attach the File step, 215
- attr_accessible method, 120
- attr_accessor method, 34, 498–499
- attribute accessor, 498
- attribute mass-assignment, 120
- attributes
 - change tracking for, 548–549
 - nested, 224–226
- attributes hash, 127
- authenticate_forem_user! method, 503, 506
- authenticate_user method, 129, 142, 169, 178, 188, 357, 363
- authenticating
 - posts, 506–509
 - topics, 501–505
- authentication, 117–135, 412–433. *See also* access control
 - API, 355–356
 - Devise gem, 118–120
 - disabling password, 393–394
 - GitHub, 425–433
 - ident, 395
 - key-based, 391–393

authentication (*continued*)
 OAuth, 413–415
 Twitter, 415–425
 OmniAuth gem, 415–418
 registering application with, 416–417
 testing sign-in, 419–425
 users
 confirmation link sign-in, 122–126
 form sign-in, 126–128
 linking tickets to, 128–135
 signup feature, 121–122
 Authentication process, 136
 authorization, 164–212. *See also* access control;
 authentication
 assigning permissions, 198–212
 tickets, 206–207
 viewing projects, 198–206
 blocking access to tickets, 183–185
 fixing failing features, 172–182
 editing projects, 173
 scenario to test that links are hidden, 176–
 178
 Signing Up, 178–182
 restricting
 delete access, 193–198
 read access, 165–168
 by scope, 168–172
 update access, 190–193
 write access, 185–190
 seed data, 209–212
 authorize_admin! method, 150, 363
 authorize_create! method, 188
 authorized? method, 195, 197, 207, 279
 authorize_delete! method, 194
 authorizing, editing, 192–193
 authorship, adding to topics, 505–506
 auth_providers method, 428, 431
 automatic escaping, 267–268

B

background workers, 462–467
 Bacon class, 27, 30–31
 bacon_test.rb file, 27–28
 Baker, Steven R., 29
 balance method, 41
 base functionality, installing, 388–389
 Basecamp, 2
 bash migrate alias, 130
 Bates, Ryan, 188
 BDD (behavior-driven development), 28–43, 45–
 46
 Cucumber tool, 35–43
 RSpec tool, 29–35

before method, 149, 505, 529
 before_create method, 264, 315, 353, 548
 before_filter method, 96, 129, 141, 192, 355, 373,
 496
 before_save method, 506
 behavior-driven development. *See* BDD
 belongs_to method, 129–130, 167, 248, 255, 265,
 458, 493
 bin/cucumber command, 84, 88
 blacklist authorization, 164–165
 Buck, Jamis, 395
 build-essential package, 388–389
 build method, 102–103, 248, 283
 bundle install command, 6, 53, 403–404
 –deployment flag, 404
 –gemfile flag, 404
 –without flag, 404
 Bundler gem, 49, 470, 512, 544
 –binstubs option, 52
 bundling gems, 403–405
 button_to method, 331

C

cache method, 460–461
 cache sweepers, 454–457
 cache_path option, 452–453
 caches_action method, 451–453
 caches_page method, 451, 456
 cache_sweeper method, 455
 caching
 actions, 451–454
 client-side, 457–460
 page fragments, 460–462
 pages, 448–451
 call method, 518–519, 521–522, 536–537, 539
 callbacks, 257–258, 264–265
 can? method, 188, 195, 278, 295
 CanCan gem, 188–189
 CanCan::Ability module, 189
 cannot? method, 188–189
 cannot_create_tickets! method, 187
 cannot_update_tickets! method, 191
 cap command, 400
 deploy:migrations task, 407
 deploy:setup task, 401
 –T option, 400
 Capfile, 397
 Capistrano gem, configuring, 397–400
 Capistrano tool, 395, 400–404, 406
 deploy:restart task, 403
 deploy:setup task, 400
 deploy:symlink task, 403
 deploy:update task, 401, 403
 deploy:update_code task, 401

- capture group, 40, 73
- Capybara browser simulator, 51, 232, 478–479
- Capybara gem
 - RSpec gem and, installing, 481–482
 - testing, 483–484
- Cascading Style Sheets. *See* CSS
- cat command, 396
- change method, 64, 264
- change tracking, for attributes, 548–549
- changed? method, 548–549
- changes
 - committing, 72
 - tracking, 263–269
 - automatic escaping, 267–268
 - callback, 264–265
 - displaying, 265–266
 - styling states, 268–269
 - Then show me the page step, 266–267
- cheat gem, 350
- check_rate_limit method, 378–379
- Chelimsky, David, 29
- child_index option, 237
- chmod command, 401–402
- class method, 251
- classes, outside control, 497–511
 - engine configuration, 497–500
 - fake User model, 500–501
 - topics, 501–511
- class_eval method, 428
- class_name option, 265, 317, 321, 511
- cleaning up, after paginating interfaces, 441–442
- clear method, 205
- click function, 238
- click_link method, 484
- client-side caching, 457–460
- coffee-rails gem, 51
- CoffeeScript language, 237–240
- collection block, 305
- collection method, 304
- combined applications, 524–525
- Comment class, 251, 255
- CommentNotifierJob class, 463
- CommentObserver class, 315–316, 318, 321
- comments, 244–252
 - adding more tags through, 292–293
 - controller, 249–252
 - form, 247
 - locating ticket, 245–246
 - model, 247–249
 - testing subscription, 325–327
- CommentsController spec, fixing, 294–295
- comment_updated method, 316, 319–321, 340–341
- commits, of changes, 72
- community, sense of with Rails framework, 542–543
- concat method, 427
- config/routes.rb file
 - application, 15
 - engine, 474
- config.middleware.use method, 539
- ConfigurationNotFound exception, 499
- configure method, 140
- confirm! method, 422
- confirm option, *See* link_to
- confirmable module, 120, 122
- confirmation links
 - confirming, 123–126
 - user sign-in with, 122–126
 - confirming confirmation, 123–126
 - testing email, 122–123
- confirmation_sent_at attribute, 124
- confirmation_token attribute, 124
- confirmed_at attribute, 124
- confirm_users_path method, 180
- content_for method, 75–76
- controllers, 58
 - permissions, 200–201
 - servicing files through, 226–231
 - assets, 228–231
 - protecting files, 227–228
 - tickets, 101–102
 - topics, 485
- controllers option, 180
- coordinated universal time. *See* UTC
- counter_cache option, 492–493
- create action, 154–155, 249, 360, 489–490, 508
- create method, 67, 79–80, 85, 124, 299
- create, read, update, delete interface. *See* CRUD interface
- create_table, id false option, 290
- createuser command, 394
- create_user! method, 149
- Creating Comments scenario, fixing, 261–263
- creating tags feature, 287–288
- Creating Tickets feature, 173, 190, 221, 232
- creator_watches_me method, 317
- cross-site request forgery attacks. *See* CSRF attacks
- CRUD (create, read, update, delete) interface, 55, 82–98
 - namespace-based, 151–155
 - create action, 154–155
 - index action, 152–153
 - namespace root, 151–152
 - new action, 153–154
 - projects
 - deleting, 91–98
 - editing, 88–91
 - viewing, 83–87

CSRF (cross-site request forgery) attacks, 71
 csrf_meta_tags method, 71
 CSS (Cascading Style Sheets), 4, 70, 109, 145, 439
 Cucumber gem, 51
 Cucumber tests, 86
 Cucumber tool, 24, 35–43, 53, 298, 436, 478
 curl package, 388
 current_ability method, 189
 current_email method, 323
 current_page method, 440
 current_user method, 125, 169, 453, 501–502, 505, 509

D

database indexes, 446–447
 database queries, 444–447
 eager loading, 445–446
 database servers, 394–395
 database and user, 394–395
 ident authentication, 395
 database_authenticatable module, 119
 database_cleaner gem, 52
 databases
 choosing, 405–407
 configuring, 53–54
 and user, 394–395
 db role, 398
 default method, 276, 318
 default option, 138
 default_test method, 26–27
 Delayed::Job class, 465
 delayed_job gem, 462–463, 465
 Delayed::Job.enqueue method, 463
 Delayed::Worker#work_off method, 465
 delegates method, 258
 delete access, 193–198
 enforcing destroy protection, 193–194
 hiding links based on permission, 194–198
 delete link, edit link and, 146–147
 delete method, 92
 delete method, 181, 299–300, 308
 DELETE request, 301
 delete_all method, 532
 deleting, 20–22
 Deleting Tickets feature, 134–135, 174, 193
 dependent option, 111–112
 deploy environment, setting up, 400–401
 deploy keys, 396–397
 deploy:finalize_update task, 402
 deployment, 385–411
 of application, 401–403
 bundling gems, 403–405
 choosing database, 405–407

 configuring Capistrano gem, 397–400
 database server, 394–395
 database and user, 394–395
 ident authentication, 395
 deploy keys, 396–397
 RVM, and Ruby language, 389–391
 servers, setup, 386–389
 serving requests, 407–411
 init script, 410–411
 installing Passenger gem, 408–410
 setting up deploy environment, 400–401
 user for app, 391–394
 destroy action, 92–93, 161–162, 372–374
 destroy protection, enforcing, 193–194
 destroy_user_session_path method, 206
 developing, speed and ease of with Rails framework, 543
 development environment, 52
 Devise gem, 118–120, 417, 420
 devise method, 119
 Devise::TestHelpers module, 140
 directory_exists? method, 537–538
 display_name method, 423, 431
 div_for method, 251, 491
 domain logic, 4
 domain-specific language. *See* DSL
 Don't Repeat Yourself!. *See* DRY
 down method, 8
 DRY (Don't Repeat Yourself!), 77, 170
 DSL (domain-specific language), 28, 351
 dynamic_form gem, 81

E

each method, 110, 203
 eager loading, 445–446
 edible? method, 31
 edit action, 88–89, 113–114, 159–161, 272
 edit link, and delete link, 146–147
 edit_admin_state_path method, 275
 editing
 authorizing, 192–193
 projects, fixing, 173
 Editing Tickets feature, 133–134, 174
 edit_project_path method, 88
 edit_project_ticket_path method, 113
 edit_purchase_path method, 15
 email, 312–346
 real-world, 333–339
 configuring Action Mailer classes, 336–337
 connecting to Gmail server, 337–339
 testing, 334–336
 receiving, 340–346
 replies, 342–346
 setting reply-to address, 340–341

- email (*continued*)
 - sending ticket notifications, 313–325
 - Action Mailer classes, 318–320
 - automatically watching ticket, 314–315
 - defining watchers association, 316–318
 - delivering HTML emails, 322–325
 - observers, 315–316
 - subscribing to updates, 325–333
 - automatically adding user to watchlist, 327–328
 - testing comment subscription, 325–327
 - unsubscribing from ticket notifications, 328–333
 - testing, 122–123
 - email method, 125, 131, 140
 - email_spec gem, 122–124, 312, 314–315
 - Embedded Ruby. *See* ERB
 - encryptable module, 120
 - engine configuration, 497–500
 - engine layouts, 472–476
 - app folder, 472–474
 - config/routes.rb file, 474
 - forem.gemspec file, 472
 - gemfile file, 472
 - lib/forem/engine.rb file, 474–475
 - lib/forem.rb file, 474
 - Rakefile file, 475
 - script/rails file, 475
 - test directory, 475–476
 - test/dummy directory, 476
 - engines, 468–515
 - adding posts to topics, 493–497
 - benefits of, 470
 - brief history of, 469–470
 - classes outside control, 497–511
 - engine configuration, 497–500
 - fake User model, 500–501
 - topics, 501–511
 - developing new, 471–478
 - engine layouts, 472–476
 - engine routing, 476–478
 - integrating with application, 513–515
 - releasing as gem, 512–513
 - setting up testing environment, 478–482
 - installing RSpec and Capybara gems, 481–482
 - removing Test::Unit framework, 479–481
 - writing features of, 482–493
 - setting up routes, 484–485
 - showing association count, 492–493
 - testing Capybara gem, 483–484
 - topics controller, 485
 - env object, 519
 - ERB (Embedded Ruby), 4, 58, 60, 267
 - erb part, 59
 - error checking, 532–533
 - error_messages method, 81
 - errors
 - Rate limit exceeded, 379
 - reporting, 356–358
 - escaping, automatic, 267–268
 - ETag header, 457
 - etag option, 459
 - except option, 96, 383
 - exceptions, caused by deletions, 93–98
 - exists? method, 218, 222, 250–251, 332
 - expired! method, 32–33, 35
 - expire_fragment method, 455–456
 - extend call, 430
 - Extensible Markup Language, serving. *See* XML, serving
 - extra key, 419, 426
-
- ## F
- Factory Girl gem, 85–86, 139
 - Factory method, 85
 - failed tests, 131–132
 - features
 - featuring files, 214–216
 - fixing failing, 172–182
 - editing projects, 173
 - scenario to test that links are hidden, 176–178
 - Signing Up feature, 178–182
 - rewriting, 185–187
 - writing
 - for deleting projects, 92
 - for viewing projects, 84–85
 - field option, 306
 - fields_for method, 222–223, 234–235
 - File class, 224
 - file? method, 537–538
 - readable? method, 537
 - file_exist? method, 538
 - file_field method, 223
 - files, uploading, 213–242
 - attaching files, 214–226
 - JavaScript language, 231–242
 - serving files through controller, 226–231
 - fill_in method, 484
 - find command, 402
 - find method, 15, 19, 278, 368, 439, 547
 - find_and_delete method, 338
 - find_by_default method, 276
 - find_by_name method, 74
 - find_or_create_by_github method, 430–431
 - find_or_create_for_github method, 429

- find_or_create_for_twitter method, 421–422, 429, 431
 - find_project method, 105, 171, 175–176, 191, 369, 531
 - find_ticket method, 113, 191
 - find_user method, 531, 533
 - flash message, 12
 - flash method, 68–69
 - float method, 9
 - for method, 176–177, 184, 357, 368
 - forem method, 475
 - Forem::ApplicationController.class_eval method, 502
 - Forem::Engine class, 499
 - forem.gemspec file, 472
 - form_for method, 11, 66, 104, 154, 247
 - forms
 - hacking, 282–283
 - user sign-in with, 126–128
 - form_tag method, 304
 - forums_path method, 474–475
 - fragment caching, 451
 - frameworks
 - jQuery framework, 233–234
 - Prototype framework, 214, 233
 - Rack framework, 516–540
 - applications, 517–522
 - middleware, 533–540
 - mounting with Rails framework, 525–533
 - Rails framework
 - middleware in, 534–536
 - mounting Rack framework applications with, 525–533
 - reasons to use, 541–545
 - Ruby on Rails framework, 1–22
 - description of, 2–5
 - developing applications, 5–22
 - Sinatra framework
 - API by, 528–532
 - overview, 527–528
 - Test::Unit framework, removing, 479–481
 - Freenode IRC network, 542
 - fresh_when method, 457, 459
 - friendly_token method, 422
 - full table scan, 446
- G**
-
- cheat command, 350
 - Gemfile, 50–53, 472, 512–513, 528
 - gems
 - actionpack gem, 536
 - Bundler gem, 49, 470, 512, 544
 - bundling, 403–405
 - CanCan gem, 188–189
 - Capistrano gem, configuring, 397–400
 - Capybara gem
 - RSpec gem and, installing, 481–482
 - testing, 483–484
 - cheat gem, 350
 - coffee-rails gem, 51
 - Cucumber gem, 51
 - database_cleaner gem, 52
 - delayed_job gem, 462–463, 465
 - Devise gem, 118–120, 417, 420
 - dynamic_form gem, 81
 - email_spec gem, 122–124, 312, 314–315
 - Factory Girl gem, 85–86, 139
 - Forem.Gemspec file, 472
 - gem install cheat command, 350
 - Gemfile, 50–53, 472, 512–513, 528
 - gmail gem, 313, 340
 - jquery-rails gem, 234
 - json gem, 354
 - Kaminari gem, 436–437
 - launchy gem, 245–246
 - mail gem, 334–335
 - nokogiri gem, 358
 - OmniAuth gem, setting up
 - overview, 415–416
 - testing environment, 417–418
 - Paperclip gem, 214, 216–220
 - Passenger gem, 407–410
 - pg gem, 405
 - rack-test gem, 349–351
 - rails gem, 472
 - releasing engine as, 512–513
 - RSpec gem, 29, 51, 58, 74, 481–482
 - rspec-rails gem, 51, 95
 - RubyGems, 2, 543–544
 - sass-rails gem, 50
 - Searcher gem, 287, 305–307, 436
 - Sprockets gem, 70–71, 234, 239
 - sqlite3 gem, 50, 472
 - turn gem, 51
 - will_paginate gem, 436
 - get method, 238, 353, 529
 - GET requests, 95, 240, 353, 527
 - getter method, 41
 - Gherkin language, 29
 - Git application, 46–81, 219–220, 398
 - git, 48
 - checkout -b production command, 398
 - push command, 72, 398
 - stash command, 72
 - git-core package, 388–389
 - github action, 428–429
 - GitHub authentication, registering and testing, 425–433

GitHub service, 5, 47–81, 348–349, 396, 413, 542
 Given keyword, 36, 39
 gmail gem, 313, 340
 Gmail server, 313, 333–334, 336–339
 Gmail.connect method, 338

H

hacking, forms, 282–283
 halt method, 533
 Hambley, Lee, 395
 Hansson, David H., 2
 has_and_belongs_to_many association, 286–287, 289, 317, 321
 has_attached_file method, 216, 220, 226, 230
 has_content? method, 70
 hashes method, 109
 HashWithIndifferentAccess method, 68, 129
 has_many association, defining, 103
 has_many method, 103, 111, 190, 223
 has_one association, 511
 have_css method, 145, 279
 headers method, 529
 Heartbeat application, 521, 526–527
 Heartbeat module, 520
 Heartbeat::Application class, 522, 525–527
 Heartbeat::TestApplication class, 522–524
 Hellesoy, Aslak, 36
 -help option, 46
 helper methods, defining, 203–206
 helper_method method, 501
 helpers
 nested routing, 100–101
 for paginating interfaces, implementing, 439–440
 Heroku, 386
 Hidden Links feature, 178
 HTML (Hypertext Markup Language) emails, delivering, 322–325
 html method, 11
 html option, 300
 html part, 59
 html_safe method, 267
 HTTP (Hypertext Transfer Protocol) status codes, 349–351, 353, 521
 HTTP methods, 61
 Hypertext Markup Language emails, delivering.
 See HTML emails, delivering
 Hypertext Transfer Protocol status codes. *See*
 HTTP status codes

I

ident authentication, 395

INDEX

If-Modified-Since header, 459
 If-None-Match header, 457, 459
 include call, 430
 includes method, 445–446
 increment! method, 378
 index action, 83, 152–153, 485–488
 index method, 62
 index part, 59
 indexes, database, 446–447
 init script, 410–411
 initialize method, 189, 536, 539–540
 integration testing process, 37
 interfaces, pagination of, 437–443
 APIs, 443–444
 cleaning up, 441–442
 fixing broken scenarios, 440–441
 implementing helpers for, 439–440
 testing, 437–439
 viewing, 442–443
 Internet Explorer project, 175–176
 isolate_namespace method, 474
 its method, 33

J

JavaScript language, 231–242
 adding more files with, 234–235
 asynchronous request
 responding to, 235–237
 sending parameters for, 237–241
 jQuery framework, 233–234
 testing, 232–233
 JavaScript Object Notation. *See* JSON
 javascript_include_tag method, 71
 joins method, 445–446
 join_table option, 317, 321
 jQuery framework, 233–234
 jquery-rails gem, 234
 json gem, 354
 JSON (JavaScript Object Notation), 347, 349, 354, 356
 JSON.parse method, 354

K

Kaminari gem, 436–437
 Katz, Yehuda, 2
 key-based authentication, 391–393
 keys, deploy, 396–397

L

label method, 306
 last_modified option, 459

last_post method, 510
 last_ticket method, 365–367
 launchy gem, 245–246
 let method, 139, 227
 li tag, 269
 lib/forem/engine.rb file, 474–475
 lib/forem.rb file, 474
 LinkJumbler class, 539–540
 links
 adding to project, 86–87
 confirmation, user sign-in with, 122–126
 for deleting tags, 299–302
 hidden, scenario to test, 176–178
 hiding
 edit and delete links, 146–147
 New Project link, 144–146
 hiding based on permission, 194–198
 link_to method, 10, 18, 60, 113, 219, 241, 310
 confirm option, 92
 listing tickets, 110–111
 load method, 209
 locals option, 236, 489, 496
 lockable module, 120
 locking down, states, 278–285
 bestowing changing state permissions, 280–281
 hacking form, 282–283
 hiding select box, 278–280
 ignoring parameter, 283–285
 login action, 504
 ls -x command, 404
 -m option, 388, 391

M

mail gem, 334–335
 mail method, 319
 make_default action, 275
 make_default_admin_state_path method, 275
 Matsumoto, Yukihiro, 2, 542
 Matz is nice always, so we are nice. *See*
 MINASWAN
 Matz Ruby Interpreter. *See* MRI
 member method, 304
 merge! method, 129
 metaclass, 498
 method option, 92, 115
 method_missing method, 73
 methods option, 365, 383
 middleware, 533–540
 ActionDispatch::Static class, 536–538
 application route cycle, 477
 in Rails framework, 534–536
 routing cycle of engine, 478
 simple middleware stack, 476
 migrations, 8–9
 MINASWAN (Matz is nice always, so we are nice),
 543
 Model-View-Controller paradigm. *See* MVC
 paradigm
 mount method, 522, 530
 -mountable option, 471
 MRI (Matz Ruby Interpreter), 389
 msysGit application, 47
 MVC (Model-View-Controller) paradigm, 3–4
 MySQL database server, 54

N

n+1 selects operation, 444–445
 name method, 260
 namespace-based CRUD, 151–155
 create action, 154–155
 index action, 152–153
 namespace root, 151–152
 new action, 153–154
 namespace method, 350
 namespace root, 151–152
 namespace routing, 148–151
 nested attributes, 224–226
 nested resources, tickets, 99–116
 controller, 101–102
 defining has_many association, 103
 deleting, 115–116
 editing, 112–115
 finding within scope of project, 105–106
 nested routing helpers, 100–101
 within project, 104–105
 validations, 106–108
 viewing, 108–112
 nested routing helpers, 100–101
 new action, 153–154, 236, 272, 488–489
 new command, 46
 new method, 62
 New Project link, 144–146
 new_file_path method, 235
 new_project_path method, 60
 new_topic_post_path method, 495
 nginx, 407–408
 nokogiri gem, 358
 Nokogiri::HTML method, 539
 notice method, 15
 notifications, ticket, 313–325
 Action Mailer classes, 318–320
 automatically watching ticket, 314–315
 defining watchers association, 316–318
 delivering HTML emails, 322–325
 observers, 315–316
 unsubscribing from, 328–333

Notifier class, 318–319, 321, 340
 number variable, 237
 numbers, passing through, 240–242
 number_to_human_size Action View helper, 219

O

OAuth authentication, 412–415
 oauth_token parameter, 415, 418
 oauth_verifier parameter, 415, 418
 observe method, 455
 observers, 315–316
 OmniAuth gem, setting up
 OmniAuth gem testing environment, 417–418
 overview, 415–416
 omniauthable module, 120
 omniauthable symbol, 415
 OmniauthCallbacks module, 429
 only option, 96
 Oracle VirtualBox software, 385–388
 order option, 511

P

page fragments, caching, 460–462
 page method, 439–440, 442
 pages
 caching, 448–451
 removing tag from, 302–303
 setting title of, 72–76
 Then show me the page step, 266–267
 paginate method, 436, 438, 443
 pagination
 of interfaces, 435–444
 cleaning up, 441–442
 fixing broken scenarios, 440–441
 implementing pagination helpers, 439–440
 paginating APIs, 443–444
 testing pagination, 437–439
 viewing pagination, 442–443
 Kaminari gem, 436–437
 pagination process, 434
 Paperclip gem, 214, 216–220
 paperclip generator, 217
 parameterize method, 256, 546
 parameters
 ignoring, 283–285
 sending for asynchronous requests, 237–241
 learning CoffeeScript language, 237–240
 passing through number, 240–242
 params hash, 68
 params method, 453, 530–531
 parse method, 342, 345
 partial option, 236, 496
 Passenger gem, 407–410
 passing, through numbers, 240–242
 passwd command, 391
 password authentication, disabling, 393–394
 path option, 230
 PATH_INFO key, 520–521
 path_to method, 56
 per method, 439–441
 perform method, 463–464
 performance enhancements, 434–467
 background workers, 462–467
 cache sweepers, 454–457
 caching
 actions, 451–454
 client-side, 457–460
 page fragments, 460–462
 pages, 448–451
 database query, 444–447
 database indexes, 446–447
 eager loading, 445–446
 pagination, 435–444
 of interfaces, 437–443
 Kaminari gem, 436–437
 Permission class, 190
 Permission model, 164
 permissions
 assigning, 198–212
 tickets, 206–207
 viewing projects, 198–206
 changing state, 280–281
 hiding links based on, 194–198
 permissions controller, 200–201
 permissions method, 202–203, 280–281
 permissions screen, 201–203
 persisted? method, 66, 251
 pg gem, 405
 Pivotal Tracker system, 45
 polymorphic association, 166
 position option, 234
 post method, 181, 284, 294, 360–361
 POST request, 360
 PostgreSQL database server, 54, 394–395, 405–406
 posts
 adding to topics, 493–497
 authentication of, 506–509
 showing last, 509–511
 PreviousState class, 265
 previous_state= method, 265
 private method, 96
 privatizing assets, 230–231
 production environment, 52, 239, 405
 Project class, 79, 86, 356, 543
 project method, 184, 258, 366
 project parameter, 370

Project.for method, 531
 projects, 55–60
 deleting, 91–98
 destroy action, 92–93
 exceptions, 93–98
 writing feature for, 92
 editing, 88–91
 edit action, 88–89
 fixing, 173
 update action, 90–91
 finding tickets within scope of, 105–106
 restricting creation to admins, 137–138
 tickets within, 104–105
 viewing, 83–87, 198–206
 adding link to project, 86–87
 defining helper method, 203–206
 Factory Girl gem, 85–86
 permissions controller, 200–201
 permissions screen, 201–203
 writing feature for, 84–85
 projects API, 349–374
 authentication, 355–356
 destroy action, 372–374
 error reporting, 356–358
 restricting access, 362–365, 368–369
 serving
 overview, 354–355
 XML, 358–359
 single project, 365–367
 updating, 370–372
 projects method, 101
 ProjectsController class, 59–60
 project_tickets_path method, 249, 546
 protecting files, 227–228
 Prototype framework, 214, 233
 provides_callback_for method, 428–429
 psql command, 395, 406
 public assets, 230
 purchases, 9–13
 purchases_url method, 20
 put method, 181, 203, 370

Q

QA (quality assurance) testing, 36
 Quaranto, Nick, 544
 queries, database, 444–447
 database indexes, 446–447
 eager loading, 445–446

R

Rack framework, 516–540
 applications, 517–522
 breaking up, 522–524

 mounting with Rails framework, 525–533
 running combined, 524–525
 middleware, 533–540
 ActionDispatch::Static class, 536–538
 in Rails framework, 534–536
 mounting with Rails framework, 525–533
 error checking, 532–533
 Heartbeat application, 526–527
 Sinatra framework, 527–528
 rack-test gem, 349–351
 Rack::Builder class, 524
 Rack::Builder.app method, 525
 Rack::File class, 536
 Rack::Test::Methods module, 350–352, 357, 527
 rackup config.ru command, 518
 Rack::Utils module, 536
 rails command, 6–7, 46
 generate command, 118
 Rails Forum, 542
 Rails framework
 middleware in, 534–536
 mounting Rack framework applications with,
 525–533
 error checking, 532–533
 Heartbeat application, 526–527
 Sinatra framework, 527–528
 reasons to use, 541–545
 emphasis on testing, 544–545
 RubyGems system, 543–544
 sense of community, 542–543
 speed and ease of development, 543
 rails gem, 472
 rails generate cucumber:install command, 56
 Rails Installer program, 5
 Rails Rumble event, 2
 RailsBridge organization, 542
 RailsCamps, 543
 RAILS_ENV environment variable, 94
 rails server, -e production option, 94
 Railties, 3
 rake
 build task, 512
 cucumber:ok task, 56–57, 59, 63, 67, 84, 97
 db:migrate task, 65, 395
 db:migrate task, 103, 404
 db:schema:load task, 9, 103
 db:seedtask, 395
 db:test:prepare task, 103
 forem:install:migrations task, 473
 install task, 513
 release task, 513
 routes task, 62
 spec task, 97
 Rakefile, 475, 480
 Rate limit exceeded error, 379

- rate limiting, 377–384
 - Rate limit exceeded error, 379
 - request_count field
 - overview, 377–378
 - resetting, 380–381
 - read access, restricting, 165–168
 - readable_by method, 169
 - readable_by scope, 173
 - Receiver class, 343
 - receiving replies, 342–346
 - recoverable module, 119
 - red-green-refactor process, 24, 544
 - redirect_to method, 12, 68–69, 104, 250
 - registerable module, 119
 - registering
 - applications, with Twitter authentication, 416–417
 - and testing, GitHub authentication, 425–433
 - regression testing, 25, 283
 - releasing, engine as gem, 512–513
 - reload method, 284, 370
 - rememberable module, 119
 - remote option, 241, 300
 - remove action, 301–302
 - remove() function, 302
 - render method, 10, 12, 67, 250–251, 291, 364
 - replies, to email
 - receiving, 342–346
 - setting reply-to address, 340–341
 - Representational State Transfer. *See* REST
 - request_count field, 377–378
 - resetting, 380–381
 - requests
 - asynchronous, responding to, 235–237
 - serving, 407–411
 - init script, 410–411
 - installing Passenger gem, 408–410
 - require option, 415
 - reset_request_count! method, 380
 - resources method, 15, 61, 521
 - resources, nested. *See* nested resources, tickets
 - respond_to method, 11, 349, 354
 - respond_with method, 349, 355, 365, 371, 373, 382–383
 - REST (Representational State Transfer), 4, 60–72
 - root method, 521, 537
 - root_path method, 111
 - roots, namespace, 151–152
 - routing
 - engine
 - overview, 476–478
 - setting up, 484–485
 - helpers, nested, 100–101
 - namespace, 148–151
 - overview, 15–16
 - RESTful, 60–72
 - RSpec gem, 29, 51, 58, 74, 481–482
 - rspec-rails gem, 51, 95
 - RSpec tests, 86, 95
 - Ruby language, RVM and, 389–391
 - installing, 389–390
 - installing Ruby language, 390–391
 - Ruby on Rails framework, 1–22
 - description of, 2–5
 - benefits, 2–3
 - common terms, 3–4
 - in the wild, 4–5
 - developing applications, 5–22
 - deleting, 20–22
 - generating, 6
 - installing Ruby on Rails, 5–6
 - migrations, 8–9
 - routing, 15–16
 - scaffolding, 7–8
 - show action, 14–15
 - starting, 6–7
 - updating, 16–20
 - validations, 13–14
 - Ruby on Rails Talk mailing list, 542
 - Ruby Version Manager. *See* RVM
 - RubyForge system, 544
 - RubyGems, 2, 543–544
 - run method, 518–520, 524
 - rvm command, 390
 - RVM (Ruby Version Manager)
 - overview, 388
 - and Ruby language, 389–391
 - installing, 390–391
 - overview, 389–390
 - Seguin, Wayne E., 544
 - rvm use command, 390
-
- S**
 - Sass language, 70
 - sass-rails gem, 50
 - save method, 80
 - saved? method, 28
 - scaffolding, 7–8
 - scenarios
 - adding files to, 221–223
 - ensuring users cannot delete selves, 162–163
 - fixing broken, 143–144, 440–441
 - to test that links are hidden, 176–178
 - scope, restricting by, 168–172
 - scp command, 393
 - script/rails file, 475
 - search action, 305, 307, 441
 - search method, 303, 306
 - Searcher gem, 287, 305–307, 436
 - from option, 306, 341

- searching
 - by state, 305–309
 - testing, 303–305
 - without the search, 309–311
 - search_project_tickets_path method, 304, 310
 - secure shell key. *See* SSH key
 - seed data, 209–212
 - seeding states, 259–261
 - Seguin, Wayne E., 544
 - select box, hiding, 278–280
 - select method, 255
 - selected option, 255–256
 - self.down method, 9, 64, 447
 - self.edible? method, 31
 - self.up method, 64
 - send method, 142
 - send_file method, 229
 - servers
 - database, 394–395
 - database and user, 394–395
 - ident authentication, 395
 - setup, 386–389
 - installing base functionality, 388–389
 - Oracle VirtualBox software, 386–388
 - serving
 - APIs, 354–355
 - files, through controllers, 226–231
 - requests, 407–411
 - init script, 410–411
 - installing Passenger gem, 408–410
 - XML, 358–359
 - set_admin method, 160
 - set_previous_state method, 265
 - setter methods, 40–41
 - set_ticket_state method, 265
 - should method, 145
 - should_not method, 145
 - show action, 14–15, 158, 228–230, 490–491
 - sign-in, user
 - with confirmation links, 122–126
 - with forms, 126–128
 - sign_in method, 140, 501–502, 505–507, 509
 - sign_in_and_redirect method, 421
 - Signing Up feature, 178–182
 - sign_in_path method, 502–503
 - sign_out! method, 501–502, 509
 - signup feature, for users, 121–122
 - Simple Mail Transfer Protocol. *See* SMTP
 - simple_format method, 106, 491
 - Sinatra framework
 - API by, 528–532
 - overview, 527–528
 - Sinatra::Base class, 531
 - single projects, 365–367
 - SMTP (Simple Mail Transfer Protocol), 333, 335
 - source command, 390
 - span element, 438
 - split method, 290
 - Sprockets gem, 70–71, 234, 239
 - SQLite3 database server, 53
 - sqlite3 gem, 50, 472
 - SSH (secure shell) key, 47, 49, 387, 392–393
 - Stack Overflow community, 542
 - StackExchange services, 348
 - State class, 253
 - state method, 255, 257
 - State model, 253–255
 - state_id parameter, 283–285
 - states
 - locking down, 278–285
 - bestowing changing state permissions, 280–281
 - hacking form, 282–283
 - hiding select box, 278–280
 - ignoring parameter, 283–285
 - managing, 269–277
 - adding states, 270–273
 - defining default state, 273–277
 - searching by, 305–309
 - seeding, 259–261
 - selecting, 255–257
 - styling, 268–269
 - of ticket, changing, 252–263
 - tracking. *See* tracking
 - status option, 364
 - steps method, 134
 - stories, for applications, 45–46
 - string method, 9
 - style tag, 268
 - stylesheet_link_tag method, 70
 - stylesheets, applying, 54–55
 - styling states, 268–269
 - submit method, 12, 66, 272
 - subscribing, to updates, 325–333
 - automatically adding user to watchlist, 327–328
 - testing comment subscription, 325–327
 - unsubscribe from ticket notifications, 328–333
 - sudo, -i option, 408
 - Symbol-to-Proc method, 251
- ## T
-
- tables, adding admin field to, 138
 - tag! method, 290–291, 294, 299
 - Tag model, 289–290
 - tagging, 286–311
 - adding more tags, 292–295
 - fixing CommentsController spec, 294–295
 - through comment, 292–293

- tagging (*continued*)
 - creating tags feature, 287–288
 - defining tags association, 289
 - deleting tag, 297–311
 - adding link for, 299–302
 - removing tag from page, 302–303
 - testing, 298–299
 - displaying ticket’s tags, 290–291
 - finding tags, 303–311
 - restriction of, 295–303
 - allowing tags for certain users, 296–297
 - testing, 295–296
 - showing tags, 288–289
 - Tag model, 289–290
 - text_field_tag tag, 288
- tags association, defining, 289
- tags method, 289
- Talbot, Nathaniel, 25
- TDD (test-driven development), 24–28
 - bacon_test.rb file, 27–28
 - and BDD, 24
 - reasons for testing, 25
 - writing tests, 25–27
- template option, 250
- templates, for Action Mailer classes, 320–322
- test directory, 475–476
- test-driven development. *See* TDD
- test/dummy directory, 476
- test environment, 52
- test method, 26
- testing, 23–43
 - BDD, 28–43
 - Cucumber tool, 35–43
 - RSpec tool, 29–35
 - comment subscription, 325–327
 - email, 122–123, 334–336
 - environments
 - OmniAuth gem, 417–418
 - setting up, 478–482
 - JavaScript language, 232–233
 - pagination, 437–439
 - Rails framework emphasis on, 544–545
 - registering and, GitHub authentication, 425–433
 - searching, 303–305
 - sign-in, 419–425
 - tag deletion, 298–299
 - tag restriction, 295–296
 - TDD, 24–28
 - bacon_test.rb file, 27–28
 - and BDD, 24
 - reasons for testing, 25
 - writing tests, 25–27
 - that links are hidden, 176–178
- test_mode option, 418
- tests, failed, 131–132
- Test::Unit framework, removing, 479–481
- Test::Unit tool, 24–28
- Test::Unit::TestCase class, 26
- text/html part, 322
- text/plain part, 322
- text_field_tag tag, 288
- Then keyword, 36
- Then show me the page step, 266–267
- Ticket class, 103
- ticket_comments_path method, 247
- tickets, 99–108, 206–207
 - API, 374–377
 - blocking access to, 183–185
 - blocking creation of, 187–188
 - changing state of, 252–263
 - callbacks, 257–258
 - fixing Creating Comments scenario, 261–263
 - seeding states, 259–261
 - selecting states, 255–257
 - State model, 253–255
 - controller, 101–102
 - defining has_many association, 103
 - deleting, 115–116
 - displaying tags, 290–291
 - editing, 112–115
 - edit action, 113–114
 - update action, 114–115
 - finding within scope of project, 105–106
 - linking to users, 128–135
 - attributing tickets to users, 129–131
 - failed tests, 131–132
 - fixing features, 132–135
 - locating, 245–246
 - nested routing helpers, 100–101
 - notifications, unsubscribing from, 328–333
 - within project, 104–105
 - sending notifications, 313–325
 - Action Mailer classes, 318–320
 - automatically watching ticket, 314–315
 - defining watchers association, 316–318
 - delivering HTML emails, 322–325
 - observers, 315–316
 - updating and deleting at same time, 207–209
 - validations, 106–108
 - viewing, 108–112
 - culling tickets, 111–112
 - listing tickets, 110–111
- tickets method, 102–103, 110
- TicketsController class, 113–114
- time_ago_in_words helper, 510
- timeoutable module, 120
- timestamps method, 9, 65
- timestamps option, 289
- title method, 75, 383
- titles of pages, setting, 72–76

toggle_watching_button method, 330
 to_i method, 240, 323
 to_json method, 349, 353, 355, 382
 token method, 353
 token_authenticatable module, 120, 352
 to_param method, 546–547
 topics
 adding authorship to, 505–506
 adding posts to, 493–497
 authenticating, 501–505
 controller, 485
 topics_path method, 485
 to_s method, 156, 260–261, 423–424, 500
 touch option, 458
 to_xml method, 349
 to_yaml method, 519
 trackable module, 120
 tracking
 changes, for attributes, 548–549
 state, 243–285
 changing for ticket, 252–263
 leaving comment, 244–252
 locking down, 278–285
 managing, 269–277
 tracking changes, 263–269
 try method, 146, 196
 turn gem, 51
 Twitter, 348–349, 413
 twitter action, 421, 428
 twitter argument, 420
 Twitter authentication, 415–425
 OmniAuth gem, setting up, 415–418
 registering application with, 416–417
 testing sign-in, 419–425
 type option, 351–352

U

-u option, git push 49
 Ubuntu, 52, 385–389, 391
 UCS Transformation Format–8-bit. *See* UTF-8
 Uniform Resource Locators. *See* URLs
 unsubscribing, from ticket notifications, 328–333
 up command, 387
 up method, 8
 update access, 190–193
 update action, 90–91, 114–115, 159–161
 update option, 234
 update_all method, 380
 update_attribute method, 137
 update_attributes method, 19, 90, 371
 updates, subscribing to, 325–333
 automatically adding user to watchlist, 327–328
 testing comment subscription, 325–327
 unsubscribing from ticket notifications, 328–333

updating, 16–20
 uploading files. *See* files, uploading
 url method, 219
 url option, 300
 URLs (Uniform Resource Locators), 546–548
 User class, 429
 user method, 184
 User models, fake, 500–501
 user_omniauth_authorize_path method, 420
 useradd command, 391
 user_class method, 499
 user_hash key, 426
 usermod
 -a option, 390
 -d option, 388, 391
 -G option, 388, 390
 -s option, 388, 391
 User::Omniauth- Callbacks module, 430, 433
 users
 admin, 155–157
 allowing tags for certain, 296–297
 for app, 391–394
 automatically adding to watchlist, 327–328
 confirmation link sign-in, 122–126
 confirming, 123–126
 testing email, 122–123
 and database, 394–395
 deleting, 161–163
 editing, 157–163
 edit and update actions, 159–161
 show action, 158
 form sign-in, 126–128
 linking tickets to, 128–135
 attributing tickets to users, 129–131
 failed tests, 131–132
 fixing features, 132–135
 signup feature, 121–122
 table, adding admin field to, 138
 user_signed_in? method, 125
 UTC (coordinated universal time), 65
 UTF-8 (UCS Transformation Format–8-bit), 54

V

Vagrant, 386–387, 392
 vagrant halt command, 387
 vagrant ssh command, 387
 validatable module, 120
 validates method, 78
 validates_numericality_of method, 13
 validates_presence_of method, 13, 78
 validates_uniqueness_of method, 78
 validations, 13–14
 app/controllers/projects_controller.rb, 80
 app/models/project.rb, 78

- validations (*continued*)
 - features/creating_projects.feature, 77
 - overview, 76
 - ticket, 106–108
- version control, 47–50
- versioning, 381–384
- viewing
 - pagination, 442–443
 - projects, restricting, 368–369
- Viewing Tickets feature, 132–133, 175
- VirtualBox software, Oracle. *See* Oracle
 - VirtualBox software
- visit method, 56, 483, 485

W

- watch action, 331–332
- Watcher class, 317
- watchers association, defining, 316–318
- watchers method, 321
- watchlists, automatically adding users to, 327–328
- web role, 398

- WebDriver software, 214, 232
- Webrat gem, 52
- WEBrick library web server, 6, 519
- Welcome aboard page, 6
- When keyword, 36
- whitelist authorization, 164
- will_paginate gem, 436
- with option, 237
- within method, 484, 508
- write access, 185–190
 - abilities, 189–190
 - blocking ticket creation, 187–188
 - CanCan gem, 188–189
 - rewriting feature, 185–187

X

- X-UA-Compatible header, 534, 536
- XML (Extensible Markup Language), serving, 358–359
- xml method, 11