

A

- abstract class 196
- Abstract Syntax Tree 51, 343, 496
- abstract windowing toolkit 247
- Accelerator 250, 261
- accept 149
- Access 326, 552
- accidental change 519
- accumulator 146
- Action 249–250, 260
- action
 - method 261
 - nested 261
 - property 261
- ActionEvent 204
- ActionListener 204, 248, 260
- actionPerformed 204, 248, 258
- ActiveDocument 564
- ActiveRecord 358
- ActiveSheet 561
- ActiveX 547, 550
- ActiveXProxy 549–550, 556, 561, 567
- Adams, Douglas 503, 572
- adapter 7
- add 105, 117, 120
- addAll 101, 120
- adder 138
- addition 87
- address book 124
- addTaskDefinition 463
- addURL 482
- administrator 474
- advantage 10
- aggregation 520
- agile 12, 163, 533
- agile programming 604
- agile software development 515
- agility 400
- AJAX 393
- Alexa 438
- align 257
- AllTestSuite 517, 529
 - configuration 530
- ambiguous 86
- analysis 491
- ancestor 427
- ancestor-or-self 427
- and 64
- animation 276
- anonymous inner class 7
- Ant 12, 21, 504, 517
 - build file 534
 - building integration 539
 - custom task 464
 - datatype 243
 - exec class and 308
 - Groovy and 151, 243, 461
 - internals 245
 - project 463
 - properties 464
 - reference 463
 - task 243
 - <taskdef> 462
- ant command 22, 244, 463
- AntBuilder 231, 243, 270, 274, 308, 461
 - smart 246
- AntContrib 247, 462
- Antlr 364
- antlr.ast 496
- any 107, 115, 288
- AOP. *See* Aspect Oriented Programming
- API documentation 494
- API. *See* Application Program Interface
- AppActivate() 568
- append 292, 297
- appender 527
- appending 139
- application 317
- application layer 347, 350
- Application Program Interface for scripting 394
- application server 314, 328
- args 473
- arguments 479
- arithmetic, floating point 90
- array 41, 100, 168, 288–289
 - multi dimensional 106
- ArrayList 57, 100
- arrow 131
- artifact 243, 541
- as 186, 192
- asImmutable 109, 117
- ASM 364
- aspect 215, 220

Aspect Oriented Programming 389
 assert 33, 158, 166, 196, 222, 527
 assertArrayEquals 507
 assertContains 507
 assertInspect 507
 assertion 33, 82, 147, 163, 495, 504, 523
 assertLength 507
 assertScript 507
 assertToString 507
 assign 147
 assignment 31, 156, 176, 203
 type-safe 177
 assumption 34
 asSynchronized 109, 117
 AST. *See* Abstract Syntax Tree
 asWriteable 140, 292
 asXml 489
 at 477, 483
 ATOM 435, 487
 at-sign 236
 attainGoal 542
 attribute 413, 427
 @ sign 410
 ATTRIBUTE_NODE 405
 attributes 239, 405
 autoboxing 59, 169, 177
 auto-completion, in Windows 567
 automation 12, 565
 of Windows components 547, 553, 571
 axis specifier 426

B

back reference 142, 579
 backmatch 79, 86, 633
 Backpack 438
 backlash 69, 78, 82
 backspace 71
 backup 476
 bad habits 517
 base-64 encoding 299
 basedir 463
 bash 473
 basics 29

BBC 435
 bean
 created by Spring 391
 introspection 205
 Bean Scripting Framework 394, 399
 BeanFactory, getBean() 391
 BeanShell 389, 393
 bear, Baloo 118
 beer garden 604
 benchmark 136
 benefit 13
 best practice 164
 BigDecimal 32, 59, 87, 460
 BigInteger 32, 59, 87
 bind 422
 binding 15, 316, 466, 470
 accessing variables 368
 definition 176
 GroovyShell, and 367, 371
 templates, and 310
 Bindings 395
 birth 143
 birthday context 142
 Biscuit 493
 block 131, 456
 Bloglines 250
 boiler 417
 boiling 425
 bonus 89
 bonus track 573
 bookkeeping 578
 bookshelf 12
 bool 429
 boolean 427
 test 154, 167
 bootstrap 31, 575, 585
 bootstrapping, of Grails data 586
 BorderLayout 255
 BorderLayout class 250, 254
 boss 12
 bound
 left 95
 right 95
 boundary 79, 633
 boundedRangeModel 262
 bounds 41
 boxing 59

boxLayout 255
 braces, curly 44
 breadthFirst 239, 410
 break 170
 breakpoint 498
 brevity 361
 broadcast 435
 Brooks, Fred 277
 BrowseForFolder() 554
 browsing 16, 493
 BSF. *See* Bean Scripting Framework
 bug 536
 bug tracking 442
 build 243, 504, 516, 534, 539
 build automation 22
 build listener 463
 build process 535
 build server 476
 build.xml 244
 Buildable 422
 builder 8, 17, 223, 230, 457
 attribute 236
 smart 237
 unit test 275
 builder pattern 150
 BuilderSupport 231, 272, 459
 building 425
 business logic 460
 business object 230, 347–348, 355
 returning as a map 354
 transparent 348, 355
 business rules 11, 140, 362
 button 251
 buttonGroup 251
 Byte 296
 byte 160
 bytecode 48, 51, 188, 201, 218, 282, 497, 535
 bytecode instrumentation 372

C

C 190
 C++ 56, 149, 175
 cache 520
 caching 291
 calculation 460

- Calendar methods 485
- calendaring 487, 493
- call 128, 135, 142
- callback 125, 129, 136–137, 141, 204
- caller 144
- camel-case 465
- Camelot 577
- candidate 95
- Canoo 249, 484, 490
- Canoo WebTest 582
- canvas 265
 - invisible 270
- cardLayout 255
- CaretListener 250
- carriage return 71
- Cascading Style Sheets 575, 601
- cast 88, 125
- cat 308
- catch 127, 131, 171
- category 213
- CDATA 393, 464
- ceiling 428
- cell phone 492
- Celsius 505
- center 286
- centralize 127
- certificate 386
- chainsaw 76
- char 71, 160
- character 71
- character class 80, 634
- character encoding 242, 446
- charset 295
- CharsetToolkit 295
- chart 430, 491–492
- chat 609
- checkBox 251
- checkBoxMenuItem 251
- checked exception 172
- child 233, 427
- childNodes 405
- children 239
- chop 295
- circular dependency 381
- citizen, first class 125
- clarity 211
- Class 161
- class 5, 31, 131, 280, 464
 - data storage 190
 - declaration 36, 188
 - definition 175
 - dependency 196, 465
 - generating dynamically 369
 - generation 51
 - identifier 551
 - loading dynamically 50
 - member 184
 - modify at runtime 52
 - multiple per file 189
 - nested 190
 - objects 48
 - under test 509, 517
- ClassCastException 177
- classes directory 321
- classic for loop 169
- classification 64, 86, 98, 104
- classifier 140, 161
- classloader 48, 50, 467
 - cache avoidance 388
 - debugging issues 373
 - hierarchy 373
 - parent 373
 - security 386
 - setting parent in Groovy-ScriptEngine 376
 - setting parent in Groovy-Shell 372–373
- ClassNotFoundException 373, 465
- CLASSPATH 607
- classpath 20, 320, 386
 - construction 194
- class-reloading 495
- clean 22
- clean up 127
- clear 120, 147
- CliBuilder 478
 - argName 478
 - args 478
 - longOpt 478
 - optionalArg 478
 - required 478
 - type 478
 - valueSeparator 478
- clickButton 583
- clickLink 583
- client-server 442, 475
- clink glasses 44
- clone 140, 278
- close 127
- closing braces 421
- Closure 136, 142
- closure 2, 7, 20, 73, 123, 175, 261, 269, 284
 - abbreviated 130
 - applying range 522
 - as GSP tag 590
 - assignment 131
 - calling 135
 - construction 131
 - creating in Java 375
 - declaration 141
 - declaration alternatives 133
 - default 130
 - default parameter 137
 - demand 522
 - disconnect 134
 - end return 148
 - example 44
 - execution 141
 - for loop 169
 - methods 131, 137
 - multiple parameters 130
 - nested 150
 - new 145, 147
 - NodeBuilder 236
 - object 131
 - parameter 44, 147
 - parameter count 138
 - parameter types 134
 - premature return 148
 - process 273
 - processing database query results 335–346
 - read 264
 - reference 132
 - return 456
 - return from 148
 - return one 147
 - scope 141, 147
 - simple declaration 130
 - Sort 467
 - SwingBuilder 248
 - unit testing 513
 - varargs 137

- closure (*continued*)
 - Windows component events 556
 - writable 313
 - write 264
- closureColumn 262
- ClosureColumn class 250
- ClosureListener 205
- CLSID. *See* class, identifier
- clubhouse 603
- clutter 128
- cmd 473
- cmd.exe 305
- Cobertura 534
- code appearance 30
- code block 44
- code clarity 129
- code completion 23
- code generation 309
- code mess 129
- code source 386–387
- codebase 386
- Codehaus 442
- coding cycle 495
- coding style 183
- coercion 67, 72, 177, 186
 - argument types 67
 - numeric 87
 - operands 67
- coherence 140
- colfill 257
- collaborator 504, 518–519, 522–523
- fake 520
- collect 106, 116, 120, 288, 461
- Collectable 289
- collection 7, 41, 46, 94, 104, 125, 155, 168, 279, 467
 - modify 120
 - return copy 120
 - structural change 119
- colon 42
- color 269
- colorChooser 251
- colspan 257
- column 16
- COM. *See* Component Object Model
- ComboBox 250
- comboBox 251
- command 13–14
- command line 14, 306, 489
 - debugger 497
 - options 472, 477
 - profiler 500
 - session 307
 - tool 230
- Command Line Interface 478
- command pattern 151, 284
- command processor 305
- command shell 37, 400, 474
- comments 6, 82, 165
 - Javadoc 31
 - multi-line 30
 - shebang 31
 - single-line 30
- compactness 225
- Comparable 65, 98, 106
- Comparator 129, 467
- compareTo 65
- comparison 157, 211
- ComparisonFailure 514
- Compilable 396
 - compile() 396
- compilation
 - error setting output 374
 - ordering for solving dependency issues 381
- compile 19, 243, 534
 - conditionally 22
- CompiledScript 396
 - eval() 396
- CompilerConfiguration 190, 372–373, 375, 379
- compiling transparently 38
- complex solution 578
- complexity 109, 211, 405, 491
- component 199, 230, 258
- Component Object Model 547
- composite 149
- composition 520
- compress 541
- computer based learning 111
- ComputerName property 555
- concat 428
- concept 7, 13, 216
- concern, single 140
- concurrent programming 304
- Concurrent Versioning System 489
- ConcurrentModificationException 119
- condition 126
- conditional 94, 158
- configuration mechanism 363
- configure 139
- conflict 491
- connect 485
- connection pool 328
- console 10, 470
 - interaction 307
- constant 509
- constraints 250, 254, 601
- construction 128
- constructor 36, 175, 185, 459, 537
 - default 187
 - implicit 187, 254
 - parameterless 200
- container, standalone 250
- containment 250, 253, 263
 - structure 247
- contains 97, 428
- containsKey 114
- containsValue 114
- contentType 317
- context 142, 147, 317, 428
- continue 170
- continuous integration 12, 442
- continuous-flow heater 418
- control structure 31, 46, 154
- controller 585, 594, 604
- Controller class 129
- convention over configuration 581
- conversion 264, 287, 298, 420, 428, 445
- copier 422
- Copperfield, David 591
- copy 463
- CORBA 444
- corner case 505
- corporate style 601
- corporate timesheet 566
- corpus 111

correctness 35
 count 107
 coupling 140
 coverage 510, 533
 graphical representation 532
 report 535
 covered lines 535
 coyote 23
 cpu time 500
 craft 173
 create DB schema 602
 create-drop DB schema 602
 createNode 272
 createStringBufferWriter 298
 createStringWriter 298
 createTemplate 310
 credit card validation 444
 criteria 272
 cron 477, 483
 cross-cutting concern 220, 223
 CRUD 350, 352, 358
 CRUD operations 325–338, 354
 CSS. *See* Cascading Style Sheets
 culture, development 166
 Cunningham, Ward 438
 curly braces 73, 134, 141
 currency 445
 curry 138
 Curry, Haskell Brooks 138
 customization 362
 cut & paste 18
 CVS 608
 cyclomatic complexity 185
 cygwin 308, 474, 481

D

DAO pattern 151
 darth vader 482
 dash 477
 Data Access Objects 324, 340, 347, 357
 Data Definition Language 350
 data source 575
 data store 230
 Data Transfer Objects 324, 340, 352
 DataAccessObject 282, 351
 database
 achieving portability 346
 administrators 346
 application organization 347
 constraints 345
 foreign keys 345
 Grails development for 574
 indexing 330
 layered application 347
 ORM-friendly 357
 populating 331–333
 query execution plan 331
 querying 334–346
 schema 329
 updating and deleting data 333
 used for script storage 384
 views 344, 346
 database administrator 603
 database connection 127
 database query 309
 databases 323–358
 automatic schema creation in Grails 580
 Grails configuration 602
 many-to-one relationships 578
 modeling many-to-many relationships 595
 packaging drivers in Grails 603
 performance 605
 datafeed 291
 datapool driven 532
 DataSet 324, 340–341, 346
 add 341
 each 341
 findAll 342
 restrictions 344
 DataSource 328–329
 datatype 3, 32, 278, 444
 collective 56
 simple 56
 date 5, 97, 493
 DBacle/2 574
 DbHelper 351
 DbUnit 537
 DCOM 444
 deadlock 525
 debug 17
 DebugBuilder 274
 debugger 24, 223, 279, 482, 495, 497
 source-level 497
 decimal 87
 decimal point 59
 declaration 56
 declarative 457, 480
 declarative style 237, 247
 declareNamespace 414
 declarer 142
 decompiler 53, 494
 decorator 538
 Decorator class 215
 decorator pattern 151
 implemented by DataSet 341
 implemented by GroovyResultSet 336
 deep copy 300
 def 34, 61, 176, 369
 defect free 504
 defensive coding 598
 deferred start 302
 define-before-layout 250
 delegate 141, 144, 236, 269, 286, 458
 delete 463
 deliverable 243, 541
 demand 521
 demanded behavior 520, 522
 dense network 44
 dependencies 363–364, 494, 517
 issues between Java and Groovy 380
 dependency analysis 544
 Dependency Injection 389
 dependency resolution 483
 dependent file on classpath 467
 deploying Grails applications 602
 deployment 244

- depth 233
 - depthFirst 239
 - descendant 427
 - descendant-or-self 427
 - description 35
 - descriptive 231
 - design 504
 - rotten 525
 - design by contract 166
 - design pattern 149
 - Design Patterns 230
 - designing relations 595
 - desktopPane 251
 - destdir 22
 - destruction 128
 - development 247
 - device 12
 - DI. *See* Dependency Injection
 - dialog 248, 251
 - Dialog class 250
 - digit 79, 633
 - Dijkstra, Edsger 453
 - Dimension 254
 - dir 306, 474
 - directory 10, 190, 294
 - current 294
 - parent 294
 - working, current 466
 - disambiguation 459
 - discard 15
 - disjoint 106
 - dispatch 283, 315
 - display 15
 - distributed transactions 328
 - distribution 212, 223, 364
 - even 467
 - div 64, 430
 - division 88, 136
 - division of labor 321
 - document 230, 232
 - complex 447
 - Document Object Model 290, 404
 - documentation 110, 165, 480
 - for Grails 595
 - DocumentBuilder 404
 - DocumentBuilderFactory 404
 - documentElement 404
 - dollar 71, 73
 - DOM 8, 232, 402, 414, 489
 - DOM parser 403
 - dom4j 405, 429
 - domain class 581
 - scaffold 580
 - domain driven design 348
 - domain model 347, 350, 577, 604
 - domain objects 576, 581
 - passing in a binding 369
 - Domain Specific Language 11, 276, 284, 357
 - DOMBuilder 407
 - DOMCategory 407–408
 - DOS 400
 - Double 59
 - double buffer 270
 - double dispatch 68
 - download 608
 - downto 90
 - drag and drop 270
 - DriverManager 328–329
 - DTD 433
 - DTD handler 409
 - DTO pattern 151
 - duck typing 62, 109, 275, 290, 379, 518
 - dump 514
 - duplication 12, 46, 127, 175, 199–200, 230
 - duration 493
 - Dylan 11
 - dynamic 133
 - dynamic code 385
 - dynamic finder method 594, 600
 - dynamic nature 592
 - dynamic scripting language
 - Spring framework support 391
 - dynamic typing 197
 - dynamicity 147, 175, 207, 223
- E**
-
- e 473
 - each 83, 107, 148, 288, 456
 - eachByte 292
 - eachDir 292
 - eachFile 292
 - eachFileMatch 292, 558
 - eachFileRecurse 10, 292
 - eachLine 7, 292
 - eachMatch 82
 - eachObject 293, 301
 - eachReverse 107
 - eachWithIndex 289
 - echo 308
 - echo character 248
 - Eclipse 24, 527
 - TPTP 531
 - editor 22, 270
 - editorPane 251
 - efficiency 467
 - Einstein, Albert 56, 94, 153, 175, 301, 323
 - EJB. *See* Enterprise Java Beans
 - elapsed time 287
 - element 100
 - ELEMENT_NODE 405
 - else 131, 158
 - else if 158
 - Emacs 24
 - email 309–310, 479
 - embeddable jar file 364
 - enabled 261
 - enabled state 260
 - encapsulation 175
 - of state without behaviour. *See* Data Transfer Objects
 - of type/database interaction. *See* Data Access Objects
 - encodeBase64 300
 - encoding
 - for script evaluation 394
 - specifying for script evaluation 374
 - endless loop 171
 - engineering 544
 - enterprise edition 314
 - Enterprise Java Beans 199, 357
 - entity 242, 402
 - entity resolver 409
 - entrySet 114
 - enum 160

- enumeration 46, 168
 - Enumeration class 288
 - envelope 123, 445
 - environment variable 305
 - equality 34, 278, 285, 454
 - equals 65–66, 114, 198, 278
 - error handling
 - centralized 291
 - in Grails 598
 - error message 246, 495
 - escaping 313
 - eval 429, 499
 - Eval class 367
 - evaluate 35, 365–366, 465, 470, 473
 - evaluating 425
 - evaluation 184
 - lazy 425
 - event 258
 - closure 205
 - fire 204
 - in Windows components 556
 - event handler 38
 - closures 556
 - EventListener 204
 - EventObject 204
 - events.listen() 556
 - EventSource 204
 - EventSupport 550
 - every 107, 115, 289
 - example, understanding 35
 - Excel 326, 547–570
 - exception 31, 127, 164
 - exception handling 171, 513
 - exclamation mark 120
 - exec 308
 - executable 243
 - executable specification 276
 - execute 304
 - exit handling 170
 - Expando 207, 519
 - as Data Transfer Object 348
 - expect 523
 - expectation 505–506
 - loose 523
 - strict 523
 - experience 36
 - experiment 14, 36
 - explicit static typing 61
 - expression 31, 34, 154, 163, 206, 427
 - enforce 455
 - evaluating dynamically 365, 367
 - last 170
 - numerical 78
 - top-level 157
 - expression evaluation 267
 - expression language 140
 - expressiveness 32, 74, 95, 151, 185, 208, 361
 - extensibility 504
 - eXtensible Markup Language 402
 - extension 18, 476
 - JUnit 537
 - extension point 362
 - external library 492
 - extract method 457
 - extreme programming 12
- F**
-
- factor 231
 - Fahrenheit, Gabriel Daniel 506
 - fail early 495, 523
 - fail first 164
 - failed test 515, 532
 - failure message 163
 - fake 519
 - fall through 160
 - false 154
 - faultCode 442
 - faultString 442
 - feature 6, 35
 - feature rich 3
 - feedback 533
 - Fibonacci 18
 - field 141, 175, 280
 - access 203
 - pretending 179
 - private 281
 - reference 178
 - file 7, 164, 169, 291, 294–295
 - configuration 284
 - groovy 188
 - inclusion 191
 - file system 243
 - fileChooser 251
 - FileChooser class 250
 - FilenameFilter 44
 - FileScanner 461
 - fileset 245, 541
 - FileSet class 461
 - filesystem 230
 - filter 104
 - filtering 139, 474
 - Filtering class 294
 - filterLine 293, 299
 - final 128, 176, 201
 - finalize 278
 - finally 127, 131, 171
 - finance 460
 - financial data 444
 - find 107, 116, 126, 132, 289, 406, 414, 457
 - findAll 106, 116, 120, 289, 406, 414, 457
 - findIndexOf 289
 - finite state machine 85, 284
 - Fisheye 608
 - flash, scope in Grails 594
 - flatten 105
 - flexibility 13, 140, 231, 362
 - flexible 110
 - Float 59
 - floating point 87, 460
 - floor 428
 - flow 588
 - FlowLayout 255
 - FlowLayout class 250
 - fluid applications 363
 - focusGained 270
 - following 427
 - following-sibling 427
 - for 8, 125, 131, 168, 238
 - for loop 46, 456
 - form 488
 - submit 489
 - format string 287
 - formatted print 286
 - formattedTextField 251
 - FormattedTextField class 250
 - Formatter 286, 313
 - formatting 139
 - formfeed 71

formula 89, 460
 forum 609
 Fox 270
 frame 249, 251
 framework 230
 Decorator-based 537
 framework, web application 573
 freedom 129
 Freeman 149
 Frege, Gottlob 138
 frequency 111, 117
 FrontPage 552
 function 138, 162, 427
 function keys 265
 sending to applications 569
 function plotter 264
 functional programming 138
 functional style 213
 functional test
 in Grails 582
 of web applications 604
 functional testing 12

G

Gamma, Erich 149, 230
 Gang of Four 230
 Gant 243
 Gauss, Johann Carl Friedrich 45
 gbc 255
 GDataSupport 493
 GDK 6, 16, 49, 101, 278, 494
 print 74
 generics 125
 get 113, 179, 206, 318, 499
 getAt 64, 101, 113, 207, 281, 318, 413
 getClass 278
 getCurrent 273
 getLastMatcher 84
 getLength 406
 getMetaPropertyValues 281
 getMethods 208
 getName 208, 273
 getNamedItem 406
 getParameterTypes 138
 getProperties 205, 280
 getProperty 206, 550
 getRessourceAsStream 467
 getText 293, 305
 getValue 555
 getVariable 368–369
 gift 93
 Glover, Andrew 140
 GLS. *See* Groovy Language Specification
 glue 256
 go 14
 Google 393, 488, 493
 GoogleTalk 442
 GORM. *See* Groovy ORM
 GPath 208, 282, 420–436, 600
 with database results 337
 GPathResult 409, 413, 422
 Graham, Paul 146
 Grails 224, 358, 539, 573–605
 action 593
 binding 589
 changing the model 592
 download 573
 filtered view 598
 findBy 594
 get 593
 instant feedback 588
 login 597
 partial 590
 prerequisites 574
 property injection 580
 reusable logic 590
 save() 586
 session 597
 static typing 584
 toString 580
 grails
 create-app 574
 create-domain-class 580
 create-webtest 582
 generate-all 581
 generate-webtest 582
 prod war 602
 run-app 576, 581
 run-webtest 582
 GRAILS_HOME 574
 grammar 23, 608
 graph 492
 graphic 127
 graphical application 230
 graphical test tool 532
 graphics 250
 greedy 80, 86
 grep 64, 86, 98–162, 286, 457
 gridBagConstraints 255
 gridBagLayout 255
 GridBagLayout class 250
 GridLayout 255
 GridLayout class 250
 Groovlet 314
 controller 321
 groovy 2, 4, 9, 14, 18, 394
 Groovy installation directory 547
 Groovy Language Specification 32, 70, 608
 Groovy ORM 358
 Groovy Server Pages 321, 575, 585, 587
 <groovy> task 247
 Groovy website 547
 groovy.lang 32
 groovy.recompile 190
 groovy.util 32
 GROOVY_HOME 195, 607
 GroovyBean 38, 176
 groovyc 19, 48, 189, 361, 381, 494, 513
 GroovyClassGenerator 217
 GroovyClassLoader 363, 378–388, 398
 constructor variants 379
 parseClass() 379, 384, 388
 GroovyCodeSource 386–388
 GroovyCodeSourcePermission 388
 groovyConsole 14, 17, 208, 250
 Groovydoc 31
 GroovyInterceptable 220
 GroovyJ 23, 527
 GroovyLogTestCase 525
 groovy-maven-plugin 541
 GroovyObject 216, 371, 379, 549, 554
 getProperty() 379
 invokeMethod() 379–380
 setProperty() 379

- GroovyObjectSupport 217, 368
 - GroovyOne 3
 - GroovyResourceLoader 384–385
 - GroovyResultSet 324, 336
 - GroovyRowResult 324, 337
 - as Data Transfer Object 348
 - GroovyScriptEngine 376–378, 398
 - run() 377
 - GroovyServlet 315
 - groovysh 14, 394, 607
 - GroovyShell 266, 363–375, 465–470
 - evaluate() 365, 370, 388
 - parse() 370, 388
 - run() 371
 - GroovySOAP 447
 - groovy-starter.conf 195
 - GroovyTestCase 372, 506
 - GroovyTestSuite 516, 528
 - grouping 79, 83–84, 633
 - GSP. *See* Groovy Server Pages
 - GString 39, 69–72, 91, 286, 309
 - evaluation 73
 - executing as a Prepared-Statement 332, 338
 - lazy writing 471
 - map keys 471
 - reference 471
 - GStringTemplateEngine 313
 - Gtk 270
 - GUI 127, 151, 247
 - guide 119
- H**
-
- handler 128
 - Handler class 414
 - hashCode 66, 112, 278
 - HashMap 112, 513
 - HashSet 490
 - Hashtable 513
 - hbm2ddl 602
 - hbox 255
 - header 16, 317
 - headline 435
 - heater 424
 - help 14, 498
 - helper class 190, 519
 - HERE 70
 - hglue 255
 - Hibernate 357, 574, 591, 594
 - dependency clashes 364
 - hierarchy 233
 - high coherence 525
 - high five 603
 - HighLow 318
 - history 270
 - Hoare, Tony 109
 - hostname 475
 - Hotspot 136
 - house-elf 477
 - how 94, 237, 322
 - HSQLDB 326–328
 - hstrut 256
 - HTML 151, 230, 485, 576, 600
 - static 309
 - html 316–317
 - HtmlUnit 488
 - HTTP. *See* Hyper Text Transfer Protocol
 - HttpSession 318
 - Hypertext Transfer Protocol 42, 434, 438
- I**
-
- i 476
 - I/O 291, 501
 - ice 506
 - IDE 22, 344, 421, 493, 504, 516, 527
 - identifier 206
 - list of 177
 - identity 34, 198, 278, 285, 454
 - identityHashCode 286
 - idiom 454
 - idiomatic 7, 30, 172
 - if 131, 158, 238
 - attribute in Ant 541
 - if-else 46
 - IllegalArgumentException 67
 - immutable 120, 186
 - imperative name 120
 - import 5, 31, 191
 - default 32
 - import as 254
 - inappropriate intimacy 286
 - incomplete library class 215
 - increment 147
 - incrementation 94
 - indentation 30, 221, 233, 273, 421
 - index 41, 407, 457
 - mix 103
 - negative 99, 102
 - index card 12
 - indexer 493
 - infrastructure application
 - architecture 347, 350
 - inheritance 129, 193, 195
 - initial value 176
 - initializer 175
 - inject 107, 139
 - inner class 128
 - anonymous 44, 128
 - in-place edit 476
 - in-place processing 418
 - input 247
 - input stream
 - as a script source 366
 - security of scripts 386
 - input/output 291
 - InputStream 295, 297
 - inspect 15, 17, 280, 498
 - inspection 144, 250, 279, 288
 - install 606
 - installation 12–13
 - of Grails 574
 - of Scriptom 547
 - instance 176, 245
 - instant messaging 442
 - instantiation 31
 - instruction 124
 - instrumentation 534
 - int 160
 - intdiv 88, 136, 460
 - Integer 59, 141, 461
 - integration 4–5, 361–400
 - integration mechanism,
 - choosing between available options 398
 - integration test 385, 504

- IntelliJ IDEA 23, 500, 527
 - intent 99, 193
 - intention 12, 46
 - interaction 128
 - interactive 279
 - interception 13, 220, 236, 521
 - Interceptor 222
 - interface 105, 128, 175, 196, 414
 - and JSR-223 397
 - marker 221
 - placing in a separate module 383
 - shared 494
 - single-method 44
 - used to solve compilation dependency issues 381
 - internalFrame 251
 - internationalization 575, 602
 - Internet Explorer 547, 549, 552–553, 567, 570
 - interplay 224, 523
 - interpreter 473
 - interpreter, interactive 17
 - InterruptedException 287
 - interruption 287
 - intersection 106
 - interval 95
 - IntRange 103
 - introspection 281, 449
 - invariant 33, 140, 522
 - Inversion of Control 389
 - investment 2, 9, 361
 - Invocable 396, 398
 - getInterface() 397
 - invokeFunction() 397
 - invokeMethod() 397
 - invokeMethod 183, 217, 282, 439, 550
 - Invoker 219
 - InvokerHelper 218
 - IoC. *See* Inversion of Control
 - IP address 475
 - is 285
 - isCase 64, 86, 97, 104, 117, 140
 - isInstance 161
 - isolation 504, 518–519, 523
 - it 124, 130, 311
 - item 42, 406
 - Item() 554
 - Items() 554
 - iterable 168
 - iteration 94, 560
 - exit prematurely 456
 - iterative 14
 - iterator 125, 168, 413, 461
 - Ivy 483
- J**
-
- J2EE 11, 314, 389, 574–575, 605
 - J2SE 314
 - Jacob 548–550, 554
 - JAD 494
 - Jad 53
 - Jakarta Axis 444
 - JApplet 252
 - jar file 386, 494
 - signed 386
 - Java 4, 30–34, 47
 - border to 60
 - heritage 532
 - Java 5 57, 69
 - naming conventions 553
 - Java 5 125, 286
 - Java 6 416
 - Java Collections API 119
 - Java COM Bridge. *See* Jacob
 - Java Community Process 393
 - Java Data Objects 357
 - Java friendly 3
 - Java Native Interface 547–548, 566
 - Java Platform Debugger Architecture 497
 - Java Preferences API 566
 - Java Reflection 217
 - Java Runtime 278
 - Java Runtime Environment 4
 - Java Server Faces 309
 - Java Server Pages 199, 309, 575
 - Java tool set 531
 - Java Virtual Machine 48, 547
 - java.io 32
 - java.lang 32
 - java.net 32
 - java.util 32
 - JAVA_HOME 607
 - JAVA_OPTS 495
 - Java2D 250
 - JavaBean 7, 38, 199, 389
 - javac 381
 - JavaDoc 569
 - JavaMail 492
 - JavaScript 489, 547, 553, 556, 568, 575
 - JAXB 433
 - Jaxen 429
 - JBoss 314
 - JButton 204
 - JCKit 492
 - jdb 497
 - JDBC 324, 358
 - column index 336
 - driver 326
 - ResultSet 333
 - URL 326–327
 - JDBC-ODBC bridge 326
 - JdbcOdbcDriver 326
 - JDK 506, 607
 - JDOM 405, 429
 - JEdit 24
 - Jelly 247
 - Jetty 314, 576
 - JExcelApi 492
 - JFrame 230, 248
 - JFreeChart 492
 - JFugue 482
 - JIRA 442, 608
 - JMX MBean 363
 - JNDI 328
 - JNI. *See* Java Native Interface
 - join 107
 - joke 473
 - JPanel 230
 - JPasswordField 248
 - JPDA 497
 - JRE. *See* Java Runtime Environment
 - JRuby 389
 - jrscript 394
 - JSP 431
 - JSP Expression Language 309
 - JSP. *See* Java Server Pages
 - JSR-223 393–399

JSR-241 9, 609
 JSwat 497
 JToolTip 252
 jungle 126
 JUnit 128, 166, 372, 504, 537
 Version 4 515
 JUnitPerf 537
 Just-In-time compiler 136
 jWebUnit 537

K

Kerievsky, Joshua 149
 Kernighan, Brian 29
 key 42, 113
 keySet 114
 keystroke 134, 261
 sending to applications 553
 keyword 213

L

-l 475
 label 251
 Label class 250
 Laforge, Guillaume 609
 language 7, 125, 505
 functional 43
 scripting 53
 language boundary
 solving dependency issues 381
 language test 147
 language-oriented programming 322
 last 428
 layeredPane 251
 layout 30, 254
 layout management 254
 layout manager 248
 leaky application layering 348
 lecture 145, 518
 leftShift 64, 103, 120, 293
 less code 211
 level of abstraction 322
 lexical scope 145
 library 6, 193, 494
 lifecycle 541, 585
 lifetime 142

lightweight container 389
 line 474
 line break 407
 line count 492
 line feed 71, 299
 lines of code 211, 225
 LinkedList 100
 Linux 308, 400, 481
 LISP 2, 276
 Lisp 11, 145
 list 7, 41, 100–101, 104, 119,
 121, 125, 148, 208, 250–
 251, 411, 414, 444, 499
 accumulation 107
 add item 103
 as Data Transfer Object 348
 combine 105
 content 107
 create 105
 element type 106
 grow 102
 iteration 107
 list of 106
 modify 105
 nested 105
 operator 101
 remove item 103
 reverse 102
 shrink 102
 specification 100
 listen 475
 Listener 129
 ListModel 250
 literal 7, 31, 34
 character 71
 numeric 59
 literal inclusion 465
 load 518, 537
 load-balancer 518
 loadScriptByName 377
 local change 192
 local scope 142
 local variable 141, 369
 local versioning 493
 locale 560
 local-name 428
 location 294
 log 221, 312, 495, 525
 log level 527

Log String pattern 527
 logger 527
 logging 139, 279, 349
 of database access 333
 SQL statements 332–333
 logic 237, 363
 logic in views 589
 Long 59
 longDescription 261
 look and feel 250, 270
 lookahead 80
 lookup 23, 190, 494
 loop 94, 154
 endless 222
 for in range 95
 looping 167
 LooseExpectation 523
 low coupling 525
 lowercase 580
 ls 306
 Lucene 493

M

Mac OS 308
 machine translation 111
 macro 363
 magic 234
 mail merge 310
 mail server 479
 mailing list 608
 main 163, 180, 188, 500
 Main class 528
 maintainability 151, 212
 maintenance 163, 247, 460
 make 23, 310
 MalformedURLException
 384
 managed environment 328
 map 7, 42, 119, 121, 206, 430
 add entry 42
 as Data Transfer Object 348
 assignment 114
 declaration 42
 empty 112
 example 117
 get default 113, 117
 initialization 42
 iteration 115

- map (*continued*)
 - key 455
 - keys in markers 112
 - operator 113
 - property 113
 - property-style access 519
 - size 42
 - specification 111
 - subscript 111
 - mapping (O/R) 574
 - mapping descriptor 580
 - markup 223, 590, 605
 - lazy generation 422
 - MarkupBuilder 231, 239, 270, 419
 - match 468
 - Matcher 82, 155, 289
 - Maven 12, 22, 483, 504, 517, 541
 - configuration 543
 - plug-in 543
 - max 107, 431
 - measure 127
 - memory
 - consumption 425
 - representation 423
 - memory consumption 291, 500
 - memory leak 127
 - memory optimization 415
 - memory storage 418
 - menu 251
 - Menu class 250
 - MenuBar 251
 - MenuBar class 250
 - menuItem 251
 - MenuItem class 250
 - message 120, 164, 279
 - message format 447
 - meta object protocol 2
 - meta programming 216
 - metaClass 280
 - MetaClass class 50, 217, 282, 497
 - MetaClassRegistry 217
 - metadata 337
 - database tables 337
 - meta-object protocol 216, 223, 549
 - meta-programming 550
 - method 31, 141
 - abstract 196
 - accessor 38, 201
 - all-purpose 215
 - arguments 455
 - assert 506
 - category 214
 - container 256
 - current 148
 - declaration 180
 - dispatch 67
 - dynamic invocation 282
 - factory 218
 - getter 36
 - in scripts 37
 - invocation 53
 - layout management 256
 - name restrictions 183
 - object iteration 290, 406, 410, 429, 461
 - of Windows components 553
 - operator 58, 63
 - overloading 62
 - parameter types 181
 - pretend 220, 234, 272
 - relay 220, 234, 272
 - return type 180
 - singleton 218
 - template 272
 - method body 131
 - method closure 132, 289, 375, 460
 - method interception 550
 - method object pattern 43, 151
 - metric 185, 491, 541
 - Meyer, Bertrand 166
 - micro-iteration 588
 - Microsoft 547
 - naming conventions 553
 - Microsoft Developer Network 555, 569
 - Microsoft Office 362
 - min 107
 - mind 93
 - mindmap 496
 - minus 64, 103
 - miracle 11
 - MissingPropertyException 369, 455
 - mix-in 213
 - mkp 422
 - mnemonic 261
 - mock 223, 391, 504, 523
 - mod 64
 - mode
 - direct 19
 - precompiled 19
 - model 249, 601, 604
 - Model View Controller pattern 389, 576
 - ModelListener 270
 - Model-View-Controller 262
 - modifier 36, 176
 - default 180
 - module 447, 493–494
 - Money 65
 - monitor 476
 - Mother 143
 - MouseListener 250
 - move 463
 - MP3 467
 - MSDN. *See* Microsoft Developer Network
 - MS-Office 492, 553
 - MS-Word 34, 547, 552, 558–559, 562, 565, 570
 - multimethod 133, 197
 - multiplication 87
 - multiply 64, 103
 - multithreading 278, 301
 - music 444, 482
 - Mustang. *See* JSR-223
 - MVC pattern 151
 - MVC. *See* Model View Controller pattern
- N**
-
- n 474
 - match 83
 - name 239, 261, 428
 - name clash 194, 460
 - NamedNodeMap 406
 - namespace 190, 402, 422, 427, 437
 - namespace-uri 428

- naming 18
 - naming conflict 192
 - naming convention 199
 - use in database helper class 353
 - native handle 127
 - native integration with Windows 547
 - native objects 549
 - navigation 23, 190
 - object 208
 - negate 64
 - NekoHTML 486
 - nesting depth 211, 491
 - nesting structure 230
 - .NET 80, 416
 - NetBeans 23
 - network 434
 - network connection 127
 - network scan 520
 - new 37
 - newInputStream 293, 298
 - newObjectInputStream 293
 - newOutputStream 293, 298
 - newPrintWriter 293, 298
 - newReader 293, 298
 - news 486
 - news feed 442
 - news provider 434
 - newsreader 436
 - Newton, Isaac 360
 - newWriter 293, 298
 - next 64, 97–98
 - no braces 158
 - NoClassDefFoundError 373
 - node 236
 - modify in-place 418
 - Node class 405, 408, 413
 - node test 426
 - NodeBuilder 231, 234, 270, 457, 466
 - nodeCompleted 273
 - odelist 429
 - NodeList class 289, 406, 429
 - nodeName 405
 - node-set 427
 - nodeType 405
 - nodeValue 405
 - normalize 88
 - normalize-space 428
 - notation 54
 - Notepad 552, 568
 - notification 492
 - notify 278, 301
 - notifyAll 278
 - null 169, 184, 455, 513
 - null value, insertion in DataSets 341
 - NullPointerException 65, 184, 513
 - num 429
 - number 40, 87, 427
 - declaration 59
 - sequence 18
 - Number class 155
 - number type 460
 - Nux 433
- O**
-
- object 123
 - everything is a 57, 61
 - Object Browser 15, 17
 - Object class 278
 - object database 600
 - object graph 209, 235
 - object inspection, unit test 514
 - object iteration 168
 - object model 48
 - object orientation 38
 - object persistence 358
 - ObjectBrowser 250, 280
 - ObjectInputStream 300
 - object-oriented 175
 - ObjectOutputStream 300
 - object-relational mapping 199, 357–358
 - obscure 11
 - Observer 129
 - observer pattern 151, 469
 - octal escape 71
 - Office 552
 - office hours 484
 - ON DELETE CASCADE 345
 - one-liner 167, 408, 475
 - online auction 444
 - OO. *See* object-oriented
 - operating system 547
 - operation
 - expansive 521
 - remote 435
 - operator 31
 - 63
 - 63
 - ! 155
 - % 63
 - & 63
 - * 57, 63, 212
 - ** 63
 - *. 209
 - + 41, 57, 63
 - ++ 63
 - .& 131
 - .. 95
 - .@ 203
 - / 63
 - < 63, 275
 - <=> 98
 - = 156
 - == 34, 103, 156, 285
 - ==~ 77
 - =~ 40, 77
 - > 63
 - >>> 63
 - ? . 184
 - ? : 159
 - []= 63
 - ^ 63
 - | 63
 - ~ 63, 85
 - assignment 156
 - boolean negation 155
 - commutative 68
 - division 460
 - dot 65
 - dot-at 203
 - dot-fieldname 179
 - dot-methodname 220
 - dot-propertyname 280
 - equality 156
 - equals 88, 103
 - field access 178
 - field assignment 179
 - find 40, 77
 - implement 63, 66
 - leftshift 275, 297, 421

- operator (*continued*)
 - match 77
 - method 63
 - method closure 131
 - more general operand 68
 - more specific operand 67
 - new 176
 - numeric 40
 - overload 63, 66
 - override 63, 66
 - overriding 215
 - pattern 77, 85
 - power 88
 - property access 410
 - range 95
 - safe dereferencing 184
 - spaceship 98
 - spread 212, 284
 - spread-dot 209, 412
 - subscript 41, 100, 178, 212, 280, 407, 410, 457
 - XPath 427
 - optimization 13, 62
 - optimize 13
 - option
 - argument 477
 - long name 477
 - short name 477
 - OptionAccessor 479
 - optional 32
 - semicolon 34
 - optional test 541
 - optional typing 9
 - optionPane 251
 - or 64
 - order tracking 444
 - ORM. *See* object-relational mapping
 - out 312, 317, 319
 - Outlook 552
 - OutputStream 423
 - overlayLayout 255
 - overriding 198, 200
 - overture 29
 - overview 36
 - owner 144, 458
- P**
-
- p 474
 - pack 248
 - package 6, 31, 190
 - packaging 541
 - padding 286
 - page layout 601
 - PageContext 318
 - panel 251
 - parameter 123, 143
 - default value 182
 - GroovyObject.invokeMethod() 380
 - list, variable length 182
 - named 182, 186
 - optional 182
 - positional 181, 186
 - parameter, single 124
 - parameterization 363
 - of script evaluation 367
 - params 317
 - paranoia 510
 - parent 233, 239, 258, 427
 - parent-child relationship 579
 - parentheses 9, 32, 74, 78, 455
 - extra 157
 - mandatory 455
 - optional 455
 - parents 414
 - parse 266, 409, 479
 - parser 51, 157, 486
 - Groovy 51
 - pull-style 416
 - push-style 414
 - parseText 409
 - parsing 425
 - event-based 414
 - party 44
 - Pascal 190
 - pass logic 136
 - password 247
 - specifying for database 328
 - passwordField 251
 - pastime 145
- PATH** 607
- path expression 184
 - pattern 80, 85, 139, 161
 - matches 81
 - occurrence 81
 - replace 81, 83
 - split 81
 - split by group 84
 - pattern symbols 79
 - payback 2
 - payload 413, 447
 - payment system 444
 - perception 99
 - perfection 401
 - perform 245
 - performance 85, 166, 270, 361, 429, 578
 - Perl 70, 74, 119, 145
 - permission 387
 - persistence 199, 271, 282
 - persistency 223
 - transparent 580
 - picture gallery 444
 - pipe 306
 - pipng 473
 - pivot 109
 - placeholder 34, 39, 69, 72, 287, 309
 - resolution 471
 - Plain Old Java Objects 202, 389, 579
 - platform 125
 - platform dependent 308
 - platform independent 481
 - play() 558
 - player 483
 - PlayStateChange 557
 - plug-in 197, 541
 - plugin 493
 - plumbing 423
 - plus 64, 103, 120
 - POGO 389, 448
 - POI 492
 - pointer 56
 - POJOs. *See* Plain Old Java Objects
 - policy 386–387
 - policy file 387
 - pop 106, 302

- popupMenu 251
 - pop-ups, displaying with
 - WScript.Shell 553
 - port 441
 - default for Grails 576
 - port 1960 475
 - portal 271
 - Portlet 271
 - position 428
 - posix 80
 - Post 435
 - PostScript 309
 - post-work 136
 - power 64
 - PowerPoint 552
 - practice 454
 - pragmatic 309
 - pragmatic programming 12
 - pragmatism 491
 - precedence 206
 - preceding 427
 - preceding-sibling 427
 - precision 68, 88
 - precompilation 365, 495
 - precompile 11
 - precondition 184
 - predicate 427
 - preferences 466
 - prefix 287
 - prepared statement 331–334, 354
 - placeholder value 331
 - presentation 434
 - pretty-print 237, 496
 - previous 64, 97–98
 - pre-work 136
 - primary key 329
 - prime 13
 - prime number 497
 - print 36, 239, 285, 413, 470, 474
 - printf 285, 313
 - println 285, 495
 - PrintStream 286
 - PrintWriter 286
 - private 176
 - probability 467
 - procedural 457
 - procedural style 213
 - process 302, 304
 - child 305
 - destroy 306
 - stream 305
 - Process class 297
 - producer/consumer problem 302
 - product 150
 - Product class 230
 - productivity 225
 - professional 10
 - profiling 223, 500
 - Program Arguments 528
 - Program Structure Interface 23
 - programming style 36, 166
 - progress bar, console 468
 - progressBar 252
 - project 463, 494
 - project build 487
 - Project class 528
 - project tracking 438
 - proliferation 44, 129
 - prompt 14
 - properties 7, 38, 176, 200, 205, 280, 463
 - access 202
 - accessor 459
 - change broadcast 260
 - derived value 280
 - of Windows components 555
 - read-only 280
 - property access 455
 - PropertyChangeEvent 204
 - propertyColumn 262
 - PropertyColumn class 250
 - propertyName 264
 - PropertyValue 281
 - PropertyVetoException 204
 - protected 176
 - protocol 42, 523
 - prototype 12
 - proxies 361
 - proxy, for native integration 549
 - ProxyMetaClass 220, 497
 - pseudo-code 273
 - PSI. *See* Program Structure Interface
 - public 176
 - push 106, 302
 - putAll 112
 - putAt 64, 101, 281, 318
 - puzzle 145
 - Python 2, 11, 145, 175
- ## Q
-
- QName 437, 447
 - Quartz 483
 - query 271
 - question mark 80
 - quick navigation 265
 - quick reference 608
 - quick win 2
 - Quicksort 109
 - quote
 - double 69
 - single 69
 - tripled 69
- ## R
-
- rabbit 18
 - Radeox 605
 - radioButton 252
 - radioButtonMenuItem 252
 - random 318, 467, 473
 - range 46, 68, 88, 121, 162
 - custom 99
 - date 97
 - half-exclusive 95, 169
 - implement 98
 - reversed 95
 - specification 95
 - string 97
 - working days 98
 - Range class 561
 - Rasolo, Franck 23
 - Rayner, Jeremy 475
 - readability 13, 225, 291
 - readBytes 293
 - reader 291
 - Reader class 295, 297
 - readLine 293
 - Really Simple Syndication 435
 - realtime 483

- receiver 120
 - recompilation, setting minimum interval 374
 - recompile 190
 - record 190
 - recursion 273, 420
 - endless 203
 - recursive 10
 - redirect 594
 - redirection 474
 - refactoring 501, 515, 525
 - reference 7, 31, 96, 123, 142
 - Reference class 499
 - Reference Implementation
 - of JSR-223 393
 - reflection 278, 379
 - Reflector 217, 501
 - refresh-check-delay 392
 - regex 77
 - registry 551, 553, 566–567
 - Registry Editor 551
 - regular expression 40, 70, 76, 91, 169, 208, 468
 - for validation in Grails 602
 - interactive testing 80
 - Java 78
 - mode 80, 634
 - pattern 77, 136
 - pattern symbol 79
 - related projects 9
 - relational algebra 324
 - relational database 324
 - metadata 325
 - relational model 324, 344, 346, 358
 - relationship, between objects 389
 - release 504, 607
 - reliability 151
 - relief 11
 - reloading
 - beans in Spring framework. *See* Spring framework
 - domain classes in Grails 592
 - Groovy Server Pages 588
 - Groovy source 374
 - remember 142
 - remote control 489
 - remove 105, 116, 120
 - by index 106
 - by value 106
 - duplicates 107
 - null 107
 - removeAll 120
 - Renderer 270
 - repaint 127, 265
 - repetition 90
 - replace 35, 493
 - all 40
 - replaceAll 468
 - reporting 492
 - reporting infrastructure
 - coverage tools 533
 - Representational State Transfer 435
 - request 317, 434, 518
 - request parameter 283
 - requirement 212
 - responding to changes 385
 - requirements 362
 - research 460
 - resource 136, 320, 494
 - Resource class 128
 - Resource Description Framework 435
 - resource handling 127, 358
 - resource leak 127, 291
 - resource management 321
 - ResourceConnector 376–378
 - getResourceConnection() 378
 - ResourceHandler 128
 - response 317, 319, 434
 - REST 437
 - restrictive mode 80
 - ResultSet 336
 - getDate 336
 - getString 336
 - next 336
 - ResultSetMetaData 338
 - retainAll 120
 - return 123, 148, 170, 456
 - implicit value 466
 - missing 181
 - multiple values 212
 - return value of script evaluation 369
 - reuse 63
 - Revenge of the Nerds 146
 - reverse 16, 105
 - review 491
 - revision number 491
 - RFC 2045 299
 - RI. *See* Reference Implementation
 - Rich Internet Application 271
 - Rich Site Summary 435
 - rightShift 64
 - rightShiftUnsigned 64
 - rigidArea 256
 - RMI 444
 - robustness 163
 - roman numeral 41
 - root node 274
 - root pane 253
 - RootLoader 481
 - round 88, 428
 - rowfill 257
 - rowspan 257
 - RSS 487, 608
 - RSS Reader 250
 - Ruby 11, 34, 38, 68
 - Ruby on Rails 393, 591
 - rule engine 284
 - rules of truth 154
 - run 20, 163, 188, 266, 500
 - run configuration 528
 - runAfter 302
 - Runnable 128–129, 301
 - implementation by scripts 371
 - runProtected 128
 - runtime 38, 501
 - formula evaluation 365
 - inspection 496
 - overload resolution 133
- S**
-
- safe dereferencing operator,
 - use in database access 338
 - safeguard 11
 - Saint-Exupery, Antoine de 401
 - salt 506
 - sample data 505, 585

- sandbox 385
- SaveAs() 563
- saw, sharpening 12
- SAX 402, 414, 486
- Saxon 433
- SAXParser 409, 487
- scaffold 11
- scaffolding
 - domain classes in Grails 580
 - views and controllers in Grails 581
- scaffolding code 366
- scalability 310, 537
- schedule 476, 483, 487
- Schönfinkel, Moses 138
- science 460
- scope 141, 204
- scope elements 143
- scoping rules 176
- scramble 468
- scraping 486
- script 37, 175, 188, 266, 312, 448, 464
 - as unit test 506
 - caching by Groovy-ScriptEngine 377
 - dependencies 376
 - dependency 465
 - generate 38
 - grouping 38
 - inclusion 465
 - injecting functions 375
 - naming 464
 - parsing 370
 - reusing instances 371
 - specifying as a URL 376
- Script class 11, 19, 142, 367
- script evaluation
 - parameters 367
- scriptable 175
- ScriptContext 395
- ScriptControl 556, 570
- scriptDef 464
- ScriptEngine 395
 - eval() 395
- ScriptEngineManager 395
 - getEngineByExtension() 395
 - getEngineByMimeType() 395
 - getEngineByName() 395
- ScriptException 395
- scripting 4, 175, 224, 361
- scripting engine 364
- scripting language 362
- Scripting.FileSystemObject 570
- Scriptlet 589
- Scriptom 224, 492, 547
- scrollBar 252
- scrollPane 252
- ScrollPane class 250
- search 488, 493
- search engine 111, 442, 493
- security 385
- security manager 386
- security model 385
- Select() 563
- selectNodeList 429
- selectSingleNode 429
- self 427
- self commenting 470
- self documentation 200, 481
- selling rank 438
- semicolon 5, 32, 34, 74
- sendKeys() 568
- separating concerns 457
- separator 252
- serializable 200
- Serializable class 300
- serializing 425
- server 441, 475
 - HTTP 475
- server farm 518
- server restart 316
- server start 581
- ServerSocket 442
- service 477, 483
- Servlet API 314
- ServletCategory 318
- ServletContext 318
- ServletRequest 318
- session 15, 317, 599
 - use in Grails 596
- session transcript 498
- set 179, 318
- setClasspath 374
- setClosureDelegate 273
- setDebug 374
- setMinimumRecompilationInterval 374
- setOutput 374
- setParent 272
- setProperty 206, 371, 550
- setRecompileGroovySource 374
- setScriptBaseClass 374
- setSourceEncoding 374
- setUp 509
- setValue 413
- setVariable() 368
- shared library 603
- shell 473, 607
- shell script 304
- Shell.Application 570
- shipment 12
- short 160
- shortcut 39
 - ** 410
 - .. 410
- shortcut evaluation 185
- shortcut expression 247
- shortDescription 261
- shouldFail 177, 507, 513
- show 248
- shuffle 467
- sibling 233
- side effect 145, 291
- signature 129
- Simple Object Access Protocol 435
- simple solution 578
- SimpleTemplateEngine 311, 351, 431
- simplicity 168, 504
- sine 460
- single step 17, 470
- Singleton 218
- sink 421
- Site Summary 435
- sitemesh 575
- size 49, 114, 411, 414
- sketch 265
- slash 70
- slashy syntax 40, 78, 82

- sleep 285, 303, 484
- slider 252
- Slider class 250
- smallIcon 261
- Smalltalk 11, 145
- smart configurations 11, 466, 586
- SnipGraph 492
- SnipSnap 493
- SOAP 435, 444
- SOAPAction 445
- Socket 297
- Solaris 308, 481
- something 141
- sort 16, 105, 117, 120, 282, 467, 519
 - argument, single 106
 - closure 106
 - comparison logic 106
- sortable 110
- source event 258
- SourceForge 548
- sout 317
- spaceship 65
- spam 476
- special character 71, 206, 241
- specification 481, 523
- SphereLogic 574
- spike 12
- spinner 252, 265
- Spinner class 250
- spinnerDateModel 262
- spinnerListModel 262
- spinnerNumberModel 262
- split 470
- splitEachLine 293
- splitPane 252
- spreadsheet 491, 532
- Spring framework 399, 483, 592
 - application context 391
 - bean factory 390
 - configuration file 389
 - dependency clashes 364
 - documentation 389, 393
 - dynamic script compilation 391
 - Inline scripts 392
 - integration 389–393
 - refreshable beans 392
 - wiring xml file 390
- springLayout 255
- SQL 271, 283, 324, 582
 - executing 329–340
- Sql class 324, 327
 - constructor 329
 - dataSet 341
 - eachRow 334–335
 - execute 329
 - executeUpdate 333
 - firstRow 335, 337
 - newInstance 327
 - query 335–336
 - rows 335, 337
- SQL query 73
- SQL script 586
- SQLException 330
- square 231
- srcdir 22
- stability 291, 467
- stack 106, 142, 302
- stacktrace 163
- standard 9
- standard edition 314
- standard library 278
- star 64
- Star Wars 482
- start 302
- start element, receive 414
- startDaemon 302
- startElement 415
- starter script 482
- startsWith 422
- state change 523
- state pattern 151
- stateless 313
- stateless protocol 435
- statement 31
 - top-level 455
- statement terminator 9, 34
- static 176
- static initializer 131, 166
- statistics 117, 291, 491
- StAX 416
- stdin 305
- step 90, 461
- stock ticker 434
- storage 300
- str 429
- Strachan, James 3
- Strategy 129
- strategy pattern 151
- stream 127, 157, 291, 474
- streaming 310, 313, 418, 425
- StreamingMarkupBuilder 421
- strict sequence 523
- string 427, 444
 - change in place 75
 - immutable 75
 - interpolation 69
 - leftshift 75
 - literal 39, 69–70
 - multiline 70
 - slashy syntax 70
 - span several lines 69
- String class 16, 69, 155
- StringBuffer 75, 275
 - leftshift 75
- StringBufferWriter 222
- StringBuilder 75
- string-length 428
- Stroustrup, Bjarne 122
- struct 190
- structural analysis 505
- structural stability 119
- Structured Query Language.
See SQL
- Struts 284
- stub 223, 504, 521
- StyledDocument 250
- styleFormatter 563
- subclassing 521
- sublist 102, 109
- subMap 116
- subscript 64, 113, 121
 - operator 336
- substring 428
- substring-after 428
- substring-before 428
- subtraction 87
- Subversion 489
- suffix, G 59, 461
- suite 230, 505, 516, 537
- sum 412, 428
- summary 317
- Sun 393
- Sun Microsystems 22

- support 9
 - surprise 103
 - no 89
 - surrogate key 330
 - swimming belt 166
 - Swing 15, 151, 204, 230, 247, 270
 - main loop 249
 - tutorial 248
 - SwingBuilder 188, 231, 247, 270
 - id 258
 - text attribute 253
 - variable use 259
 - switch 46, 64, 160
 - SWTBuilder 249
 - synchronized 131, 301
 - synchronized block 558
 - synchronizedList 109
 - synchronizedMap 117
 - syntactical validation 602
 - syntax 3, 278
 - syntax alignment 5
 - syntax highlighting 22
 - System 423
 - system of coordinates 266
 - system test 504
 - system-independent 434
- T**
-
- tab 71
 - tabbedPane 252
 - TabbedPane class 250
 - table 252, 317
 - Table class 250
 - tableLayout 255–256
 - TableLayout class 250
 - TableModel 262
 - TableModel class 250
 - tag 241, 489
 - division 243
 - tag library 585
 - taglib 590
 - target 22, 463
 - task 21, 463
 - <ant> 462
 - <groovy> 461
 - <groovyc> 542
 - <junit> 535
 - <mail> 480
 - repetitive 485
 - <script> 464
 - taskdef 22, 245
 - tbody 317
 - teammate 12
 - telnet 475
 - temperature conversion 505
 - template 73, 309, 589
 - cache 321
 - view 321
 - Template Method 129
 - template method pattern 151
 - TemplateEngine 310, 430, 445
 - TemplateServlet 321
 - test 80, 127
 - analyze 531
 - edit 531
 - execute 531
 - monitor 531
 - profile 531
 - trace 531
 - Test & Performance Tools
 - Platform 531
 - test case 230, 505
 - test coverage 127
 - test first 495, 504, 583
 - test fixture 513
 - test harness 165
 - test log 532
 - test report 583
 - test suite 12
 - testability 517
 - TestCase 508
 - test-driven 12
 - development 33, 515
 - testing 223, 442
 - interaction-based 524
 - protocol-based 524
 - testing checklist 583
 - TestRunner 505
 - text 295, 305, 446
 - text corpus 117
 - text message 492
 - TEXT_NODE 405
 - textArea 252
 - TextArea class 250
 - textField 252
 - TextPad 24
 - textPane 252
 - TextPane class 250
 - theory 454
 - this 141
 - thread 276, 483
 - daemon 302
 - suspend 287
 - watchdog 306
 - thread of control 301
 - threading 537
 - Throwable 499
 - throws 172
 - tickmark 270
 - TimeCategory 493
 - Timer 302, 483
 - times 20, 90, 141
 - timestamp 493
 - timing 136
 - tk 270
 - toDouble 72
 - toFloat 72
 - toggleButton 252
 - toInteger 72, 412
 - token 157
 - toList 100
 - toLong 72
 - Tomcat 314
 - tool 12
 - toolBar 252
 - toolbox 173
 - toolTipText 252
 - toothpick puzzle 82
 - toString 278, 297
 - trace 221
 - tracing 279, 497
 - TracingInterceptor 222, 497
 - transaction 199
 - transcript 307
 - transform 126
 - transformation 266, 309, 432, 464
 - transformChar 293, 299
 - transformLine 293, 299
 - translate 428
 - traverse 125
 - tree 233, 252
 - tree-like structure 230, 577
 - TreeMap 111

true 154
 truth, Groovy 154
 try 127, 131, 171
 try-catch-finally 46
 tutorial interactive 573
 type
 alias 192
 assignment 61
 being closed under 67
 dynamic 61–62, 197, 518
 numeric 87
 primitive 56, 175
 reference 56
 safety 62
 static 62, 197
 wrapper 57–58
 type code 160
 typecast 199
 typical case 505
 typing 56
 dynamic 2
 typist, lazy 580

U

ULC 249
 ULCBuilder 249
 UltraEdit 24
 UML 136, 209, 218, 520
 unboxing 59
 intermediate 60
 undefined variable 369
 understandability 194
 undo 284
 Unicode 70
 uniform access principle 202
 unique 282
 unit test 34, 243, 494–495, 504
 automated 504
 challenging situations 518
 exception messages 514
 grouping 516
 inline 165, 506
 Maven goal 542
 of web applications 604
 running from Ant 539
 test runner 516, 527
 unit testing 12, 391
 UNIX 31, 400, 473

UnknownServiceException 378
 unless, attribute in Ant 541
 unmarshal 447
 unmodifiableList 109
 unmodifiableMap 117
 UnsupportedOperationException 378
 untestable code 525
 untested 525
 update 434
 update DB schema 602
 upper bound 94
 upto 45, 90
 URL 32, 291, 295, 384, 438, 485
 creating a GroovyCodeSource 387
 GroovyResourceLoader and 385
 openConnection() 385
 permissions and 386
 used to find scripts 376
 URL pattern 315
 URLConnection 376, 378
 getInputStream() 385
 getLastModified() 385
 getURL() 385
 URLEncoder 32
 usage 479
 usage statement 481
 use 213, 285, 521
 closure 214
 use case 577
 user agent string 567
 user base 9
 user group 271
 user, specifying for database 328
 user.home 195
 UTF-8 446

V

validation 510, 601
 valign 257
 value 114, 239, 413
 value object pattern 65, 151
 ValueChangeListener 250

variable 15, 34, 176
 class, static 176
 declare 58
 instance 36, 176, 459
 local 128, 175, 459, 470, 499
 reference 176
 undeclared 176
 within a binding 369
 Variant 554
 VariantProxy 550, 554–556
 VB. *See* Visual Basic
 VBA Object Inspector 563
 vbox 256
 VBox class 250
 VBScript 556, 568
 Velocity 309
 verbose 447
 verification 165, 523
 verify 34, 523
 verifyText 583
 version control 493, 574
 VetoableChangeListener 204
 vglue 256
 view 249, 585, 604
 view logic 589
 viewport 252
 Vim 24
 visibility 176, 189
 default 176, 200
 package 176
 visible 248
 Visitor 129
 visitor pattern 149
 implemented by DataSet 343
 Visual Basic 286, 361, 547, 549–550, 553, 556
 visual builder 265
 vocabulary 111
 voice recognition 111
 void 170, 180
 vstrut 256

W

W3C 232, 402
 document 404
 wait 278, 301
 waitForOrKill 306

- wall-clock 136
 - WAR file. *See* web archive
 - warning 172
 - waste, without 129
 - weather forecast 447, 505
 - weather service 434
 - web action 487
 - web application 314, 573, 581
 - web application framework 309
 - web archive 602–603
 - web designer 601
 - web server 314, 476
 - web service 309, 434, 448, 487
 - interface 449
 - Web Services Description Language 369, 444
 - web.xml 315
 - webapps 314
 - WebClient 489
 - webmail 487
 - WebTest 490, 539
 - example 583
 - report 583
 - webtests 604
 - Weinberg, Gerald M. 225
 - well-formed 241
 - wget 469
 - what 94, 237, 322
 - while 46, 131, 167, 238
 - assignment 157
 - Whitehead, Alfred North 1, 229
 - whitespace 30, 79, 86, 407, 633
 - why 126
 - widget
 - arrangement 254
 - invisible 257
 - method 259
 - size 257
 - widget toolkit 151
 - wiki 585
 - Wiki class 438, 493
 - wiki markup 590
 - Wilson, John 439
 - Win32 548
 - window 252
 - Windows 224, 308, 473, 481, 492, 547
 - Windows Explorer 552
 - Windows Media Player 552, 557, 570
 - Windows Scripting Host 554, 570
 - Wirfs-Brock, Rebecca 195
 - WITH 286
 - withInputStream 293
 - withOutputStream 293, 297
 - withPrintWriter 293, 297
 - withReader 293
 - withStream 293
 - withWriter 293, 297
 - withWriterAppend 293, 297
 - word 79, 633
 - Word. *See* MS-Word
 - Workbooks 561
 - workflow 284
 - workflow engine 276
 - working day 484
 - World Wide Web 42
 - World Wide Web Consortium 402
 - wrappers 361
 - Writable 298, 310, 421
 - WritableClosure 422
 - write 293, 297
 - writeLine 293
 - Writer 140, 221, 275, 312
 - writer 291
 - writeTo 140
 - WScript.Network 555, 570
 - WScript.Shell 548, 553, 566, 568, 570
 - WSDL. *See* Web Services Description Language
-
- ## X
-
- XFire 444
 - XML 8, 151, 402, 558
 - complex query 417
 - datastore 403
 - modification 417
 - transformation 417
 - XML Remote Procedure Call 435
 - XML Stylesheet Transformation 432
 - XmlBeans 433
 - XmlNodePrinter 413
 - XmlParser 239, 408, 412, 560
 - XMLReader 409
 - XML-RPC 441
 - XMLRPCClientFailureException 442
 - XmlSlurper 408, 413, 487
 - XmlTemplateEngine 313
 - XMLUnit 433, 537
 - XObject 429
 - XOM 405, 429
 - xor 64
 - XPath 208, 402, 426, 431, 486
 - functions 427
 - operators 427
 - XPathAPI 429
 - XQuery 433
 - XWiki 493
-
- ## Y
-
- yield 422
 - YourKit 500