

# index

---

## Symbols

---

%EOF 48, 566  
%PDF 38, 536, 539, 565

## Numerics

---

128-bit encryption 85, 92–93  
2D Graphics. *See*  
    java.awt.Graphics2D  
40-bit encryption 92–93

## A

---

Abstract Windowing  
    Toolkit 44–45, 357  
access permissions 92–94  
    assembly 93  
    copy/extract text 93  
    filling forms 93  
    modifying 93  
    printing 93  
    save/copy PDF 94  
    verbose overview 94  
accessibility 80, 635  
Acrobat Capture 78  
Acrobat. *See* Adobe Acrobat  
AcroFields 55–56, 476–518  
    export to FDF 516  
AcroForm 27, 83, 465,  
    475–518, 553–559  
    comparison with HTML  
        form 498–499  
    creation 475–488  
    fill 502–518

    merge with FDF file 515  
    merge with XFDF 517  
    submit 488  
    submit as FDF 492, 587  
    submit as HTML 492  
    submit as PDF 495  
    submit as XFDF 494  
    *See also* form  
action  
    GoTo page 412  
    GoToR 412  
    launch application 412  
    trigger from event 418  
ActiveX 583  
addCell 164, 167  
adding cells to a table. *See* add-  
    Cell  
adding content 42  
adding headers/footers to a  
    PDF. *See* header, footer  
additional action  
    form field 496  
Adobe Acrobat 75, 77–78, 500  
Adobe Acrobat Elements 77  
Adobe Acrobat Professional 78,  
    84  
Adobe Acrobat Standard 77  
Adobe Creative Suite 75  
Adobe Distiller 78  
Adobe Font Metrics file 234  
Adobe Illustrator 75, 81  
Adobe imaging model 76  
Adobe LiveCycle Designer 78,  
    84, 500  
Adobe Reader  
    bookmarks panel 100

    browser plug-in 536  
    center 400  
    comments panel 466  
    document properties 33, 40,  
        50  
    empty window. *See* blank page  
        problem  
    error message 88  
    event 419  
    fit window 400  
    open parameters 619  
    pages panel 401  
    panel 398  
    preferences 396  
    print a PDF 582  
    read out loud 637  
    save form data 488  
    signatures panel 518, 528  
    toolbar 620  
    trusted certificates 529  
Adobe Standard encoding 232  
Adobe Systems  
    Incorporated 75–79  
affine transformation 315  
AFM file. *See* Adobe Font Met-  
    rics file  
AI. *See* Adobe Illustrator. *See*  
    Application Identifier  
AIIM. *See* Association for Infor-  
    mation and Image Manage-  
    ment  
alias  
    font 273  
    keystore 522–523  
alignment  
    ColumnText 205

*The names of all the code examples in the book have been set in **bold font** for easier identification.*

- alignment (*continued*)
    - paragraph 104
    - PdfPCell 168
    - PdfPCell vertical alignment 170
    - PdfPTable 165
  - alphabet 19
  - Anchor 106, 123, 469, 595
    - definition 100
  - animated GIF 139–140
  - AnnotatedChunks 474**
  - AnnotatedImages 475**
  - annotation 465–475
    - appearance stream 478
    - file attachment 471
    - free text 473
    - highlighting mode 469
    - line, square and circle annotation 473
    - link annotation 468
    - movie annotation 469
    - properties 507
    - text annotation 59, 385, 466
    - widget annotation 475–488
  - annotation dictionary 466, 470
  - Annotations 469–473**
  - ANT 11
    - targets 11–12
  - Apache Batik 22, 138, 371, 388
  - appearance streams
    - annotation 478
  - application identifier 606
    - overview 607–608
  - application/pdf 536
    - application/
      - vnd.adobe.xfdf 536
      - application/vnd.fdf 536
  - Arabic 20, 262, 264, 269
  - ArabicLigaturizer 270
  - arc 293
  - archiving. *See* PDF/A
  - Arial 225
  - art box 427, 429
  - ascender 171
  - Asian 20
    - See also* Chinese Japanese Korean
  - AsianFontMapper 364
  - Association for Information and Image Management 82
  - Association for Suppliers of Printing, Publishing and Converting Technologies 82
  - asymmetric key system 521
  - attachments panel 398
  - author signature. *See* certifying signature
  - automatic font selection 276–279
  - AWT. *See* Abstract Windowing Toolkit
  - axial shading 333
- B**
- 
- backdrop 336, 338
  - background color
    - form field 508
    - page 34
    - PdfPCell 174, 298
  - BACKGROUNDCANVAS 298
  - BadElementException 625
  - BadPdfFormatException 625
  - bar chart 371
  - barcode 146, 597, 603–617
    - 3 of 9 597, 612
    - Bookland 605
    - Codabar 613
    - code 128 606
    - European Article Number 603
    - ink spreading 614
    - interleaved 2 of 5 610
    - PDF417 615
    - PLANET 611
    - POSTNET 611
    - property overview 614
    - United States Postal Service 611
    - Universal Product Code 603
  - Barcodes 146, 604–613, 616**
  - base font 225, 231–248
    - automatic selection 271
    - the BaseFont object 251, 266, 599
  - Base14 font. *See* standard Type 1 font
  - BASECANVAS 298
  - BaseFont class diagram 599
  - basic building block 42, 100–111
    - class diagram 595
    - color 334
  - basic multilingual plane 242, 249
  - basic PDF objects 569
  - batch generation of letters 445–451
  - batch process 4
  - batch processing forms 511
  - Batik. *See* Apache Batik
  - beginLayer 377, 385, 389, 392
  - beginText 344, 353, 358
  - bevel join 308
  - Bézier curve 290–291
    - control point 291
  - bidirectional writing. *See* right-to-left writing system
  - Bill of Materials 8
  - Binary Large Object 143
  - binary treatment of PDF files 38
  - bitmap. *See* Windows bitmap
  - blank page problem 537–542
  - bleed box 427, 429
  - blend mode 337–338
  - blind exchange. *See* PDF/X
  - blinds page transition 406
  - BLOB. *See* Binary Large Object
  - BM. *See* blend mode
  - BMP. *See* basic multilingual plane
  - BMP. *See* Windows Bitmap
  - Bookland 605
  - bookmark 49, 53, 407–415, 550
    - automatic creation 442
    - retrieving bookmarks 572
    - See also* table of contents
  - bookmark panel 398
  - border form field 508
  - bounding box 438
  - box
    - page transition 406
    - See also* page boundaries
  - browser timeout problem 545
  - browser-related issues 24, 37, 534–549
  - BT. *See* beginText
  - bug fixes 9
  - builder pattern 46

build.xml 11  
 bulleted list. *See* unordered list  
 burst PDF files. *See* PDF, burst  
 butt cap 307  
 button field 476  
 Buttons 477–481  
**Buttons/Buttons2 477–482**  
 ByteArrayOutputStream 36,  
 540, 545

## C

C++ 10  
 CA. *See* Certificate Authority  
 cacerts 530  
 Cache-Control 540  
**Calculator 497**  
 Camelot Paper 75  
 Cascading Style Sheets 5, 53,  
 457  
 catalog dictionary 566, 571  
 catalog, personalized 56  
 CCITT encoded images 145,  
 616  
 CCITT. *See* Comité Consultatif  
 International Télépho-  
 nique et Télégraphique  
 cell 598  
   borders 174  
   colspan 168  
   events 296–302  
   rotation 176  
   *See also* PdfPCell  
 cell event, position a form  
   field 555  
 Certificate Authority 520, 522,  
 524, 529  
 certificate chain 523  
 Certificate Revocation List 525  
 Certificate Signing Request 522  
 certificate, generate or  
   obtain 521–523  
 certifying signature 527  
 CFF. *See* Compact Font Format  
**ChangeURL 587**  
 Chapter 109, 111, 595  
   definition 100  
   page event 433  
**ChapterEvents 444–445**  
 character advance 266  
 character code 232

character identifier 249  
 character name 232, 240  
 character set 20, 225  
 character spacing 348  
   *See also* CharSpace ratio  
 character vs. glyph 225  
 characters 224  
 CharSpace ratio 348  
   Chunk 121  
   ColumnText 205  
   PdfPCell 168  
 chart 371  
 check box 476, 479–480, 502,  
 516  
 checked exception 627  
 Chinese Japanese Korean 85,  
 248, 250–252, 277, 364,  
 599  
**ChineseKoreanJapaneseFonts  
 251**  
 choice field 486–488  
   add options 506  
   retrieve options 504  
   set value 506  
**ChoiceFields 486–487**  
 Chunk 101, 111–129, 595  
   annotation 474  
   color 117  
   definition 100  
   generic functionality 125–  
   129  
   page event 433  
   rendering mode 117  
   scaling 111  
   setAction 382  
   setUnderline 112  
   wrapping an image 149  
 CID 226, 260  
   *See also* character identifier  
 CIDFont 226, 249  
   embedding 252  
**CIDTrueTypeOutlines 254**  
 circle 293, 305  
 circle annotation 473  
 CJK. *See* Chinese Japanese  
 Korean  
 class diagram 592–601  
 ClassCastException 625  
 ClassNotFoundExpection 628  
 CLASSPATH 10, 12  
 clickable link *See* Anchor

clickable map 492  
**ClimbTheTree 571–573, 575**  
 clipping path 340–344  
**ClippingPath 342**  
 closed source software 9  
 closePath 285  
 closePathEoFillStroke 287  
 closePathFillStroke 287  
 closePathStroke 286  
 CMap 249–252  
   custom 252  
   predefined 250  
 cmap 232, 240–241  
 CMYK. *See* colorspace  
 CMYKColor 328, 631  
 Codabar 597, 613  
 code 128 597, 606  
 code 39. *See* barcode 3 of 9  
 code page 240, 246  
 code point 249–250  
 ColdFusion 7, 10  
 Color 34, 327  
 color 326–341  
   class diagram 600  
   form field 508  
   PdfOutline 411  
 colored tiling pattern 329  
**ColoredParagraphs 335**  
 colorspace 34, 326–334  
   Cyan-Magenta-Yellow-  
   Black 35, 327, 600, 631  
   gray 326  
   Red-Green-Blue 34, 327, 361,  
   632  
   separation 328  
 colspan 302  
 PdfPCell 168  
 column  
   irregular columns 203  
   multiple columns on one  
   page 201  
   table columns 165  
 column layout 397  
**ColumnControl 200**  
**ColumnElements 207**  
**ColumnProperties 205**  
**ColumnsIrregular 203**  
**ColumnsRegular 202**  
 ColumnText 194, 197–211,  
 261, 270  
   addElement 206, 209

- ColumnText (*continued*)
    - adding different columns 198
    - addText 197
    - irregular 203
    - PdfWriter caveat 198
    - setColumns 203
    - setSimpleColumn 198
    - setText 199, 201
  - ColumnWithAddElement 210**
  - ColumnWithAddText 197**
  - ColumnWithSetSimpleColumn 199**
  - ColumnWithSetText 199**
  - comb field 485, 498
  - combine forms. *See* form
  - combo box 486, 502, 556
    - retrieve options 504
  - Comité Consultatif International Téléphonique et Télégraphique 145
  - command-line tool 10, 12
  - comments panel 466
  - Compact Font Format 225, 243, 599, 639
  - CompactFontFormatExample 244**
  - composite font. *See* Type 0 font
  - composite fonts 248–255
  - composite mode
    - ColumnText 209–211
    - comparison with text mode 205
    - MultiColumnText 213, 216
    - PdfPCell 168
  - compression 85, 88–90
    - default 89
  - concatenate forms. *See* form
  - concatenating PDF files 64
    - See also* PDF, concatenate
  - ConstructingPaths1-4 288–290, 292–294**
  - content stream 43
  - content type 536
  - Content-Disposition 537
  - continuous page layout. *See* column layout
  - convert
    - HTML to PDF 130, 457–461
    - TIFF to PDF 139
    - txt to PDF 105
  - coordinate system 313–316
    - java.awt.Graphics2D 361
    - See also* PDF coordinate system
  - copy selected pages 65
  - Courier 227
  - CourseCatalogueBookmarked 423**
  - CourseCatalogueEvents 462**
  - createGraphics 45, 365
  - creation date 40
  - Creative Suite. *See* Adobe Creative Suite
  - Crionics 583, 640
  - CRL. *See* Certificate Revocation List
  - crop box 427, 429
  - cross-reference table 48, 564, 568, 570
  - entry 568
  - cryptography 520
  - CSR. *See* Certificate Signing Request
  - CSS. *See* Cascading Style Sheets
  - CTM. *See* Current Transformation Matrix
  - Current Transformation Matrix 313–315
  - curveFromTo 285
  - curveTo 285, 289, 292
  - customized PDF 4
- 
- D**
- damaged PDF 88
    - reading 52
  - dash array 309
  - database publishing 4, 189
  - de Casteljans algorithm. *See* Bézier curve
  - decompress 407–408, 416–418
    - PDF content 579
    - PDF file 90
  - decrypting a PDF 95
  - DefaultFontMapper. *See* FontMapper
  - DER. *See* Distinguished Encoding Rules
  - descender 171
  - destination 106, 123
    - explicit 407–408
    - external 123, 417
    - internal 124, 415
    - named 416
  - Device Colorspace 328
  - DeviceCMYK 327
  - DeviceColor 326–327**
  - DeviceGray 326
  - DeviceRGB 327
  - diacritics 258, 265, 366
  - Diacritics1-2 264–266**
  - DickensHyphenated 121**
  - Digital Rights Management 94
  - digital signature 4, 27, 75, 83, 85, 518–529
    - appearance 525
    - creation 524
    - ordinary vs. certifying signature 527
    - smartcard 622
  - direct content 43, 57, 294–321
  - direct content layers 295
  - DirectContent 296**
  - dissolve page transition 406
  - Distinguished Encoding Rules 522
  - DocListener 36, 593
  - document
    - archiving 74
    - closing 46–48
    - electronic 74
    - exchanging 74
    - large 47
    - metadata 40
    - properties 50
    - the Document object 32, 35, 101, 593
    - title display 400
  - Document Object Model 47
  - DocumentException 625
  - DocumentLevelJavaScript 420**
  - DocWriter 35, 593
  - DOM. *See* Document Object Model
  - drawString 358
  - DRM. *See* Digital Rights Management
  - Dublin Core schema 633
  - duration
    - page transition 406, 440

**E**

EAN. *See* European Article Number  
 EAN supplemental 605  
 eBook 396  
 Eclipse/BIRT 7, 564, 640  
 e-commerce 7  
 edit text 578–581  
 e-government 7  
 eID. *See* electronic identity card  
 electronic document 74  
 electronic identity card 7, 622  
 Element 101  
 Element interface 595  
 ellipse 293  
 embed a PDF in a web page 544  
 embed fonts 231  
**EmptyPages 427**  
 Encapsulated PostScript 136, 138  
 encoding 19, 232, 240, 244, 246, 249  
 encoding vector 231  
 encrypt 68  
   PDF document 91  
 encrypt PDF files. *See* PDF, encrypt  
 encryption 90–95, 566  
   strength 92  
 End of File. *See* %%EOF  
 end of line 118  
 endLayer 377, 385, 389, 392  
 endstream 43, 574  
 endText 344, 353, 358  
 eoFill 287  
 eoFillStroke 287  
 ET. *See* endText  
 European Article Number 597, 603  
 European Credit Transfer System 553  
 even-odd rule 289, 291, 344  
**EventTriggeredActions 419**  
 ExceptionConverter 628  
 exceptions 625–629  
 exchanging document 74  
 executable jar 11

explicit destination 407, 416, 468

**ExplicitDestinations 409**

ExtendedColor 35, 326, 334  
 eXtensible Markup Language 29, 130, 189, 445–456  
 eXtensible Metadata Platform 82–83, 632  
   add to existing file 634  
 external link 106, 123, 417  
   *See also* Anchor  
 external object. *See* XObject  
 external URL 417  
 extract text 574–578  
**EyeCoordinates 313, 315**  
**EyeImages 318**  
**EyeInlineImage 318**  
**EyeLogo 312**  
**EyeTemplate 320**

**F**

facing page layout. *See* two page layout  
 fax standards 145  
 FdfReader 493, 516  
 FdfWriter 514  
 field dictionary 475, 477  
   *See also* form field  
**FieldActions 498**  
 file  
   attachment 85, 471  
   extract 589  
   identifier 566  
   selection field 558  
   structure 564  
 FileOutputStream 36  
**FileSizeComparison 247**  
 fill 286  
**FillAcroForm1-3 505– 517**  
 filling  
   a form 502–518  
   a path 287  
   forms. *See* form  
   paths 289  
 fillStroke 287  
 FireFox 536, 539, 544  
 first page action 416  
 fit window 400, 407

fixed width font. *See* monospace font

flags, form fields and annotations 507  
 flate compression. *See* compression  
 flatten a form 56, 69, 506, 510–514  
   optimizations 511  
 flatten. *See* form  
 font  
   alias 273  
   automatic selection. *See* automatic font selection  
   BaseFont object 231–248  
   bold 229  
   CID. *See* CIDFont  
   class diagram 599  
   cmap. *See* cmap  
   code page 240  
   color 229  
   Courier 227  
   default font 229  
   definition 224  
   display 235, 247  
   downloading font packs 251  
   embedding 231, 239, 632  
   embedding a subset 247  
   family 225  
   file size 247  
   form field 508  
   Helvetica 227  
   IOException 626  
   font not found 234  
   italic 229  
   java.awt.Font 362–368  
   java.awt.Graphics2D 362  
   kerning 350  
   language identifier 242  
   licensing restrictions 231  
   metrics 266  
   monospace 267  
   name 274  
   path to a font 11  
   platform ID 241  
   program 230  
   proportional width 267  
   register a directory 274  
   register a font 271  
   sans-serif 235  
   serif 235

- font (*continued*)
    - simple font 226
    - simulating bold font 117
    - simulating italic font 116
    - single byte. *See* simple font size 229
    - style 229
    - subset 231
    - substitution 231, 233, 236
    - Symbol 227, 277
    - the Font object 227–230, 271, 599
    - Times-Roman 227
    - TrueType 226
    - Type 0-3 225
    - underline. *See* underline
    - ZapfDingbats 227
  - Font Metrics File 639
  - FontFactory 271–276, 599
  - FontFactoryExample1-2 272, 274–276**
  - FontMapper 362, 364–365
  - FontMetrics 230, 363**
  - FontSelectionExample 278**
  - FontSelector 277, 280
  - Foobar examples
    - charts 371–373
    - city map 21–23, 321–324, 353–355, 385–392
    - fancy flyer 16, 129–133, 158–160
    - headers and footers 461–462
    - learning agreement 27, 553–561, 587–590
    - personalized course
      - catalog 24, 550–553
    - say peace 19, 262–264, 279–282
    - study guide 17, 189–192, 216–219
    - watermarks 461–463
  - FoobarCharts 372–373**
  - FoobarCity 323**
  - FoobarCityBatik 386–391, 396**
  - FoobarCityStreets 354**
  - FoobarCourseCatalog 218**
  - FoobarCourses 551**
  - FoobarFlyer 131–132, 158–160**
  - FoobarLearningAgreement 554–555, 557–558**
  - FoobarStudyProgram 190**
  - FoobarSvgHandler 323**
  - footer 432–433, 461
    - adding headers/footers to a PDF file 24
  - form 55, 85
    - combine forms 70
    - concatenate forms 70
    - create a form 27
    - filling 27, 502–518
    - flattening 27, 56, 69, 506, 510–514
    - partial flattening 71, 506
    - submitting online 27
    - types 83–84
  - form field 475–488
    - additional action 496–498
    - button 476–482, 504
    - cache 512
    - choice 486–488, 504
    - extra margin 512
    - file selection 558
    - fill 505
    - fit text inside rectangle 513
    - naming conventions 488
    - not exported 491
    - option 485
    - overview PDF vs. HTML 498
    - placeholder 510
    - positioning event 554
    - properties 507
    - read-only 72, 491, 507
    - remove from form 509
    - rename field 71, 506
    - required 490
    - retrieve coordinates 509
    - retrieve from form 503–505, 508–509
    - retrieve page number 509
    - signature 518–520
    - text field 482–485, 504
    - validation 498
  - form XObject. *See* PdfTemplate
  - Forms Data Format 83, 491, 493, 514–518, 559
    - creating an FDF file 514
    - extract a file attachment 588
    - merge with AcroForm 515
    - merge XFDF with AcroForm 517
    - processing an FDF file 559
    - read an XFDF file 517
    - submit as FDF 492, 587
    - submit as XFDF 494
  - FoxDogAnchor1/  
FoxDogAnchor2 106**
  - FoxDogAnimatedGif 140**
  - FoxDogChapter1/  
FoxDogChapter2 110**
  - FoxDogChunk1/  
FoxDogChunk2 101–102**
  - FoxDogColor 117**
  - FoxDogGeneric1-4 125–129**
  - FoxDogGoto1-4 123–124**
  - FoxDogImageAlignment 147**
  - FoxDogImageChunk 149**
  - FoxDogImageMask 158**
  - FoxDogImageRectangle 150**
  - FoxDogImageRotation 156**
  - FoxDogImageScaling1-2 152–154**
  - FoxDogImageSequence 150**
  - FoxDogImageTranslation 151**
  - FoxDogImageTypes 137**
  - FoxDogImageWrapping 148**
  - FoxDogList1/  
FoxDogList2 108–109**
  - FoxDogMultipageTiff 139**
  - FoxDogParagraph 104–105**
  - FoxDogPhrase 103**
  - FoxDogRawImage 143–144**
  - FoxDogRender 117**
  - FoxDogScale 111**
  - FoxDogSkew 116**
  - FoxDogSpaceCharRatio 122**
  - FoxDogSplit 120**
  - FoxDogSupSubscript 115**
  - FoxDogUnderline 113**
  - Foxit 77
  - free text annotation 473
  - full compression 89
  - full-screen mode 398
    - exiting 399
- ## G
- 
- garbage collection 47
  - Geographical Information Systems 14
  - getInfo 54
  - getPageSize 51
  - getPageSizeWithRotation 51

GhostScript 583  
 Ghostview 77  
 GIF. *See* Graphic Interchange Format  
 GIS. *See* Geographical Information Systems  
 glitter page transition 406  
 Global Trade Item  
   Number 603–611  
 glyph 225, 229, 231, 253, 344  
   automatic selection 277  
   composite fonts 248  
   define your own glyph 238  
   shapes 365  
   space 33, 229, 346  
 GNU Lesser General Public License 9  
 Google 8  
 GoTo action 124, 412  
**GotoActions 416, 418**  
 GoToR action 123, 412  
 grapheme 225, 244, 249  
 Graphic Interchange Format 138  
 Graphical User Interface 361  
 graphics state 21, 44, 284–316, 326–344  
   path painting operators and operands 21  
 graphics state stack 303–305  
 Graphics2D. *See* java.awt.Graphics2D  
**GraphicsStateStack 305**  
 GrayColor 287, 327, 600  
 GTIN. *See* Global Trade Item Number  
 GUI application. *See* java.awt.Graphics2D  
 GUI. *See* Graphical User Interface  
 GVTBuilder 388

**H**

---

hard mask 343  
   *See* image mask  
 HEAD section (HTML) 40  
 header 432, 461  
   adding headers/footers to a PDF file 24  
   preprinted 448

header cells table 179  
**HeaderFooterExample 434–435**  
 Hebrew 20, 260–261  
**HelloWorld 11, 32, 100, 566**  
**HelloWorldAbsolute 43**  
**HelloWorldAddMetadata 54–55, 634**  
**HelloWorldBlue 34**  
**HelloWorldBookmarks 53**  
**HelloWorldBurst 14**  
**HelloWorldCompression 90**  
**HelloWorldCopy 64**  
**HelloWorldCopyBookmarks 414**  
**HelloWorldCopyFields 67**  
**HelloWorldCopyForm 66**  
**HelloWorldCopyStamp 70**  
**HelloWorldEncryptDecrypt 91, 94–95**  
**HelloWorldEncrypted 94**  
**HelloWorldForm 56**  
**HelloWorldFullyCompressed 89–90**  
**HelloWorldGraphics2D 45**  
**HelloWorldImportedPages 61, 147**  
**HelloWorldLandscape/HelloWorldLandscape2 34**  
**HelloWorldLetter 33**  
**HelloWorldManipulateBookmarks 413**  
**HelloWorldMargins 35**  
**HelloWorldMaximum 86**  
**HelloWorldMetadata 40**  
**HelloWorldMirroredMargins 35**  
**HelloWorldMultiple 36**  
**HelloWorldNarrow 32**  
**HelloWorldOpen 37**  
**HelloWorldPartialReader 52**  
**HelloWorldPdfX 631**  
**HelloWorldReader 50–52**  
**HelloWorldReadMetadata 54, 634**  
**HelloWorldReverse 577**  
**HelloWorldSelectPages 65–66**  
**HelloWorldServlet 534, 536**  
**HelloWorldStampCopy 69**

**HelloWorldStampCopyStamp 71**  
**HelloWorldStamper/HelloWorldStamper2 57–58**  
**HelloWorldStamperAdvanced 59**  
**HelloWorldStamperImportedPages 60**  
**HelloWorldStream 576, 578**  
**HelloWorldStreamHack 579**  
**HelloWorldSystemOut 37**  
**HelloWorldUncompressed 89**  
**HelloWorldVersion\_1\_6 39**  
**HelloWorldWriter 63**  
**HelloWorldXmpMetadata/HelloWorldXmpMetadata2 633**  
 Helvetica 224, 227  
 high-level object. *See* building block  
 highlighting mode 469  
 Hindi 367  
**HindiExample 367**  
 history  
   iText 5–7  
   PDF 75–76  
**HitchcockAwt 142**  
**HitchcockAwtImage 140**  
 horizontal identity  
   mapping 252–253  
 horizontal writing mode 250  
   *See also* horizontal identity mapping  
 HTML. *See* HyperText Markup Language  
 HtmlDoc 456  
**HtmlParseExample 458**  
 HtmlParser 456  
 HtmlWorker 458–461  
 HtmlWriter 35, 163, 593  
 HttpServletResponse 534  
 HyperText Markup Language 35, 80, 129–133, 186, 456–461, 536, 545, 580, 593  
   image tag 158  
   link 106  
   query string 83  
 hyphen 119  
 Hyphenation 120

**I**

- 
- I18N. *See* internationalization
  - ICEbrowser 371, 456, 564
  - ICEPDF 583
  - ICESoft 371, 640
  - IDENTITY\_H. *See* horizontal identity mapping
  - IDENTITY\_V. *See* vertical identity mapping
  - ideograph 20, 225
  - illegal operation inside/outside text object 353
  - IllegalArgumentException 625
  - Illustrator. *See* Adobe Illustrator
  - Image
    - class diagram 596
    - java.awt.Image 140–143
    - properties 147–158
  - image
    - absolute position 151
    - alignment 147, 159
    - alternative text 159
    - annotation 474
    - barcode 603
    - border 149, 159
    - clipping 341
    - hard mask 342
    - inline 318
    - inside table 177
    - optional content group 384
    - resolution 153
    - reuse 150
    - rotation 155
    - scale to fit 154, 178, 511
    - scaling an image 152
    - sequence 150
    - soft mask 340
    - the Image object 136–160
    - thumbnail 404
    - width and height 152, 156, 160
    - wrapping 147
  - image mask 156, 158, 341
  - imageXObject 317
  - importing a page 60
  - indentation
    - first line of a paragraph 170
    - paragraph 105
    - PdfPCell 170
  - index
    - making an index 127
  - IndexEvents 128
  - indirect reference 569
  - info dictionary 39, 48, 54–55
  - information dictionary 566
  - ink spreading 614
  - installation, setting up the environment 10
  - intellectual property
    - iText 41
    - PDF. *See* PDF Specification
  - interactive form 465, 475–500
  - Interchange PostScript 76
  - interleaved 2 of 5 barcode 597, 610
  - internal link 106, 124, 415
    - See also* Anchor
  - International Standard Book Number 606
  - International Standards Organization 34, 79, 81–83
  - International Telecommunication Union 145
  - internationalization 19, 261
  - invalid signature 527
  - invisible signature 527
  - invisible, making content invisible 374
  - InvisibleRectangles 285**
  - invoice 7
  - IOException 626
  - IPS. *See* Interchange PostScript
  - irregular column 203, 213
  - ISBN. *See* International Standard Book Number
  - ISO. *See* International Standards Organization
  - ISO standard 631
    - ISO 15930 81, 631
    - ISO 19005 82
    - ISO/IEC 10646 249
    - ISO-8859-1. *See* Latin-1
  - isolation. *See* transparency group
  - iText
    - basic building blocks 23
    - creating a PDF file in five steps 31, 48
    - history 7
    - version 41
  - iText toolbox 11–14
    - Bookmarks2XML 413
    - Burst 14
    - Concat 415
    - Decrypt 95
    - Encrypt 93
    - ExtractAttachment 472
    - ExtractAttachments 589
    - HtmlBookmarks 53
    - KnitTiff 139
    - NUp 63
    - PhotoAlbum 404
    - RemoveLaunchApplications 585
    - SelectedPages 65
    - Tiff2Pdf 139
    - TreeViewPDF 585
    - Txt2Pdf 105
    - XML2Bookmarks 413
  - itext-hyph-xml.jar 120
  - iText.NET 9, 640
  - iTextSharp 9, 640
  - ITU. *See* International Telecommunication Union
- 
- ## J
- 
- J2EE 9
  - JAN. *See* Japanese Article Number
  - Japanese 258
    - See* Chinese Japanese Korean
  - Japanese Article Number 603
  - JapaneseExample1-2 364, 366**
  - JasperReports 7, 371, 564, 640
  - JasperSoft 371
  - Java Network Launching Protocol. *See* Java Web Start
  - Java Server Pages 540, 542–544, 559
  - Java Web Start 13
  - java.awt.Graphics2D 22, 44, 152, 357–373, 457
    - colorspace 361
    - java.awt.Font 362–367
  - java.awt.Image 368
  - JavaScript 420, 479, 497, 584, 639
    - manipulate a form field 557
  - JFrame 368

JFreeChart 371, 640  
 JNLP. *See* Java Web Start  
 Joint Photographic Experts Group 136, 142, 596  
 jPDF 583  
 JPedal 583, 640  
 JPEG. *See* Joint Photographic Experts Group  
 JSP. *See* Java Server Pages  
 JTable 368  
 JTextPane 370  
**JTextPaneToPdf 370**  
 JWS. *See* Java Web Start

## K

kerneling 346, 350  
 key pair. *See* public/private key  
 keystore 523, 529–530  
 keytool 521  
 keywords, metadata 40  
 knockout. *See* transparency group  
 Korean. *See* Chinese Japanese Korean

## L

landscape. *See* page orientation  
 language 19  
 large documents 47  
 last page action 416  
 Latin-1 232, 249  
 launch action 412, 420  
   remove from PDF 585  
**LaunchAction 421**  
**LayerMembershipExample 381**  
 layers panel 374, 390  
 leading 103, 345, 348  
   PdfPCell 171  
 Lesser General Public License.  
   *See* Lesser GNU Public License  
 Lesser GNU Public License 640  
 letter, batch processing 445  
 LGPL. *See* Lesser GNU Public License  
 Library General Public License.  
   *See* Lesser GNU Public License

ligatures 258, 268, 282, 366  
   Arabic 269  
**Ligatures1-2 268–270**  
 line annotation 473  
 line characteristics 305–311  
   flatness 306  
   line cap style 115, 307  
   line dash pattern 309  
   line join style 307  
   line width 305  
   miter limit 308  
   overview 310  
   thickness 114–115  
 Line Printer Remote protocol 582  
 linearized PDF 81  
 LINECANVAS 298  
**LineCharacteristics 306–310**  
 lineTo 285, 288, 321  
 link annotation 468  
 link. *See* Anchor  
 List 107, 595  
   definition 100  
   Greek letters 109  
   Roman numbers 109  
   ZapfDingbats numbers 109  
 list symbol 108  
 ListItem 107, 595  
   definition 100  
 LiveCycle Designer. *See* Adobe LiveCycle Designer  
 local Goto 124  
 logical writing order 263  
 long-term preservation. *See* PDF/A  
 low-level PDF generation 43, 249–355  
 LPR. *See* Line Printer Remote protocol

## M

Mac Roman encoding 232  
 machine-readable image 146  
 manipulating existing PDF files 48–67  
 manipulation classes 68, 594  
 margin 37  
   Paragraph margin 104  
 margin mirroring 35  
   *See* page margin

MarkedContent 636  
 matrix code 615  
 measurement 33, 86, 111  
   character width 266  
   dimensions of an image 152, 156  
   effective String width 350  
   font 229  
 media box 427, 429  
 memory use 47, 67, 111, 628  
   columns 219  
   large tables 180  
   PdfReader 52  
 menu bar, hide 400  
 merge database data with PDF 54  
 META tag 40  
 metadata 32, 39–41, 50, 83, 571  
   changing 55  
   producer information. *See* producer information reading 54  
 MethodNotFound 628  
 metric system 33  
 Microsoft Internet Explorer 536, 539, 544, 583  
 Microsoft Windows Certificate 522  
 Microsoft Word 77, 80, 82  
 miter  
   join 308  
   limit 308  
 Model-View-Controller pattern 32  
**Monospace 267**  
 monospace font 267  
 moveText 345  
 moveTextWithLeading 345  
 moveTo 285, 288, 321  
 movie annotation 469  
 Moving Picture Experts Group 469  
 Mozilla 539, 544  
 Mozilla Public License 9, 640  
 MPEG. *See* Moving Picture Experts Group  
 MPL. *See* Mozilla Public License  
 MSIE. *See* Microsoft Internet Explorer  
**MultiColumnIrregular 214**

**MultiColumnPoem** 211  
**MultiColumnPoemCustom** 213  
**MultiColumnPoemReverse** 213  
 MultiColumnText 194, 211–216, 261, 270  
   reverse order of columns 213  
 multimedia content 470  
 multipart/form-data 559  
**MyFirstPdfPTable** 164  
**MyFirstTable** 186  
**MyJTable** 369

## N

---

named action 416  
 named destination 416–417, 433, 468, 619  
**NamedActions** 416  
 nested OCG layers 375  
 nested tables 176  
 .NET 9  
 Netscape 539, 544  
 newline character 104  
 newlineShowText 345  
 newlineText 345  
 newPage 426  
 newPath 287  
 next page action 416  
 NO\_SPACE\_CHAR\_RATIO 122  
 NoClassDefFoundError 628  
 nonzero winding number rule 289–290, 344  
 NPES. *See* Association for Suppliers of Printing, Publishing and Converting Technologies  
 NullPointerException 627  
 number depth 110  
 numbered list. *See* ordered list  
 numeric object 569  
 N-up example 63

## O

---

object number 569  
 object tree 584  
 OCG. *See* Optional Content Group

OCR. *See* Optical Character Recognition  
 onChapter 433  
 onChapterEnd 433  
 onCloseDocument 432, 436–437  
 onEndPage 432, 434–435, 437–438  
 onGenericTag 426, 433  
 onGenericTag event 125  
 onOpenDocument 432, 438  
 onParagraph 432  
 onParagraphEnd 432  
 onSection 433  
 onSectionEnd 433  
 onStartDocument 435–436  
 onStartPage 432, 438  
 opacity 336  
 Opaque Imaging Model 340  
 open action 418  
 open parameters 619  
 open password. *See* user password  
 open source software 9  
 opening the Document object 37, 41  
 OpenType font 11, 242–248, 279, 639  
   with PostScript outlines 243  
   with TrueType outlines 245  
 Optical Character Recognition 78, 366, 578  
 optional content group 22, 85, 87, 374–385  
   usage dictionary 378  
 optional content group panel 398  
 optional content membership 380  
**OptionalContentAction-Example** 383  
**OptionalContentExample** 376–378  
**OptionalXObjectExample** 384  
 ordered list 107  
 ordinary signature 527  
   *See also* digital signature  
 orm  
   partial flattening 71, 506  
 orphan 194, 200  
 OTF. *See* OpenType Font

outline dictionary 572  
 outline panel 398  
   *See also* bookmark panel  
 outline tree 100, 109, 572, 585  
   constructing 409  
   *See also* bookmark  
**OutlineActions** 410–411, 420  
 OutOfMemoryError 47, 181, 628  
 OutputStream 35, 37, 626, 628  
**OutSimplePdf** 540  
 overprinting 339  
 owner password 91, 95

## P

---

padding  
   PdfPCell 171  
 page  
   add an empty page 426  
   boundaries 427–430  
   color 34  
   content stream 574, 579, 636  
   dictionary 431, 573, 585  
   event 24, 125, 432–445  
   overview 432  
   header/footer 433  
   index 403  
   initializations 37  
   label 402–404  
   layout  
     predominant order 400  
     viewer preferences 397  
   margin 35  
   mode 619  
   viewer preferences 398  
 new page 426  
 number 57  
   form field 508  
   get the current page number 434  
   open parameter 619  
   page label 402  
   page X of Y 435  
   roman numbers 403  
   total number of pages 436  
 orientation 34, 51  
   setRotateContents 57  
 panel 401  
 reordering 431  
 scaling 85

- page (*continued*)
  - size 33–34, 37, 51
    - minimum, maximum 33, 86
    - retrieving the size of a page 51
  - transition 405–406, 440
  - tree 431, 573, 585
  - width and height 33
- Page Definition Language 75
- page X of Y 435, 438
- PageBoundaries 427, 429**
- PageLabels 403**
- PageSize 34, 427
- PageXofY 437**
- painting pattern 329, 334
- Pantone 328
- paper size 33
- paperless office 74
- Paragraph 104, 595
  - alignment 104
  - color 334
  - definition 100
  - indentation 105
  - keep together 195, 199
  - page event 432
  - spacing 105
- ParagraphOutlines 442**
- ParagraphPositions 196**
- ParagraphText 194**
- ParsingHtml 459**
- ParsingHtmlSnippets 460**
- partial form flattening 71, 506
- password field 485
- password protected PDF 85
- path construction
  - operators 284–286
- path, filling or stroking 287
- path-painting operators 286
- pattern cell 329
- PatternColor 331, 600
- Patterns 330–331**
- PCL. *See* Printer Command Language
- PDF
  - body 564
  - burst 14
  - concatenate 12
  - coordinate system 44
  - creating in multiple passes 68–72
  - decrypting 95
  - Doc Encoding 232
  - encryption 90–94
  - engine 7
  - file reading 49–54
  - file structure 564
  - files, concatenating 64
  - files, manipulating 48–67
  - header 38, 564
  - history of PDF 74–76
  - intellectual property. *See* PDF Specification
  - on the fly 534
  - operators and operands 43
  - passwords 91
  - products 77–78
  - schema 633
  - split 12, 14
  - stream 43
  - syntax 43, 87, 100, 311, 564–574
    - class diagram 601
    - traditional 48, 80
    - trailer 48
    - types 79–85
    - version 33, 38, 50, 85–95
      - default version 39
- PDF Reference 22
- PDF Specification
  - intellectual property 78–79
- PDF/A 82, 231, 632
- PDF/E 83
- PDF/X 81, 231, 631
- PDF417 barcode 597, 615
- PdfAction 415–421
  - bookmark 407, 410
  - goto URL 417
  - named destination 417
  - OCGState 383, 415
  - remote PDF 417
- PdfAnnotation
  - form field 477
  - See also* annotation
- PdfArray 570, 601
- PdfBoolean 471, 569, 601
- PDFBox 578, 583, 640
- PdfContentByte 43, 284–321, 604
  - an alternative to 357
  - See also* direct content
- PdfCopy 64–66, 68, 553, 578, 594
  - combine bookmarks 414
- PdfCopyFields 66–68, 594
- PdfDestination 407, 424
- PdfDictionary 471, 473, 570, 574, 587
  - class diagram 601
- PdfDocument 593
- PdfEncryptor 68, 91, 594
- PdfException 625
- PdfFileSpecification 470
- PdfFormField 477
- PdfGraphics2D 358–373
  - See also* java.awt.Graphics2D
- PdfGState 336, 339
- PdfGState.setTextKnockout 347
- PdfImportedPage 579
  - See also* importing a page
- PdfIndirectObject 569, 601
- PdfIndirectReference 569, 571
- PdfLayer 374
- PdfLayerMembership 380
- PdfLister 571
- PdfName 471, 478, 569, 601
- PdfNull 570, 601
- PdfNumber 569, 601
- PdfObject 569, 601
- PdfOutline 407, 409
  - color 411
  - style 411
- pdfp 583
- PdfPageEvent 432
  - See also* page event
- PdfPageEvent interface. *See* page event
- PdfPatternPainter 329, 600
- PdfPCell 167–178, 261, 280, 598
  - alignment 168
  - background color 174
  - border 167, 174
  - border color 174
  - composite mode 168
  - events 296–303
  - keep content together 179
  - padding 171
  - rotation 176
  - rounded border 296
  - split over multiple pages 179

- PdfPCell (*continued*)
  - text mode 167
  - variable borders 175
- PdfPrinterGraphics2D. *See* PrinterGraphics
- PdfPRow 164, 598
- PdfPTable 163–186, 270, 280, 598
  - absolute width 186
  - events 296–303
  - repeating header/footer 180
  - split vertically 185
- PdfPTableAbsoluteColumns 166**
- PdfPTableAbsolutePositions 183–184**
- PdfPTableAbsoluteWidth 165**
- PdfPTableAbsoluteWidths 166**
- PdfPTableAligned 164**
- PdfPTableCellAlignment 168–170**
- PdfPTableCellEvents 297–298, 303**
- PdfPTableCellHeights 173–174**
- PdfPTableCellSpacing 171–172**
- PdfPTableColors 174–175**
- PdfPTableColumnWidths 165–166**
- PdfPTableCompare 183**
- PdfPTableEvents 299–301**
- PdfPTableFloatingBoxes 302**
- PdfPTableImages 178**
- PdfPTableMemoryFriendly 182**
- PdfPTableNested 177**
- PdfPTableRepeatHeader 180**
- PdfPTableRepeatHeaderFooter 180**
- PdfPTableSpacing 167**
- PdfPTableSplit 178**
- PdfPTableSplitVertically 185**
- PdfPTableVerticalCells 176**
- PdfPTableWithoutBorders 167**
- PdfReader 49–54, 68, 594
  - memory use 52
- PdfShading 333, 600
- PdfShadingPattern 334
- PdfSpotColor 328, 600
- PdfStamper 54–61, 68, 296, 435, 553, 594
  - add content 56
  - add header/footer 438
  - append 567–568
  - bookmarks 413
  - compress existing file 90
  - digital signature 524
  - encrypting a PDF file 91
  - fill a form 55
  - import pages 578
  - insert a new page 59
- PdfStream 570, 574, 601
- PdfString 471, 569, 601
- PdfTable 186
- PdfTemplate 319, 323, 332, 353, 577
  - bounding box 438
  - java.awt.Graphics2D 363
  - optional content group 384
  - page event 436
  - transparency 338
  - wrapped in an image 147
- pdftk 10, 640
- PdfWriter 35, 61, 68, 101, 593–594
  - image sequence 150
  - import pages 578
  - page event 434
- PdfXConformanceException 631
- PDL. *See* Page Definition Language
- Peace 281**
- PeekABoo 375**
- PEM. *See* Privacy Enhanced Mail
- performance 47
- permission. *See* access permission
- permissions password. *See* owner password
- personalized catalog 49, 59, 64
- PFB file. *See* PostScript Font Binary file
- PFM file. *See* Printer Font Metric file
- PGML. *See* Precision Graphics Markup Language
- PHP 10
- phrase 103, 595
  - definition 100, 103
- pie chart 371
- PLANET. *See* PostaL Alpha Numeric Encoding Technique
- point. *See* typographic point
- polyline 321
- Portable Network Graphics 136, 596
- portrait. *See* page orientation
- PostaL Alpha Numeric Encoding Technique 597, 611
- POSTal Numeric Encoding Technique 597, 611
- POSTNET. *See* POSTal Numeric Encoding Technique
- PostScript 75–76, 582, 639
  - convert to PDF 583
- PostScript font 226, 241
- PostScript Font Binary file 236
- PostScript Type 42 font 226
- PostScript XObject 319
- Precision Graphics Markup Language 321
- prepress 81, 427
- preprinted header 448
- Preview 77
- previous page action 416
- PRIndirectReference 571
- print dialog
  - open action 416
  - scaling 401
  - suppress dialog box 584
- print page boundaries 429
- print permission. *See* access permissions
- print scaling 401
- Printer Command Language 582
- Printer Font Metric file 237
- PrinterGraphics 358
- printing office 446
- printing PDF 581–584
- printstate 379
- Privacy Enhanced Mail 522
- private key 520–523
  - keystore 523
  - smart card 622
- PrivateKey 523
- processing FDF 559

producer information 40  
**ProgressServlet** 546–547, 549  
 projecting square cap 307  
 proof of concept 8, 29  
 proportional width font 267  
 PRStream 574  
 PRTokeniser 575–576  
 PS. *See* PostScript  
 public domain 82  
 public key 520–523  
   keystore 523  
 pushbutton 476–477, 480  
   submit form 491, 555  
 PushButtonField 480  
 Python 10

## R

radial shading 333  
 radio button 476, 478, 480,  
   502, 508  
   retrieve options 504  
   state 478  
 RadioCheckField 480  
 raw image data 143–146, 157  
 read a PDF file 68  
 reading an existing PDF  
   file 49–54  
 reading order 80  
 read-only field. *See* form field  
 read-only form field 485  
 recipient signature. *See* ordinary  
   signature  
 rectangle 293  
   Adobe Reader 408  
   cell event 298  
   ColumnText 197  
   com.lowagie.text.pdf.Pdf  
     Rectangle 570  
   com.lowagie.text.Rectangle  
     32, 149  
   fit text inside form field 514  
   open parameter 619  
   page 427  
   path construction  
     operator 285  
   VerticalText 259  
**RegisterForm1** 503–504  
 registering a font directory 274  
 regular columns 201, 211  
 remote Goto 123

remote PDF page 417  
 rename form field. *See* form  
   field  
 rendering mode 348  
   Chunk 117  
 rendering PDF 581–584  
**ReorderPages** 431  
 report  
   database publishing 189  
   generation 18  
 repurpose a PDF file 80, 635  
 resolution, image 153  
 response header 540  
 restoreState 627  
   *See also* graphics state Stack  
 restriction. *See* access permis-  
   sion  
 RGB. *See* colorspace  
 Rich Text Format 35, 80, 186,  
   536, 580, 593  
 right-to-left writing  
   system 260–262, 279, 366,  
   401  
**RightToLeftExample** 261  
**RomeoJuliet** 454–455  
 root certificate 529  
 rotation 314–315  
   image 155  
   page 34  
   PdfPCell 176  
   PdfStamper 58  
   text 351–352  
   TextField 485  
 rounded join 308  
 row height 172, 184  
 row. *See* table row  
 rowspan 187  
   PdfPCell 176  
 RTF. *See* Rich Text Format  
 RtfWriter2 35, 163, 593  
 RTL. *See* right-to-left writing  
   system  
 Ruby 10  
 RuntimeException 164, 205,  
   627, 631

## S

sans-serif 235  
 saveState 627  
   *See also* graphics state Stack

SAX. *See* Simple API for XML  
 SAXiTextHandler 450  
 SAXmyHandler 455  
**SayPeace** 263  
 Scalable Vector Graphics 21,  
   138, 152, 321–324, 353,  
   385, 388  
 scaling 314–315  
   Chunk 111  
   scaling an image 152  
 scanned images 136, 578  
 scrollable list box 486  
 Section 109, 595  
   definition 100  
   number depth 110  
 section, page event 433  
 security handler 91  
 selectPages  
   syntax page selection 65  
 self signed signature 520, 526  
**SenderReceiver** 489–491, 493–  
   494, 496  
 separation colorspace 328  
 SeparationColor 329  
 separationcolorspace 600  
 serif 235  
 servlet xx, 534–561  
 ServletOutputStream 36, 534,  
   539, 545  
 setBackground 117  
 setCharacterSpacing 347  
 setCMYKColorFill 328  
 setCMYKColorStroke 328  
 setColorFill 287, 326, 331  
 setColorStroke 287, 326, 331  
 setFill 324  
 setFontAndSize 347  
 setGrayFill 327  
 setGrayStroke 327  
 setHorizontalScaling 347  
 setLayer 384  
 setLeading 103, 347  
 setLineCap 311  
 setLineDash 311  
 setLineJoin 311  
 setLineWidth 311  
 setMiterLimit 311  
 setOCGState 383  
 setPatternFill 331  
 setRGBColorFill 327  
 setRGBColorStroke 327

- setSkew 116
  - setStroke 324
  - setTextMatrix 345
  - setTextRenderingMode 347
  - setTextRenderMode 117
  - setTextRise 115, 347
  - setWordSpacing 347
  - shading pattern 332–334
  - ShadingColor 334, 600
  - ShadingPatterns 333–334**
  - showText 345, 358
  - showTextAligned 351
  - showTextKerned 350
  - signature field. *See* digital signature
  - signature validation 526
  - signature verification 525, 529–532
  - signatures panel 518, 528
  - SignedPdf 524, 528, 530–531**
  - SignedSignatureField 519**
  - signing a PDF document 518–529
  - SilentPrinting 583**
  - Simple API for XML 47, 130, 190, 281, 445, 450–451
  - simple font 226
  - SimpleAnnotations 467–468, 470**
  - SimpleBookmark 411–415, 573
    - retrieving bookmarks 53
  - SimpleCell 598
  - SimpleLetter 447–448**
  - SimpleLetters 450**
  - SimpleTable 186, 188, 190, 598
  - single page layout 397
  - skew 314
  - SlideShow 405, 441**
  - smart card 529, 622
  - soft mask 340
    - See also* image mask
  - space between two lines. *See* leading
  - spacing between paragraphs. *See* paragraph
  - SpecificCells 187**
  - split a table 178
  - split character 119
  - split PDF files. *See* PDF, split
  - split, page transition 406
  - spotcolor. *See* separation color-space
  - square annotation 473
  - standalone applications, why? 10
  - standard structure types 635
  - standard Type 1 font 226
  - StandardType1FontFromAFM 233**
  - StandardType1Fonts 228**
  - startxref 566, 568
  - stencil 158, 330
  - stream 43, 574
  - strike through 229
    - Chunk 112
  - stroke 286
  - stroking a path 287
  - structural content 396
  - subject metadata 40
  - submit a form 488
    - as FDF 492
    - as HTML 492
    - as PDF 495
    - as XFDF 494
    - change submit URL 587
    - See also* form
  - submit button 491
  - subscript. *See* textrise
  - SunTutorialExample 359, 361**
  - SunTutorialExampleWithText 363**
  - superscript. *See* textrise
  - SVG. *See* Scalable Vector Graphics
  - SVGDocument 388
  - Swing 368–371
    - See also* java.awt.Graphics2D
  - Symbol 227, 277
  - SymbolSubstitution 277**
  - System.out 37
- ## T
- 
- table 162–192
    - absolute width 165
    - add at an absolute position 182
    - class diagram 598
    - column width 165–167
    - events 296–303
    - footer 180
  - header 179
  - horizontal alignment 165
  - multiple pages 178
  - nested tables 176
  - row 174
    - extend to the bottom of the page 174
  - height 172
  - nowrap 172
  - SimpleTable 188
  - spacing 187
    - spacing before and after 167
  - table of contents 100, 109, 424
  - automatic creation 443
  - Table, alternative for
    - PdfPTable 186–188
  - Tagged Image File Format 136, 139, 596
  - tagged PDF 80, 82, 85, 635
    - standard structure types 635
  - tagmap 448, 451–452, 456
  - tailor-made application 7
  - tashkeel 270
  - template 83
  - TemplateClip 341**
  - text
    - annotation 59, 466–468
    - block 344, 353
    - field 482–485, 556
    - icon 466
    - matrix 344
    - mode
      - ColumnText 197–199, 207–209
      - comparison with composite mode 205
      - MultiColumnText 213
      - PdfPCell 167
    - positioning operators 345
    - showing operators 345
    - space 229, 344
    - state 44, 344–353, 436
    - state operators 347
  - TextAnnotations 467**
  - TEXTCANVAS 298
  - TextElementArray
    - interface 105, 595
  - TextField 484, 486
  - TextFields 483–485**
  - TextLayout 366
  - text-line matrix 344

**TextMethods** 350–352  
**TextOperators** 346–347, 349  
 text-rendering matrix 344  
 textrise 115  
 Thai 264  
 Thawte 522  
 thickness. *See* line  
 Thread 547  
**ThumbImage** 405  
 thumbnail image 404, 422  
 thumbnail of an existing  
   page 61, 147  
 thumbnail panel 398  
   *See also* page panel  
 thumbnails 401–405  
 tiling pattern 329  
 Times-Roman 227  
 toolbar, hide 400  
 traditional PDF. *See* PDF  
 trailer 564, 566–568  
 trailer dictionary 566  
 translation 314–315  
**Transparencel-3** 336, 338, 341  
 transparency 85, 145, 335–341  
 transparency group 336  
   isolation 338  
   knockout 339, 347  
 transparent imaging  
   model 335–341  
 trim box 427, 429  
 troubleshooting servlets 537–  
   549  
 TrueType collection 11, 254  
 TrueType font 11, 226, 239–  
   243, 249, 599, 639  
**TrueTypeCollections** 254–255  
**TrueTypeFontEncoding** 246  
**TrueTypeFontExample** 240–  
   241  
 trusted certificate key 523  
 TTC. *See* TrueType Collection  
 TTF. *See* TrueType font  
 two page layout 397  
 two-dimensional barcode 615  
 Type 0 CIDFont 249  
 Type 0 font 225  
 Type 1 font 225, 233, 243, 249,  
   599, 639  
 Type 2 CIDFont 249, 252  
 Type 2 font 225  
 Type 3 font 225, 238, 599

type font 224  
**Type1FontFromAFM** 235  
**Type1FontFromPFBwithAFM**  
   237  
**Type1FontFromPFBwithPFM**  
   237  
**Type3Characters** 238  
 typeface 224  
 typographic point 33  
 typography 224, 258, 264, 270

## U

UCS-2. *See* Universal Character  
   Set  
 UJAC 449, 641  
 unattended mode 4  
 uncolored tiling pattern 329  
 underline 229  
   Chunk 112  
 Unicode 248–250, 253, 279,  
   640  
 Unicode Transformation  
   Format 250  
 United States Postal  
   Service 611  
 Universal Character Set 250  
 Universal Product Code 597,  
   603  
 unordered list 107  
**UnsignedSignatureField** 518  
 UnsupportedOperation  
   Exception 627  
 UPC. *See* Universal Product  
   Code  
 URI action 412  
 usage dictionary OCG 378  
 user password 91  
 user unit 33, 85–88  
 user-defined font 237  
 USPS. *See* United States Postal  
   Service  
 UTF. *See* Unicode Transforma-  
   tion Format

## V

validate  
   form field 498  
   signature 526  
 Vector Markup Language 321

verify digital signature 525,  
   529–532  
 VeriSign 520, 522, 529  
 version number  
   iText. *See* iText version  
   PDF. *See* PDF version  
 vertical identity mapping 252–  
   253  
 vertical text 20  
 vertical writing mode. *See* verti-  
   cal identity mapping  
 vertical writing system 250, 258  
 VerticalText 258  
**VerticalTextExample** 259–260  
 video, embed a movie 470  
 viewer options 399  
 viewer preferences 23, 396–401  
   open parameters 620  
 virtual machine error 628  
 visibility  
   Adobe Reader panels 396,  
     398  
   Adobe Reader toolbar 396  
   Adobe Reader user  
     interface 400  
   digital signature 525, 527  
   form field 484  
   hide form fields 496  
   option content membership  
     policies 382  
   optional content 374  
 VML. *See* Vector Markup Lan-  
   guage  
**VPEXamples** 400  
**VPPageLayout** 397  
**VPPageModeAndLayout** 399

## W

W3C. *See* World Wide Web Con-  
   sortium  
 watermark 56, 432, 438, 461  
**WatermarkExample** 438  
 web applications 37, 534–561  
 web.xml 537  
 Western European Latin 232  
 widget annotation 475–488  
   flags 507  
 widgets 509  
 widow 194, 200  
 width, Chunk 111

Winansi 232  
Windows bitmap 136, 596  
Windows Certificate  
  Security 520  
Windows Metafile Format 137  
wipe, page transition 406  
WMP. *See* Windows Metafile  
  Format  
Word. *See* Microsoft Word  
word spacing 348  
  *See also* CharSpace ratio  
World Wide Web  
  Consortium 321  
Write Once, Read  
  Anywhere 76  
writeSelectedRows 182, 301  
writing direction 20  
writing system 20  
WYSIWYG 42

---

**X**

---

X position, Adobe Reader  
  408  
X problems 45  
X Server problems 141, 538  
X/Y ratio  
  image 153–154  
  PDF 417, 616  
X11. *See* X problems  
XDP. *See* XML Data Package  
XFA. *See* XML Forms Architec-  
  ture  
XML xxiii  
XML Data Package 84  
XML Forms Architecture 84  
XML. *See* eXtensible Markup  
  Language  
XmlPeer 449

XMP. *See* eXtensible Metadata  
  Platform  
XmpWriter 633  
XObject 316–321  
xref 566

---

**Y**

---

Y position 194  
  ColumnText 198, 200, 209  
  MultiColumnText 212, 216,  
  219  
  paragraph 197  
  writeSelectedRows 184


---

**Z**

---

ZapfDingbats 227  
zoom factor 380, 388, 407, 619

## MORE JAVA TITLES FROM MANNING



### *Java Persistence with Hibernate: Revised Edition of Hibernate in Action*

by Christian Bauer and Gavin King


ISBN: 1-932394-88-5

Foreword by Linda DeMichiel

880 pages

\$49.99

November 2006



### *Groovy in Action*

by Dierk König with Andrew Glover,

Paul King, Guillaume Laforge,

and Jon Skeet

Foreword by James Gosling

ISBN: 1-932394-84-2


420 pages

\$44.99

December 2006

*For ordering information on these and other Manning titles,  
please visit [www.manning.com](http://www.manning.com)*

## MORE JAVA TITLES FROM MANNING



### *iBatis in Action*


by Clinton Begin, Brandon Goodin,  
and Larry Meadors

ISBN: 1-932394-82-6

350 pages

\$44.99

December 2006



### *EJB3 in Action*

by Debu Panda, Reza Rahman,  
and Derek Lane

ISBN: 1-932394-93-1


500 pages

\$44.99

February 2007

*For ordering information on these and other Manning titles,  
please visit [www.manning.com](http://www.manning.com)*

## MORE JAVA TITLES FROM MANNING



### *Ajax in Practice*


by David Crane, Jord Sonneveld,  
and Bear Bibeault

ISBN: 1-932394-99-0

450 pages

\$44.99

February 2007



### *Prototype and Scriptaculous Quickly*

by David Crane and Bear Bibeault  
with Tom Locke

Foreword by Thomas Fuchs

ISBN: 1-933988-03-7

350 pages

\$44.99

March 2007

*For ordering information on these and other Manning titles,  
please visit [www.manning.com](http://www.manning.com)*