

Numerics

128-bit encryption 389, 417
3D annotations 546–548
3D rich media 554
3D stream 546
40-bit encryption 389

A

abbreviations
 expansion of 509
access permissions 387–388,
 393–394
 get from existing PDF 390
accessibility 422, 508, 567
Acrobat 6 layers 399
AcroFields 181, 186, 241, 258,
 264, 448
AcroForm technology 236–265,
 293–304, 447–451
 concatenating forms 191
 form flattened with iText 270
 See also form
acronyms 509
actions 195–199, 202–208,
 220–222, 226–234
 ActionScript action 555
 additional action 207, 230,
 232, 434
 chaining 205
 go to embedded file 536
 Goto. *See* goto
 launch action 205, 442

 local goto. *See* local goto
 named actions 195
 open action 207
 remote goto. *See* remote goto
ActionScript 550
 communication with
 JavaScript in PDF 555
actual text 510
addAnnotation method
 217, 220, 548
addChild method 497
addDeveloperExtension
 method 552
addElement method 111
 ColumnText 81
 PdfPCell 107
addFileAttachment
 method 535, 544
addImage method 86, 469, 471
adding content at absolute
 positions 67–84, 116–121,
 173–175
additional actions
 207, 230–232, 434
additive color 318
addJavaScript method 203
addNamedDestinations
 method 201
addPage method 187
addPageLabel method 444
addTemplate method 90,
 166–167, 466, 468–469, 471
addText method. *See* Column-
 Text
addToBody method 527, 548

Adobe Acrobat 4, 272, 276, 297,
 388, 416, 560
Adobe Designer 186
Adobe Font Metrics. *See* AFM
Adobe Illustrator 414
Adobe imaging model
 416, 452–477
Adobe InDesign 4
Adobe LiveCycle Designer
 272, 560
Adobe LiveCycle Enterprise
 Suite 418
Adobe Mars 424
Adobe Reader 297, 309,
 423, 436
 browser plug-in 288, 293
 enable usage rights 276
 font packs 363
 plug-in 287
 visibility 498
Adobe Systems Inc. 414, 563
Advanced Encryption Standard.
 See AES
AES 389, 417
Affero General Public License.
 See AGPL
AffineTransform 470
AFM 352
AGPL 3, 565
AIFF 545
AIIM 421
 publications 564
alert method
 JavaScript 204, 210

- alignment
 - ColumnText in text mode 77
 - images 52
 - justified 11
 - Paragraph alignment 33
 - PdfPCell alignment 99–100
 - PdfTable alignment 98
 - rotated text in a PdfPCell 105
 - alternate descriptions 510
 - Anchor 15, 47–49
 - animated GIF 340
 - annotations 215–231, 442
 - additional actions 231–232
 - appearance 216, 226, 229, 233
 - border styles 226
 - color 219
 - file attachment 222, 533
 - flags 225, 248
 - generic creation 217
 - get focus 231
 - highlight 222
 - icons 217, 224
 - importing pages 166, 178, 188
 - lose focus 231
 - movie 545–546
 - multimedia 526
 - polygon/polyline annotations 226
 - popup 229
 - rubber stamp 224
 - showing and hiding 228
 - text annotations 215–217
 - visualize text edits 219
 - widget 226
 - Apache ANT 286, 566
 - Apache Batik 504, 566
 - Apache FOP 311, 566
 - appearance
 - annotations 216, 226, 229, 233
 - check box 240
 - form fields 257
 - NeedAppearances flag 250
 - radio button/check box 239
 - signature field 397, 399
 - state 183, 239–240
 - text field 258
 - XFA form 267
 - append mode 277, 427, 430
 - digital signature 401
 - document history 401, 427
 - application server 284
 - application/pdf 285, 288, 303
 - application/vnd.adobe.fdf 303
 - approval signature 398
 - Arabic 366, 373
 - ArabicLigaturizer 373, 378
 - arc method 64, 459
 - ARC4 389
 - archiving 421
 - Arial 24, 531
 - array (PDF object) 425
 - art box 147, 438
 - ascent 102
 - calculating 68
 - AsianFontMapper 486, 488
 - Association for Information and Image Management. *See* AIIM
 - Association for Suppliers of Printing, Publishing, and Converting Technology. *See* NPES
 - asymmetric key algorithm 390, 395
 - attachments panel 437
 - AttributedString 487
 - Audio Interchange File Format. *See* AIFF
 - Audio/Video Interleaved. *See* AVI
 - author signature. *See* certification signature
 - automatic font selection 377
 - AVI 545
 - axial shading 324
- B**
-
- b tag 308
 - backdrop 325–326
 - background canvas 118, 125
 - background color
 - Chunk 24, 134
 - Rectangle/PdfPCell 105
 - BadPasswordException 163, 390
 - Barcode 334
 - Barcode 3 of 9 335
 - Barcode128 335
 - Barcode39 335
 - BarcodeCodabar 335
 - BarcodeDatamatrix 337
 - BarcodeEAN 335, 337
 - BarcodeEANSUPP 335
 - BarcodeInter25 335, 337
 - BarcodePDF417 337
 - BarcodePostnet 335
 - BarcodeQRCode 337
 - barcodes 334–337
 - two-dimensional. *See* matrix code
 - without text 337
 - Base 14 fonts. *See* fonts standard Type 1
 - base canvas 118, 125
 - BaseColor 318, 421, 464
 - BaseField 238, 246, 248
 - BaseFont 374, 471, 483
 - character advance 370
 - creating a Font instance 29
 - creating object 354
 - four objects created 356
 - measuring a String 67
 - BaseFontParameters 485
 - baseline 30, 68–69, 102, 138, 336
 - angle 72
 - basic building blocks 20–56, 71, 79, 116, 133–140
 - class diagram 20
 - basic PDF objects 424–426
 - retrieval 445
 - beginLayer method 494, 497
 - beginMarkedContentSequence method 508, 510
 - beginText method 70, 471
 - beginTextBlock method 519
 - Bézier curves 455
 - blank page
 - adding a blank page 142
 - problem 287
 - problem in JSP pages 292
 - bleed box 147, 438
 - blend mode 325–326, 329
 - blind exchange 420
 - blinds page transition 155
 - BMP 331–332, 338
 - BmpImage 332
 - body 426
 - bold text
 - simulating bold text 73
 - book spine 12
 - Bookland 335
 - bookmarks 5, 49, 139, 208–214, 446
 - concatenating 213–214
 - entries 210–211
 - panel 436
 - retrieving from existing file 210
 - shift page numbers 214
 - title 49, 209
 - Boolean (PDF object) 424

- border
 - annotations 226
 - colors 106
 - padding 106
 - pushbuttons 242
 - tables/cells 106
 - variable borders 107
 - widths 106
 - border styles
 - annotations 242
 - pushbuttons 242
 - BorderArray 226
 - BorderStyleDictionary 226
 - Bouncy Castle 387, 566
 - box page transition 155
 - broken PDFs 162
 - browse for file dialog 301
 - browser problems 286
 - BufferedImage 525, 529
 - built-in fonts. *See* fonts
 - standard type 1
 - bursting 189
 - button field 237–244
 - ByteArrayOutputStream
 - 13, 176, 292, 529
- C**
-
- CA 394
 - OCSP server 406
 - CA Cert 398, 567
 - cacerts 402
 - cache control 291
 - CAdES 409
 - Camelot paper 414
 - caret annotations 219
 - Carousel 414
 - Carousel Object System. *See* COS
 - Cascading Style Sheets. *See* CSS
 - catalog 18, 429, 432, 434–451, 495
 - CCITT 332–333, 345
 - CCITTFaxDecode 332
 - cell 98–114
 - events 122–133
 - height 103
 - padding 102
 - spacing 102, 128
 - cellLayout method 126–127
 - certificate authority. *See* CA
 - certificate encryption 390–395
 - certificate revocation list. *See* CRL
 - certificate signing request. *See* CSR
 - certification
 - levels 398
 - signature 396, 398
 - CFF 355, 359–360
 - CFFFont 360
 - chaining actions 205
 - Chapter 49–51, 56–140, 148, 208
 - depth 140
 - events 138
 - indentation 49
 - memory use 115
 - number depth 49
 - number style 49
 - title 49, 140
 - character
 - advance 370
 - collection 358
 - definition in ISO-32000-1 28
 - identifier. *See* CID
 - missing 28
 - spacing 371, 471
 - width 371
 - characters method 312
 - charset 26
 - check box 238, 240–241
 - possible values 183, 241
 - Chinese Japanese Korean. *See* CJK font
 - choice field 237, 252–255
 - get options 255
 - Chunk 56, 76, 312
 - background color 24, 134
 - defined 23–24
 - image Chunk 56
 - measurements 68
 - offset in a Phrase 71
 - rendering mode 71
 - scaling 71
 - separator 44–45
 - skewing 71
 - wrapping images in 56
 - CID 358
 - CIDFont 354, 357
 - two types 359
 - circle method 64, 459
 - CJK font 359–360, 363–366, 417
 - text fields 250
 - ClassNotFountException 287
 - classpath 21
 - defining 6
 - clickable area 197, 296
 - client-side problems 288–291
 - clip art 331
 - clip method 346, 457
 - clipping 345
 - path 346
 - closePath method 64, 455
 - closePathEoFillStroke
 - method 456
 - closePathFillStroke method 456
 - closePathStroke method 456
 - CMap 359, 363
 - UCS2 366
 - cmap 375
 - CMS 404, 409
 - CMS Advanced Electronic Signatures. *See* CadES
 - CMYK color 318, 320, 329, 421, 465
 - Codabar 335
 - Code 128 335
 - code page. *See* encoding
 - collection dictionary 541
 - collection field 539
 - types 540
 - collection schema 539, 542
 - default 541
 - color 318–325, 464
 - annotations 219, 233
 - barcode 336
 - bookmark titles 210
 - compositing 325
 - fill 66
 - key masking 342
 - pushbuttons 242
 - space 318, 342, 421, 465
 - text 73
 - text field 245, 249
 - colored tiling patterns 321
 - colspan. *See* column span
 - column span 95, 99, 124
 - columns 45, 74–84
 - define coordinates 74
 - irregular columns 79, 84
 - ColumnText 74–84, 95, 98, 365
 - addElement method 81
 - adding a watermark 153
 - adding tables to columns 119
 - addText method 76
 - alignment 77
 - composite mode 81–84
 - count the lines that were written 76
 - inserting pages 178
 - irregular columns 79
 - paragraph spacing in text
 - mode 77
 - properties 83
 - right to left 367

- ColumnText (*continued*)
 - run direction 368
 - setArabicOption method 373
 - setText method 79, 128
 - simulation mode 78, 82, 264
 - status 76
 - text mode 75–81
 - Y position 76
 - combo box 253
 - command line 6
 - Compact Font Format. *See* CFF
 - composite font 354, 357–359
 - compression 385–387, 417
 - changing the compression level 16
 - decompressing existing PDFs 386
 - full compression 385
 - image compression 338–339, 528
 - level 385
 - uncompressed PDF 16
 - concatCTM method 461, 467–468, 471
 - concatenating
 - forms 191–192
 - PDFs 187–189
 - console
 - JavaScript 202
 - consolidateNamedDestinations method 200
 - content
 - disposition 288, 303
 - stream 453, 495, 503
 - type 288, 303
 - ContentByteUtils 517
 - convenience methods 67–71, 459, 476
 - converting documents
 - HTML to PDF 308
 - PDF to XML 513–514
 - XML to PDF 312
 - coordinate system 466–470
 - 3D annotation 548
 - Graphics2D 482
 - origin 144, 466
 - copying documents in five steps 186
 - COS 416, 424–434
 - Courier 28, 352, 371, 483
 - createAwtImage method 336
 - createFileAttachment method 223
 - createFont method 360, 363, 373
 - createGraphics method 478, 483, 488
 - createGraphicsShapes method 488
 - createImageWithBarcode method 336
 - createPattern method 321, 323
 - createPushButton method 238
 - createRadioButton method 239
 - createResetForm method 295
 - createScreen method 546
 - createSignature method 397, 401
 - createSubmitForm method 295
 - createTemplateWithBarcode method 336
 - createText method 217
 - createTitle method 497
 - createXmpMetadata method 384
 - creating a document in 5 steps 8–19, 284–286
 - creating a form
 - with Adobe LiveCycle Designer 272–274
 - with Open Office 179–181
 - creating a PDF in two passes 175–176
 - CRL 398, 406
 - crop box 145–147, 433, 438
 - cross-reference table 18, 426, 429, 431
 - crossdomain.xml 551
 - Cryptographic Message Syntax. *See* CMS
 - cryptography
 - public-key 276
 - CSR 394
 - CSS 309
 - CTM 62, 86, 461, 469, 471–472
 - combine operations 468
 - image appearance changed 466
 - Cubic Bézier curves. *See* Bézier curves
 - current transformation matrix. *See* CTM
 - curveTo method 64, 455
- D**
-
- Data Matrix 337
 - database 4–7
 - movie database 21–22, 62–63
 - database connection 22
 - DCTDecode 331
 - decompression 386
 - decrypting existing PDF 390, 393
 - default cell 100
 - DefaultFontMapper 483
 - DefaultHandler 312
 - defineGlyph 363
 - DER 395
 - descent 102
 - calculating 68
 - destination
 - local. *See* local destination
 - detail mode 541
 - developer extensions 417, 434, 552
 - intent 419
 - device colors 318
 - DeviceCMYK 318, 333, 342, 465
 - DeviceGray 318, 333, 342, 345, 465
 - DeviceRGB 318, 333, 342, 465
 - diacritical mark 370–371
 - dictionary (PDF object) 425
 - digital ID 392
 - Digital Rights Management. *See* DRM
 - digital signature 395–409, 417, 563, 565
 - approval 398
 - external digest 404
 - extract revisions 401
 - invalid signature 401
 - multiple signatures 399
 - signing externally 403
 - verification 402
 - direct content 57–92, 116–121, 174
 - adding images 86
 - direct object 425, 445
 - dispose method 481
 - dissolve page transition 155
 - Distiller 416
 - Distinguished Encoding Rules. *See* DER
 - Do operator 86, 89, 469
 - Doc object
 - JavaScript 206
 - Document
 - adding content 15–17
 - closing the document 17–18
 - creating an instance 9–12
 - opening 13–15

document
 creating in 5 steps 8–19
 event 207
 navigation 195–202
 title 438
 document-level
 attachment, extracting 535
 JavaScript 202
 DocumentException
 12, 185, 287
 doGet method 290, 301
 doPost method 290, 301
 dotted line 44, 464
 down appearance 233
 DrawInterface 41, 46
 class diagram 41
 drawString method 487
 DRM 389
 Dublin Core Schema 383
 duplex printing 439
 duration
 page 154
 transition 154
 dynamic XFA form 270

E

EAN 335
 Eclipse 7, 566
 in combination with
 Tomcat 284
 ECMA International 546–567
 ECMA script. *See* JavaScript
 Element 33, 42, 44,
 81–84, 107–109
 eliminatePages method 214
 ellipse method 64, 137, 459
 embed tag 291, 306
 embedded files 533, 536, 544
 embedding
 Flash application 549
 font 353
 empty pages 142
 Enable Usage Rights in Adobe
 Reader 276
 encoding 350, 355–356,
 378, 516–517
 ID 375
 Identity-H 358
 mismatch 26
 PdfGraphics2D
 encoding 484–488
 problems with database
 encoding 26
 switching 357

encrypted PDFs 162, 387–395
 encrypting existing PDFs
 390, 393
 encryption 417, 421
 128-bit 388
 40-bit 388
 algorithms 389
 End User License Agreement.
See EULA
 endElement method 312
 endLayer method 494, 497
 endMarkedContentSequence
 method 508, 510
 endobj 426
 endText method 70, 471
 endTextBlock method 519
 entity relationship diagram. *See*
 ERD
 eoClip method 457
 eoFill method 456
 eoFillStroke method 456
 ERD 21
 film festival database 62
 ETSI 409
 publications 564
 EULA 418
 European Article Number. *See*
 EAN
 European Telecommunications
 Standards Institute. *See*
 ETSI
 even-odd rule 88–457
 events
 Chapter and Section
 events 138–140
 Chunk events 134–137
 document events 207
 navigation events 207, 231
 page events 148–155
 Paragraph events 138
 PdfPCell and PdfPTable
 events 122–133
 print event 207
 triggering actions 206
 Evince 27
 exchange 420
 execMenuItem method 227
 existing documents 159–193
 existing PDFs
 adding annotations 219
 adding bookmarks 212
 adding clickable areas 221
 adding watermark 169
 changing field properties 248

compression/
 decompression 386
 concatenating 187–189
 copy pages 186–191
 copying pages 164–173
 encryption 389, 393
 get bookmarks 210
 get named destinations 198
 list used fonts 529–531
 overview of the manipulation
 classes 192
 partial read 163
 replacing a font 531
 replacing images 528
 retrieving fields 181
 retrieving metadata 382, 384
 rotated pages 174
 splitting 189
 stamping content 173–178
 tiling 172
 expansion of abbreviations 509
 explicit destinations 199–202
 explicit masking 344
 Extensible Metadata
 Platform 383, 563
 external
 link 48, 196–197, 220, 417
 program 205, 442
 extract signed revision 401
 extracting
 file attachments 533, 535
 images 524
 text 513–525

F

F/OSS 3
 fast web view 423
 FDF 293
 embedded file 300
 reading an FDF file 301
 reading an XFDF file 303
 store files 302
 submitting a PDF as 296
 FdfReader 301
 FdfWriter 303
 field
 names 183
 types 181
 FieldPosition 264
 file
 identifier 429
 selection 246, 300–301
 size 92
 structure 426–432

- file attachment 417
 - annotation 222, 533
 - document-level 535
 - extract from file 533
- FileInputStream 548
- FileNotFoundException 13
- FileOutputStream 13, 176, 284, 286, 529
- fill color 61, 66
- fill method 61, 456
 - even-odd rule 88, 457
 - nonzero winding number rule 88, 457
- filling
 - form 183–186
 - path 457
- fillStroke method 456
- fillXfaForm method 275
- FilteredTextRenderListener 522
- finding text margins 523
- Firefox 284, 309
- fixed-width font 371
- Flash 545, 548–558, 563
 - embedding application 549
 - objects 554
 - scale mode 552
 - secure sandbox 551
- FlashVars 554
- flatecompress 548
- FlateDecode 332
- flatness tolerance 460, 462
- flattening 183, 299
 - custom 260
 - partial 258, 260
- Flex 549, 566–567
 - communication with PDF 555
- Flex Builder 552
- Flying Saucer 308, 566
- Font. *See* fonts
- FontFactory 374, 377
- FontFactoryImp 311, 377
- FontMapper interface 483
 - custom implementation 487
- FontProvider 377
- FontProvider interface 310
- fonts 23–24, 56, 62, 349–379
 - Arial 531
 - barcode 336
 - Chinese 364
 - CJK font 360
 - CJK fonts in
 - iTextAsian.jar 363
 - composite 354
 - composite font 357–359
 - Computer Modern
 - Regular 353
 - Courier 28, 352, 371, 483
 - creating objects using 28
 - creation 373
 - default font 24
 - directories 376
 - embedded 28–29, 353, 360, 421
 - subset 354, 356, 360, 531
 - Type 1 531
 - factory 374
 - families 376
 - files 350–354
 - fixed-width 371
 - HeiseiKakuGo 364
 - HeiseiMin 364
 - Helvetica 28, 67, 250, 352, 483, 531
 - HYGoThic 364
 - HYSMyeongJo 364
 - Japanese 364
 - java.awt.Font 483–484
 - Korean 364
 - KozMinPro 364
 - list 529–531
 - MHei 364
 - missing characters or glyphs 28, 378
 - MSung 364
 - name 531
 - not embedded 24, 27–28, 349, 352, 360, 363
 - OpenType 353–354, 360, 531
 - program 350
 - proportional 69, 371
 - registering a font
 - directory 374–375
 - rendering mode 62
 - replacing a font 531
 - resources 566
 - run direction 367
 - selection 377
 - simple font 355–357
 - size 68, 471
 - standard Type 1 28, 352
 - stream 526
 - STSong 364
 - substitution 24, 27–28
 - Symbol 28, 352, 355
 - text field 250
 - Times New Roman 29, 67
 - Times-Roman 28, 310, 352, 483
 - TrueType 353–354, 531
 - font 360
 - Type 0 357
 - Type 1 352–354, 360
 - Type 3 354, 361
 - types 354–359
 - using a FontMapper 483
 - Zapf Dingbats 28, 239, 352, 355
- FontSelector 378
- footers
 - page 148–152, 175
 - skip last 113
 - stationery 169
 - table 112–113
- FOP 37, 311
- form
 - fix broken form 447
 - prefilling 183, 258, 276, 299
- form creation
 - with Adobe LiveCycle Designer 272–274
 - with Open Office 179–181
- form fields 232, 505
 - add JavaScript 449
 - combo box 253
 - definition 237
 - different types 238–255
 - fields spanning different pages 240
 - filling fields 183–186
 - flags 248
 - fully qualified name 257
 - in an existing form 181–183
 - list 253
 - low-level inspection 448
 - names 256
 - options 246
 - partial names 257
 - positions 264
 - read-only 246, 260, 449
 - removing fields 259
 - renaming fields 192
 - required 246
 - signature. *See* signature field
 - visibility 246
 - with the same name 191
- form flattening 183, 299
 - custom flattening 260
 - partial flattening 258, 260
- formXObject 87–92, 331–332, 454, 469
- Formatting Objects Processor. *See* FOP
- Forms Data Format. *See* FDF

frame count 340
 free and open source software.
 See F/OSS
 full compression 386
 file structure 426
 full screen mode 154, 437
 fully qualified name
 form field 257

G

getAcroFields 185–186,
 241–270, 298, 450
 getAcroFields method
 PdfReader 181
 getAliases method 484
 getAnnot method
 JavaScript 229, 237
 getAppearanceStates
 method 241
 getAscentPoint method 68
 getBoxSize method 150
 getComboBox method 254
 getDescentPoint method 68
 getDirectContent method 174
 getDirectContentUnder
 method 174
 getEffectiveStringWidth 476
 getElementById method
 JavaScript 306
 getField method
 AcroFields 247
 JavaScript 227, 229, 237
 PdfReader 301
 PushButtonField 238
 getFieldPositions method 264
 getFieldTypes method 181
 getFieldValues method 301
 getFont method 374
 FontProvider 310
 getImportedPage method
 PdfCopy 187
 PdfStamper 177
 PdfWriter 166
 getInfo method 382
 getKernArray method 474
 getLayer method
 signature field 399
 getListField method 254
 getListOptionDisplay
 method 255
 getListOptionExport
 method 255
 getMapper method 484
 getMetadata method 384
 getNewPushButtonFormField
 method 243
 getNumberOfPages
 method 162
 getOutputStream method
 284, 288, 292
 getOverContent method
 174, 189, 264
 getPageContent method
 166, 387, 453, 514
 getPageN method 441
 getPageNumber method
 142, 150
 getPageRotation method 162
 getPageSize method 162
 getPageSizeWithRotation
 method 162
 getResourceAsStream
 method 298, 301, 304
 getResultantText method 519
 getRootOutline method 209
 getStructureTreeRoot
 method 507, 512
 getText method 519
 getTextField method 244, 254
 getTextFromPage method 522
 getUnderContent method
 174, 189
 getVerticalPosition method 210
 getWidthPoint method 67
 getWriter method 202
 getXrefSize method 528
 GIF 51, 330, 341
 animated 340
 using setTransparency
 method 342
 GifImage 331
 glitter page transition 155
 GlobalSign 567
 glyph 62
 definition in ISO-32000-1 28
 missing 28
 space 371
 go method
 simulation mode 74, 78–84
 go to
 action 536
 embedded action 543
 embedded file action 536
 Google Chrome 284, 293, 302
 goto 195
 local destination. *See* local
 goto
 gotoEmbedded method 538
 gotoLocalPage method 201–202
 PdfAction 198
 gotoRemotePage method
 PdfAction 198
 Graphic Interchange Format. *See*
 GIF
 graphical objects
 changing states 60
 graphics layer 59
 graphics objects 84
 graphics state 60–62, 460–470
 default state 66
 operators and operands
 64–67
 Graphics2D 477–492, 529
 DefaultFontMapper 483
 drawing shapes 479–482
 drawing text 483–492
 GrayColor 318
 GState 347

H

headers

 page 148–152, 175
 PDF file structure 426
 skip first 113
 stationery 169, 176
 table 112–113, 125
 headless mode 482
 Hebrew 366
 height
 barcode 336
 fixed height for cells 103
 font 68
 Image 54
 rows. *See* row height
 String 68
 table 103, 118
 table event 125
 Hello World 6–8
 Helvetica 24, 28, 67, 250, 352,
 483, 531
 and Chinese characters 250
 See also fonts 250
 hidden mode 541
 high-level objects. *See* basic
 building blocks
 high-resolution image 528
 highlight
 annotations 222
 Hindi 489
 horizontal scaling 472
 hostContainer 307

HSQL 21
 storing special characters 26
 HTML
 color notation 319
 embedding a PDF 291, 305
 mixing with PDF syntax 287
 parsing HTML 308–311
 PDF preferred over 5
 submit form 293
 HTMLWorker 308–311,
 377, 559
 FontProvider 310
 ImageProvider 311
 path to images 311
 HTTPService tag 550
 HttpServlet 285
 HttpServletResponse 13, 284
 HttpSession 290
 hyperlinks 49, 196, 220
 HyperSQL 566
 hyphenation 36

I

i tag 308
 ICC based color space 342, 465
 icon
 file attachments 222, 224
 font files 353
 push button annotation
 229, 243
 text annotations 217
 IDE 7
 Identity-H 354, 358–359
 Identity-V 354, 359
 IllegalPdfSyntaxException 62
 Image 51–56, 84–87,
 153, 329–348
 add special id 527
 adding the same image more
 than once 54, 84
 alignment 52
 annotation 221
 borders 53
 dimensions 54
 down-sampling 528
 form fields 301
 from HTML 311
 inline image 87
 java.awt.Image
 336, 338–339, 342
 making images
 transparent 341
 mask 344
 OCG 503

PdfTemplate image 91
 placeholder 243
 position 52
 reducing resolution 528
 rotation 54
 scale absolute 54
 scale percent 54
 scale to fit 54
 sequence 51
 size in pixels 53–54, 338
 skewing 86
 stream 526
 transformations 86
 using images in a
 PdfPCell 108
 width and height 54
 wrap Image in Chunk 56
 image
 map 197, 296
 mask 344, 527
 XObject 84–87, 331–332, 469
 ImageProvider 311
 ImageRenderInfo 524
 images
 resizing 53
 resolution 53, 338–339, 528
 imaging model. *See* Adobe imag-
 ing model
 IMDB 187
 displaying link 134
 hyperlinks to 196
 linking to 46
 img tag 311
 ImgCCITT 332, 334
 ImgJBIG2 332
 ImgRaw 331
 ImgTemplate 332, 334
 ImgWMF 332
 importing pages 165–167
 scaling 167–170
 inches
 converting to millimeters or
 points 9
 indentation 33
 indexed color space 342, 465
 indirect object 426, 431, 446,
 495, 527
 indirect reference 426
 info dictionary 18, 382, 425, 429
 ink spreading 337
 inline image 87
 InputStream 298
 insertDirectory method 484
 insertPage method 178

integrated development envi-
 ronment. *See* IDE
 interactive features 166
 preservation 178, 188
 widget annotations 226
 interactive forms 179–186,
 236–278, 293–307, 417, 563
 adding a button 293
 concatenating 191–192
 custom flattening 260
 definition 237
 dynamic XFA forms 274
 filling out a form 183–186,
 257, 268–270
 filling out text fields 247–252
 flattening 183, 299
 inspecting a form 181–183
 on server side 298–301
 partial flattening 258, 260
 saving locally 276
 static XFA forms 265
 submit a file 300
 submit as FDF 296
 submit as HTML form 296
 submit as XFDF 297
 submit to server 295
 using a form as a
 template 183
 Interchange PostScript 414
 Interleaved 2 of 5 335
 internal link 47, 196
 International Organization for
 Standardization. *See* ISO
 International Standard Book
 Number. *See* ISBN
 International Telecommunica-
 tion Union. *See* ITU
 Internet Movie Database. *See*
 IMDB
 InvalidKeyException 392
 InvalidPdfException 162
 invisible signature 398
 invisible text 73
 IOException 12, 18, 287, 352
 irregular columns 79
 cannot create in composite
 mode 84
 ISBN 335
 ISO 418
 publications 564
 ISO-15930 420, 564
 ISO-19005 421, 564
 ISO-216 10
 ISO-24517 422, 564
 ISO-32000-1 417–419, 564

ISO-32000-2 417
 ISO-8859-1 26
 ISO/AWI 14289 422, 508
 isolation 329
 isTampered method 185
 isXfaPresent method 265
 italic text
 simulating italic text 72
 itext-hyph-xml.jar 37
 iTextAsian.jar 363
 ITU 333

J

J2EE 284
 JAI 339
 Java Advanced Imaging. *See* JAI
 Java Cryptography Extension. *See* JCE
 Java Development Kit. *See* JDK
 Java Runtime Environment. *See* JRE
 Java Servlet Technology
 13, 283–291
 Java Swing 478
 java.awt.Font 483–484
 java.awt.Graphics2D. *See* Graphics2D
 JavaScript 237, 442, 563, 566
 actions 203
 adding to a field 449
 in PDF documents 202–205
 PDF to HTML
 communication 304–307
 programming in PDF
 226–234
 triggering ActionScript in
 Flash 555
 validating text fields 252
 JavaScript console window 202
 javascript method 205
 JavaServer Pages. *See* JSP
 JBIG2 331
 multiple pages 340
 JBIG2Image 332, 340
 JCE 392
 JDK 6
 JFreeChart 480, 566
 Joint Bi-level Image Experts
 Group. *See* JBIG2
 Joint Photographic Expert
 Group. *See* JPEG
 JPanel 478, 480
 JPEG 51, 330–331, 339, 341,
 345, 525, 529

JPEG 2000 330–331, 525
 JPXDecode 331
 JRE 287
 JSP 291–293
 JTable 491
 JTextPane 490

K

kerning 69, 474, 476
 KeyStore 393, 396, 403
 keystrokes 231
 keytool 390–392
 certreq 394
 export 391
 genkey 390
 import 403
 knockout group 326, 329

L

landscape. *See* page orientation
 LargeElement 50, 115
 Latin-1. *See* ISO-8859-1
 launch action 205
 removal 442
 layers
 content covering other
 layers 60
 direct content 59
 image covering all layers 84
 OCG 494
 Layers panel 494, 498
 leading 23, 30, 472
 absolute leading 77, 101
 default leading 26
 image leading 56
 initial leading 24
 relative leading 77, 101
 left to right 438
 ligatures 372
 line
 annotation 224
 canvas 118, 125
 cap style 460, 462
 characteristics 461–464
 dash 460, 464
 join style 460, 463
 separators 43
 spacing. *See* leading
 width 460
 linear page mode 141, 441
 linearized PDF 423, 427
 LineBreakMeasurer 489

LineSegment 519
 lineTo method 64, 455
 List 15, 37–41, 56
 GreekList 39
 indentation 39
 ordered and unordered 38
 RomanList 39
 ZapfDingbatsList 40
 ZapfDingbatsNumberList 39
 list form field 253
 get options 255
 multiple select 254
 list symbol 38
 indentation 39
 list used fonts 529–531
 listContentStream method 517
 ListItem 37–41, 56
 LiveCycle Reader
 Extensions 276
 loadStyle method 310
 loadTagStyle method 310
 local destination 47, 49
 local goto 47, 49, 195, 201
 location based text
 extraction 521
 LocationTextExtractionStrategy
 521
 locked width 95, 118
 lockLayer method 497
 lossless compression 338
 lossy compression 339, 528
 low-level PDF creation 15–17,
 57–92, 116–121
 LZW 331

M

Macromedia Flash. *See* Flash
 mailing list 565
 makeMask method 345
 makeRemoteNamed-
 DestinationsLocal
 method 201
 manipulating PDFs 159–193
 manipulating the existing
 file 176
 manipulation classes 192
 margins 9, 11, 42
 finding text margins 523
 mirrored 11
 marked content 506–514
 adding structure 511
 marked content operator 495
 matrix code 337
 Maven 565

measurement unit 9
 measurements
 ascent/descent 68
 converting points, inches, and centimeters 9
 measuring a String 67
 media box 143–145, 160, 174, 433, 438
 definition 143
 memory 17
 adding the same content more than once 84
 creating a PDF in memory 13, 175, 289
 freeing 50
 large elements 115
 PdfReader memory use 163–164
 release template 89, 151
 menu bar 438
 message handler 307
 metadata 381–384, 434
 avoid encryption 389
 producer 382
 retrieve from PDF 382, 384
 Microsoft Internet Explorer. *See* MSIE
 Microsoft Windows Certificate Security 398
 Microsoft Word 160
 MIDI 545
 millimeters
 converting to inches or points 9
 miter join. *See* miter limit
 miter limit 460, 463
 Model Tree panel 506
 monospaced font 371
 mouse action 215, 220, 224, 229, 231, 233
 mouse position 197
 moveText method 472, 474
 moveTextWithLeading method 472, 474
 moveTo method 64, 455
 movie annotation 545–546
 MPEG 545
 MSIE 284
 older versions 288
 multimedia 545
 multipart/form-data request 300
 multiple
 hits 291

select list 254
 signatures 399, 427
 Musical Instrument Digital Interface. *See* MIDI
 MXML 550, 555

N

N-up 147, 170
 name (PDF object) 425
 name tree 447
 named destinations 49, 196, 202, 446
 convert to explicit destinations 200
 inject into PdfCopy 201
 make remote destinations local 201
 PdfCopy 200
 retrieving names 198
 nested tables 109–110
 new
 browser window 198
 line 23–24, 30
 page 77, 142, 150
 viewer window 197
 window 211, 538
 newlineShowText method 473
 newLineText method 473
 newPath method 346, 456
 next method 205
 Nimbus 27
 nonbreaking space character 34
 nonzero winding number rule 88, 457
 normal appearance 233
 NPES 421
 null (PDF object) 425
 NullPointerException 164
 number (PDF object) 424
 number tree 446
 numbering style
 List object 39
 page labels 444

O

obj 426
 object data 506–508
 Object data tool 506
 object tag 306
 OCG 494
 action 501
 grouped layers 497

locked layer 496
 nested layers 496
 radio group 497
 structure 495
 visibility expression 501
 visibility policy 500
 OCSP 405–409
 onChapter method 150
 onChapter/onChapterEnd method 140
 onCloseDocument method 148, 152
 onEndPage method 148, 150, 153
 onGenericTag method 134–137
 Online Certificate Status Protocol. *See* OCSP
 onMessage method 307
 onOpenDocument method 148, 150, 152–153
 onParagraph/onParagraphEnd method 138
 onSection/onSectionEnd method 140
 onStartPage method 148, 150, 155
 opacity 325–326
 open
 action 207, 214, 306, 434
 parameters 214–215
 password. *See* user password
 Open Office 160, 179, 186, 236, 260, 560
 OpenType font 351, 353–354, 360, 531, 566
 operators, combining 64
 optical character recognition. *See* OCR
 optional content
 group 417, 493–505
 membership 500–501
 ordered list 38
 origin of coordinate system 144
 outline
 panel 436
 tree 49, 208–214, 446
 OutOfMemoryException 289
 output intent 421, 434
 OutputStream 17, 50, 514, 528–529
 creating a PdfReader instance 176
 FileOutputStream 13
 keeping the OutputStream open 18

OutputStream (*continued*)
 ServletOutputStream 13
 which to write to 12–13
 whitespace characters 292
 ZipOutputStream 18
 owner password 387

P

PAdES. *See* PDF Advanced Electronic Signature Profiles

page

art box 147
 bleed box 147
 boundaries 9, 11,
 142–148, 441
 clipping 145
 content 493–525
 crop box 145–147
 dictionary 86, 432, 441
 display 435
 duration 154
 empty pages. *See* empty pages
 events 123, 133–140, 148–155
 headers and footers 148–152
 label dictionary 443
 layout 435
 media box 143–145, 160
 mode 436
 numbers 5, 202
 orientation 11, 162
 reference 202, 441
 reordering. *See* reordering
 pages
 rotation 11, 162, 442
 size 9–10, 143, 162
 structure 493–525
 superimposing 167–170
 transitions 154
 tree structure 141, 202, 432
 definition 441
 tree structure. *See* page tree
 structure
 trim box 147
 X of Y 150–152, 175–176
 Page Description Language 414
 PageStamp 189
 paintShading method 466
 paper size 10
 Paragraph 30–34, 56, 107, 309
 alignment 33
 events 138
 indentation 33
 spacing 34, 77
 parseToList method 308

parsing
 HTML 308–311
 PDF 513–525
 difficulties 516
 tagged PDF 513
 XML 312–315, 378
 password
 field 246–247, 259, 448
 PDF encryption 387
 protected PDF 162, 387–390
 path
 construction 454–456
 filling 457
 painting and clipping
 456–459
 stroking 457
 pattern color 321–325, 342
 shading pattern 323
 tiling pattern 321
 PatternColor 323
 PDF 559–560
 adding watermark 177
 blind exchange 420
 certificate encryption
 390–395
 comparison with PS 416
 compression 385
 concatenating 187
 copyright 416
 creating documents 15
 encryption 162, 387–395
 extensions 434
 file structure 426–432
 general overview 4–5
 header 14
 history 414–419
 inserting pages 178
 ISO 419
 manipulating existing
 documents 4, 159
 manipulation classes 192
 measurement unit 9
 metadata 382
 objects 424–426
 on the fly 5
 other types 423
 password protection 162–390
 PDF object in an HTML
 page 307
 PDF syntax 426–431, 452–477
 preferred over HTML 5
 reader enabling 276, 427
 reference manual 563
 repairing broken files 162
 resources 566

schema 383
 splitting 187
 submit PDF 293
 syntax 64, 85–86, 428,
 452–477, 514–517
 tagged 422
 unattended mode 5
 version history 416
 versions 14, 434
 PDF Advanced Electronic Signatures. *See* PAdES
 PDF package. *See* portable collection
 PDF/A 511, 564
 level A 422, 511
 level B 421
 specification 421
 PDF/E 422, 564
 PDF/H 424, 564
 PDF/UA 422, 508, 510–511, 564
 PDF/VT 424
 PDF/X 320, 420
 PDF417 337
 PdfAction 195, 222, 295,
 425, 501
 bookmark 209
 constructor 197
 static methods 198, 201–202
 PdfAnnotation 216, 237, 248,
 295, 553
 OCG 503
 PdfAppearance 240
 PdfArray 236, 425, 445
 PdfBoolean 424, 445
 PdfCollection 541
 PdfCollectionField 540
 PdfCollectionItem 542
 PdfCollectionSort 541
 PdfContentByte 59–67, 76, 87,
 321, 454, 477
 ByteBuffer 59
 convenience methods 476
 PdfContentReaderTool 517
 PdfContentStreamProcessor
 518, 520
 PdfCopy 186–191, 193, 200,
 213, 560
 adding content 188
 inject named destinations 201
 named destinations 200
 PdfCopyFields 191–193, 560
 PdfDate 425
 PdfDestination 199, 201, 209,
 222, 538
 bookmark 209

- PdfDeveloperExtension 434, 552
- PdfDictionary 236–237, 425, 527
 - get() method 445
 - PdfAction 197
 - PdfAnnotation 218
- PdfDocument 22, 133, 136, 138
- PdfFormField 237–238, 244, 254, 295, 425
- PdfGraphics2D 477–492
 - drawing shapes 479–482
 - drawing text 483–492
 - encoding problems 484
 - troubleshooting 481
- PdfGState 326, 329, 461, 464
- PdfImage 527
- PdfImageObject 524, 529
- PdfImportedPage 166, 177, 188
 - overlapping objects 326
 - scaling and tiling 172
 - usage 193
- PdfIndirectObject 527
- PdfIndirectReference 446–447, 449–450
- PdfLayer 494–501
 - structural element 497
 - title 497
- PdfLayerMembership 501
- PdfName 197, 425, 445
- PdfNull 425
- PdfNumber 424, 445
- PdfObject 197, 445
- PdfOutline 51, 208, 425
 - constructor 209
- PdfPageEvent interface 134, 148–149, 155
- PdfPageEventHelper 136
- PdfPageLabels 444
- PdfPatternPainter 321
- PdfPCell 98–115, 122–133
 - addElement 107
 - alignment (text mode) 101
 - background color 105
 - border 106
 - composite mode 107–112
 - default cell. *See* default cell
 - events. *See* cell events
 - right to left 367
 - rotation 105
 - rounded borders 133
 - run direction 368
 - setArabicOption method 373
 - text mode 99–107
 - wrapping content 103
- PdfPCellEvent interface 123, 125–128
- PdfPRow 94
- PdfPTable 93, 122–133, 311
 - absolute column widths 97
 - adding at an absolute position 116–121
 - alternating rows 124
 - cell spacing 128
 - colspan. *See* column span
 - ColumnText 119
 - complete rows 95
 - deep nesting 110
 - direct content canvases 118, 125, 127
 - dropping cells 115
 - events. *See* table events
 - extend last row 105
 - footer 113
 - from HTML 311
 - header 113, 125
 - incomplete tables 95
 - large tables 112
 - nested tables 109
 - padding. *See* cell padding
 - relative column widths 96
 - row height. *See* row height
 - rowspan. *See* row span
 - splitting a table vertically 118
 - splitting cells 113–115
 - total width 95
 - width percentage 95
- PdfTableEvent interface 123–125
- PdfReader 193, 298, 529, 560
 - accessing a PDF 160–164
 - reading specific pages 173
- PdfReaderContentParser 520, 528
- PdfRectangle 425
- PdfShading 324, 466
- PdfShadingPattern 325, 466
- PdfSignatureAppearance 397
- PdfSmartCopy 189–191, 193, 263, 528, 560
- PdfStamper 173–186, 193, 387
 - add metadata 382
 - append mode 277, 430
 - filling out reader-enabled form 278
 - get PdfWriter 202
 - inserting pages 178
 - rotation 174
 - updating PDFs 560
- PdfStream 425, 445, 527, 548
- PdfString 425, 445
- PdfStructureElement 509–510
- PdfTargetDictionary 538, 544
- PdfTemplate 87–92, 166, 332
 - clipping 345
 - OCG 503
 - release from memory 89
 - transformations 91
 - wrapped inside an image 91
- PdfTextArray 474
- PdfTextExtractor 521
- PdfTransparencyGroup 328
- PdfVisibilityExpression 501
- PdfWriter 12–13, 79, 193, 217–218
 - analyzes behind scenes 22
 - getImportedPage 166
 - memory management 115
 - PdfCopy extends 186
 - reordering pages 141
- PEM 394
- permissions
 - parameters 388
 - password. *See* owner password
- PFB 352
- PFM 353
- Phrase 15, 25–30, 56, 74, 76, 99–100
- PKCS 404
- PKCS#7 signature
 - detached 408
- placeBarcode method 336
- PLANET 335
- PNG 51, 331, 339, 341–342
- PngImage 332
- points
 - converting to millimeters or inches 9
- POJO 22, 65
- popup annotation 229–230
- portable collection
 - 417, 538–545
 - cover page 541
 - initial document 541
- Portable Data File. *See* PDF
- Portable Document Format Reference Manual 415
- Portable Network Graphics. *See* PNG
- portfolio. *See* portable collection
- portrait. *See* page orientation
- positioning
 - Phrase 71
 - String 69

Postal Alpha Numeric Encoding Technique. *See* PLANET
 Postal Numeric Encoding Technique. *See* POSTNET
 postfix 453
 postMessage method 307
 POSTNET 335, 337
 PostScript Font Binary. *See* PFB
 PostScript. *See* PS
 print
 annotations 246
 area 439
 dialog 439
 duplex 439
 event 207
 method 491
 preferences 439
 scaling 439, 441
 Printer Font Metrics. *See* PFM
 printing marks 143
 PrintStream 308
 Privacy Enhanced Mail. *See* PEM
 private key 276, 390, 398
 PrivateKey 403
 processContent method 521
 producer info 382
 proportional font 69, 371
 PRStream 529
 PRTokeniser 514, 518
 PS 414
 comparison with PDF 416
 reverse Polish notation 453
 public key 390
 Public Key Cryptography Standards. *See* PKCS
 public-key
 cryptography 276
 encryption 390–395
 public/private key pair
 creation 390
 encryption 391
 pushbutton 238, 241–244
 icon 243
 replacing a button 243
 PushbuttonField 227, 230, 238, 243, 295
 putAlias method 484

Q

QRCode 337
 quadding 232, 246
 query string 197

Quick Response code. *See* QRCode
 QuickTime 545

R

R2L. *See* right to left
 radial shading 324
 radio field 238–240
 possible values 183, 239
 RadioCheckField 238–239
 RandomAccessFileOrArray 164
 RC4 389
 read out loud 423, 509, 560
 Reader enabling 276–278, 427
 recipient signature. *See* approval signature
 Rectangle 97–98, 217–218, 522
 background color 105
 border 106
 breaking down large image 147
 calculating position 66
 defining page size 9
 placing annotations 223
 properties 105–107
 rectangle
 annotation 224
 method 60, 64, 455, 459
 rounded 133
 RectangleReadOnly 144
 reflow 187
 regenerateField method 248
 RegionTextRenderFilter 522
 register method 374
 registerDirectories method 376
 registerDirectory method 375
 releaseTemplate method 89, 151
 remote goto 49, 195
 change into local goto 201
 removeField method 259
 removeUnusedObjects method 528
 removing usage rights 278
 renameField method 192, 259
 RenderFilter 522
 renderImage method 524
 rendering mode 62, 71, 472, 475
 Chunk 72
 RenderListener interface 518–520
 renderText method 519
 reordering pages 141–142, 178
 using selectPages 179
 replacement text 510
 replacePushbuttonField method 243
 resizing images 53
 resolution of images 53, 338–339, 528
 resources 7
 dictionary 166
 page dictionary 86
 page resources 433
 restore graphics state 60, 62, 86, 460
 restoreState method 460, 464
 ResultSet 22, 26
 reverse Polish notation 453
 revisions 401, 403, 427
 RGB color 318, 465
 Graphics2D 482
 rich media 545
 activation 554
 annotation 548–558
 assets 553
 command 558
 configuration 553
 content 553
 deactivation 554
 instance 553
 settings 553
 RichMediaAnnotation 553
 reuse 554
 RichMediaExecuteAction 555
 right to left 366, 373
 Rivest, Shamir and Adleman. *See* RSA
 role map 512
 rollover appearance 233
 root
 certificate 395, 402
 dictionary 429, 434–451
 rotation 468
 images 54
 page rotation 160, 442
 text 69
 text in a PdfPCell 105
 rounded rectangle 133
 roundRectangle method 459
 row
 height 103
 span 95, 99, 109
 RSA 404
 rubber stamp annotation 224
 RUPS 433

S

-
- sanity check 62, 70
 - save graphics state 60, 62, 86, 460
 - document 207
 - saveState method 460, 464
 - Scalable Vector Graphics. *See* SVG
 - scaling 468
 - images 53–54
 - images in cells 109
 - imported pages 167–170
 - screen annotation 546
 - Section 49–51, 56–140, 148, 208
 - events 138
 - indentation 49
 - memory use 115
 - number depth 49
 - number style 49
 - title 49
 - Section 508 508, 510, 567
 - Secure Hash Algorithm 1. *See* SHA-1
 - selecting fonts 377
 - selectPages method 164, 179
 - PdfCopy 187
 - PdfStamper 173
 - self-signed security handler 398
 - separation 320, 342
 - separators 43–45
 - server-side problems 286–288
 - service method 291
 - servlet-mapping 286
 - Servlet. *See* Java Servlet technology
 - ServletInputStream 288
 - ServletOutputStream 13, 284, 286, 288
 - setAcro6Layers method 399
 - setAction method 195–196, 220
 - setAdditionalAction
 - method 207
 - setAdditionalPath method 538
 - setAlignment method
 - ColumnText 77
 - Paragraph 33
 - PdfPTable 98
 - TextField 245
 - setAnnotation method 221
 - setBackground-color method
 - pushbuttons 242
 - setBorder method
 - annotations 226
 - PdfPCell 106
 - setBorderColor method 106
 - pushbuttons 242
 - setBorderStyle method 226
 - pushbuttons 242
 - setBorderWidth method 106
 - pushbuttons 242
 - setBoxSize method 147
 - setCanvas method 178
 - setCellEvent method 127–128
 - setCharacterSpacing
 - method 371, 471
 - setChoices method 254
 - setChoiceSelection method 254
 - setCMYKColorFill 465
 - setCMYKColorStroke 465
 - setCode method 335
 - setCollection method 541
 - setColor method
 - annotations 219
 - bookmarks 210
 - setColorFill method 319, 464
 - setColorStroke method 464
 - setColumns method
 - ColumnText 81
 - setCreatorInfo method 499
 - setCropBox method 145
 - setDirectReference method 528
 - setDuration method 154
 - setEmbeddedFileName
 - method 538
 - setExport method 499
 - setExportValues method 254
 - setExtensionFont method 250
 - setExtraMargin method 258
 - setField method 186, 241, 247, 255, 258, 301
 - AcroFields 265
 - setFieldCache method 258
 - setFieldFlags method 247
 - setFieldProperty method
 - 248–252, 260
 - setFields method 301, 303
 - setFileAttachmentIndex
 - method 538, 544
 - setFileAttachmentName
 - method 538, 544
 - setFileAttachmentPage
 - method 538
 - setFileAttachmentPagename
 - method 538, 544
 - setFileAttachmentPage
 - method 544
 - setFillOpacity method 326
 - setFlags method 246
 - annotation 225
 - setFlatness method 460
 - setFontAndSize method 62, 471
 - setFontSize method 245
 - setFullCompression
 - method 385–386
 - setGenericTag method 137
 - setGrayFill method 465
 - setGrayStroke method 465
 - setGState method 326, 460, 464
 - setHorizontalScaling
 - method 472
 - setImageMask method 345
 - setIndentation method
 - Chapter/Section 49
 - ColumnText in text mode 77
 - List/ListItem 39
 - Paragraph 33
 - PdfPCell in text mode 101
 - setIsolated method 329
 - setKnockout method 329
 - setLanguage method 499
 - setLayer method 505
 - setLayout method 242
 - setLeading method 472, 474
 - ColumnText 77
 - Paragraph 30
 - PdfPCell 101
 - setLinearPageMode
 - method 141, 441
 - setLineCap method 460
 - setLineDash method 460
 - setLineJoin method 460
 - setLineWidth method 460
 - setListOption method 255
 - setListSelection method 255
 - setLiteral method 143, 477
 - setLocalDestination method 49
 - setLocalGoto method 49, 196
 - setMiterLimit method 460
 - setMoreInfo method 382
 - setNeedAppearances
 - method 250
 - setOCGState method 503
 - setOn method 495
 - setOnPanel method 498
 - setOpenAction method 207
 - setOptions method 246
 - setOutlines method 213–214
 - setPageContent method 387
 - setPageElement method 499, 505
 - setPageEmpty method 142
 - setPageEvent method 137
 - setPageSize method 147
 - setPatternFill method 323, 466

- setPatternMatrix method 323
 - setPatternStroke method 466
 - setPdfVersion method 552
 - setPDFXConformance method 420
 - setPhrase method 128
 - setPrint method 498–499
 - setRemoteGoto method 49, 196
 - setRenderingMode method 399
 - setRGBColorFill method 465
 - setRGBColorStroke method 465
 - setRotateContents method 174
 - setRunDirection method 368, 373
 - setScaling method 72
 - setShadingFill method 466
 - setShadingStroke method 466
 - setSimpleColumn method 74
 - setSkew method 72
 - setSortOrder method 541
 - setSpaceCharRatio method 474
 - ColumnText 77
 - Paragraph 37
 - PdfPCell 101
 - setSplitLate method 114
 - setStyle method 210
 - setSubset method 361, 531
 - setSubstitutionFonts method 250
 - setTableEvent method 125
 - setText method
 - ColumnText 79, 128
 - TextField 245
 - setTextColor method 245
 - setTextKnockout method 472
 - setTextMatrix method 62, 471–472
 - setTextRenderingMode method 472
 - setTextRenderMode method 72
 - setTextRise method 472, 474
 - setTitle method 219
 - setTransition method 154
 - setUseAscender method 102
 - setUseDescender method 102
 - setUser method 499
 - setUserName method 246
 - setView method 499
 - setWordSpacing method 472
 - setXmpMetadata method 384
 - setZoom method 498–499
 - SHA-1 404
 - shading pattern 323
 - ShadingColor 325
 - shiftPageNumbers method 214
 - showText method 62, 473–474
 - showTextAligned method 152
 - ColumnText 70
 - PdfContentByte 67, 476
 - showTextAlignedKerned 69, 476
 - showTextKerned 476
 - signatures
 - detached 409
 - digital 565
 - field 237, 395–402
 - adding an unsigned field 396
 - graphic 399
 - verifying 402
 - visible 397
 - signing externally 403
 - simple font 355–357
 - simpleAxial method 324
 - SimpleBookmark 210
 - SimpleNamedDestination 198, 201–202
 - simpleRadial method 324
 - SimpleTable class 94
 - SimpleTextExtractionStrategy 520
 - skewing 468
 - images 86
 - slide show 154–155
 - smart card 404
 - SML
 - Form Document 179
 - soft masking 345, 347
 - sound objects 554
 - source code 6
 - SourceForge 6, 565
 - space/character ratio. *See* setSpaceCharRatio method
 - spacing
 - between paragraphs 34
 - between tables 97
 - between words and characters. *See* setSpaceCharRatio method
 - PdfPCell 101
 - split
 - character 34
 - page transition 155
 - PDFs 5, 187–189
 - splitting
 - cells 113–115
 - tables vertically 118
 - text 34–37
 - spot color 320–321
 - SQL 22
 - squiggly annotations 219
 - Stack 312
 - stamping content 173–178, 188
 - standard Type 1 fonts 352
 - startElement method 312
 - static XFA form 265
 - stationery 169–170, 176
 - stencil mask 344
 - sticky note 215
 - stream (PDF object) 425, 526–548
 - strike through 30
 - annotations 219
 - string (PDF object) 425
 - stroke color 61
 - stroke method 62, 64–65, 456
 - stroking a path 457
 - structure tree 507, 512, 514
 - StyleSheet 309–310
 - subforms 273
 - submit button 293–297
 - change URL 450
 - subscript 23–24
 - subsetting a font 354, 356
 - subtractive color 318
 - Subversion. *See* SVN
 - superimposing 167–170
 - superscript 23–24
 - supplemental barcode 335
 - SVG 503
 - SVN 6, 565
 - SWF. *See* Flash
 - Symbol 28, 352, 355
 - symmetric key algorithm 390
- T**
-
- tab Chunks 45
 - Table class 94
 - table of contents, clickable 49
 - tableLayout method 124–125, 128
 - tables
 - colspan. *See* column span
 - events 122–133
 - incomplete rows 95
 - rowspan. *See* row span
 - splitting vertically 118
 - tabs 45
 - Tagged Image File Format. *See* TIFF
 - tagged PDF 417, 422–423, 511
 - block-level structure elements 511
 - grouping elements 511

- tagged PDF (*continued*)
 - illustration elements 511
 - inline-level structure elements 511
 - role map 512
 - TaggedPdfReaderTool 514
 - template 183
 - text
 - annotations 215–217, 230
 - canvas 118, 125
 - color 73
 - layer 59
 - matrix 62, 472
 - reflow 160
 - rise 23–24, 472
 - stroke color 73
 - text extraction 513–525
 - filtered text extraction 522
 - location based 521
 - text field 237, 244–252
 - comb fields 246
 - font size 0 245
 - fonts 250
 - justified text 246, 263
 - maximum character length 245
 - multiline 246, 263, 448
 - read only 232
 - text properties 245
 - validation 252
 - text state 62, 471–477
 - operators 471
 - text-line matrix 472
 - text-positioning operators 472
 - text-rendering matrix 472
 - text-showing operators 472
 - TextElementArray 20, 22, 312
 - TextExtractionStrategy
 - interface 519, 521–522
 - TextField 238, 244, 254, 258
 - lists and combo boxes 254
 - TextLayout 488
 - TextMarginFinder 523
 - TextRenderInfo 519–520
 - Thawte 567
 - thumb nail panel 436
 - TIFF 51, 331
 - multiple pages 340
 - TiffImage 332, 340
 - tile mode 541
 - tiling 145, 172
 - pattern 321
 - timeout 290
 - Times New Roman 29, 67
 - Times-Roman 28, 310, 352, 483
 - timestamp 406–407
 - timestamping authority. *See* TSA
 - toggle optional content
 - visibility 503
 - token types 514
 - Tomcat 287, 298, 566
 - in combination with Eclipse 284
 - toolbar 438
 - tooltip 215, 220, 230
 - text field 246
 - trailer 18, 426, 429
 - dictionary 429, 432
 - transform method 470
 - transformations 69, 167, 467, 470
 - PdfTemplate 91
 - text 472
 - transition 154
 - translation 467
 - text 69
 - transparency 325–329, 341–348, 417, 472
 - group 326–328
 - trim box 147, 438
 - troubleshooting web
 - applications 286
 - TrueType collection 353–359
 - TrueType font 351, 353–354, 360, 531
 - Unicode 360
 - trusted identities 399
 - TS 102 778. *See* PDF Advanced Electronic Signature Profiles
 - TSA 406
 - need account with 409
 - Type 0 CID font 359
 - Type 0 font 357, 360
 - Type 1 font 351–354, 360, 531
 - Type 2 CID font 359
 - Type 3 font 354, 360–361, 363
- U**
-
- U3D
 - file format 546
 - reading a file 548
 - UCC/EAN-128 335
 - uncolored tiling patterns 321
 - underline 23
 - color 30
 - thickness 30
 - Unicode 35, 359, 373, 566
 - text fields 250
 - United States Postal Service. *See* USPS
 - UPS
 - Universal 3D. *See* U3D
 - universal accessibility 422
 - Universal Product Code. *See* UPC
 - Unlimited Strength Jurisdiction Policy Files 392
 - unordered list 38
 - UPC 335
 - URL 49, 220
 - hyperlink 48, 197
 - jump to external 197
 - usage rights
 - reader enabling 276
 - remove 278
 - user
 - password 387
 - properties 507
 - space 9
 - unit 417
 - maximum/minimum value 10
 - USPS 335, 337
 - UTF-8 26
- V**
-
- validating text field 252
 - vector graphics 341
 - verifying signatures 402
 - VeriSign 398, 567
 - vertical
 - alignment 100
 - position marks 41, 43
 - position. *See* Y position
 - writing system 365
 - VerticalText 365
 - video objects 554
 - view area 439
 - viewer preferences 154, 195, 435–441
 - page layout 435
 - page mode 436
 - Views 553
 - virtual X-server 482
 - visibility
 - annotations 228
 - collection field item 540
 - depending on usage 498
 - file attachments 535
 - form fields 246
 - OCG visibility expression 501

- visibility (*continued*)
 OCG visibility policy 500
 optional content 494
 text field 248
 toggle 503
 visible signatures 397
- W**
-
- W3C 508, 567
 WAI 508
 WAR file 286, 298
 watermark 5, 152–153, 175, 505
 adding to existing PDF
 169, 177
 stationery 169
 WCAG 508, 567
 Web Accessibility Initiative. *See*
 WAI
 web applications 5, 283–315
 submit data to server 293–298
 timeout 290
 troubleshooting 286
 Web Content Accessibility
 Guidelines. *See* WCAG
 web server 284
 web.xml 285
 webapp problems
 client-side 288–291
 server-side 286–288
 widget annotation
 232, 237–238, 250, 555
 interactive features 226
 properties 248
 triggering popup 229
 widgets per field 449
 width
 barcode 337
 cell border width 106
 glyph 371
 Image 54
 line width 460
 PdfPTable 95
 rectangle border width 106
 String 67
 table column 96–97
 table event 125
 WINANSI 29
 Windows bitmap. *See* BMP
 wipe page transition 155
 WMF 331–332, 341
 word spacing 472
 World Wide Web Consortium.
 See W3C
 writeLength method 548
 writeSelectedRows method
 116, 125, 130–133, 152, 196
 get Y position 118
 write selected columns 119
 writing from right to left 366
- X**
-
- X11 server 482
 XAdES 409
 XDP 424
 XFA technology 264–278, 447,
 560, 563, 566
 data description 268
 dynamic XFA form 270
 fill out dynamic XFA
 form 274
 fill out pure XFA form 269
 fill out static XFA form
 265, 270
 internal structure 266
 remove XFA 270
 replacing the XFA stream 269
 static XFA form 265
 XFDF
 submitting PDF as 297
 See also FDF
 XfdfReader 303
 xhtmlrenderer 308
- XML 5, 424, 535, 563
 convert tagged PDF to
 XML 513
 DefaultHandler 312
 Flash 550
 parsing XML 312–315, 378
 XML data in an XFA
 form 271
 XMP 383
 XML Advanced Electronic Sig-
 natures. *See* XAdES
 XML Data Package. *See* XDP
 XML Forms Architecture. *See*
 XFA
 XML Schema Definition. *See*
 XSD
 XMP 383
 automatic creation 384
 avoid encryption 389
 Dublin Core 383
 PDF schema 383
 and PDF/A 421
 XmpWriter 383
 XObject 433
 definition 84
 form XObject. *See* form XOb-
 ject
 image XObject. *See* Image
 XObject
 XSD 273
- Y**
-
- Y position 138, 210
- Z**
-
- Zapf Dingbats 28, 239, 352, 355
 special symbols 40
 zip file
 creating a zip file 18
 ZipOutputStream 18