

## Symbols

---

## prefix 27

## Numerics

---

3D Blox 6

## A

---

Abstract Window Toolkit.

*See* AWT

access modifiers 49, 51,  
64, 335, 349

visibility 65

ActionScript 343

Adobe 5, 230, 233

Adobe Integrated Runtime.

*See* AIR

Adventure Game project

accessing JavaFX Script  
objects from Java 309

calling the JavaFX Script  
engine 307

control panel Java  
interface 309

control panel JFX node 311

creating the control  
panel 311

data file format 303

game events 303–304

map data 302

setting the classpath 305

AIR

provides web-page-like  
shell 11

Ajax 2, 5

Alto (PARC) 166

Amiga 2, 82

animation 139, 144–145, 220

ripple circle 110, 112

smooth 114

anonymous functions 86, 103

Apple Macintosh 165

applets 176, 180

close button 265

creating 257–258

Java 6

output MIDlet instead 292

part of Java SE 351

security 262

unsigned 262

AppletStageExtension

(class) 258, 265

AreaChart (class) 188

arithmetic operations 28

ArrayList (class, Java) 44

arrays 29, 34, 44

Astley, Rick 55

Atari 2600 271

autoReverse (variable) 286

AWT 82, 166–167, 308

## B

---

Bair, Richard 308

bar charts 169, 181–182,  
184, 187

BarChart (class) 188

BarChart.Data (class) 184, 187

BarChart.Series (class) 185

BarChart3D (class) 185, 187

Barr, Terrence 293

BASIC 10

Behavior (class) 192

binds 87, 102–103, 173, 297

automatic update 34

bidirectional 38, 88, 173, 329

bidirectional and controls 39

booleans 36

to bounds variables 36

conditions 38

ensure consistency 83

to expressions 37, 329

functions 38, 43

to functions 40, 329

functions with

dependencies 40–41

inner binds 43

issues with conditions 87

mechanics and limitations 39

minimal recalculation

40–41, 43

nesting 43

numbers 36

object literals 42

optimizing 297

to sequence elements 36, 328

sequences 90

to sequences 37, 329

to sequences elements 86

side effects 39–40

strings 35

binds (*continued*)  
 Sudoku project 83  
 unbound functions 41  
 to variables 35  
 variables 68  
 bitmaps 135, 234, 297  
 Blackjack 31  
 blocksMouse (variable) 227  
 Blu-ray 166, 176  
 Boolean (value type) 18  
 BorderLayout (class, Java) 311  
 bound expressions 35  
 Bounds (class) 228  
 boundsInLocal (variable) 229  
 boundsInParent (variable) 229  
 BubbleChart (class) 189  
 BufferedReader (class, Java) 178  
 Button (class) 170  
 buttons 82  
 change background color 94  
 for each cell 86  
 hold reference 94  
 single click sets off chain  
 reaction 102  
 standard control 170  
 Swing 84  
 bytecode 300–301, 309  
 Bytes (value type) 18

## C

---

C 1, 25  
 C# 51  
 C++ 10, 16, 106, 161  
 cache (variable) 228  
 CAFEBAE 26  
 Calendar (class, Java) 26  
 callbacks. *See* event handlers  
 camel case 50  
 Canvas (class, obsolete) 308  
 Cascading Style Sheets. *See* CSS  
 casts 60, 344  
 catch (keyword)  
 finally (keyword) 77  
 CategoryAxis (class) 187  
 categoryAxis (variable) 187  
 cell phones 166, 176, 291  
 save and recover data 179  
 Character (value type) 18  
 chart axes 185–188  
 charts 180–187, 190  
 multiple series 186  
 types 188–190  
 Chin, Stephen 308  
 Circle (class) 111, 128, 286

classes 48  
 definition 49–52  
 classpath 27, 233, 261, 305, 313  
 clip (variable) 228  
 clipping 272  
 cloud computing 5  
 code  
 annotating with comments 16  
 color 112, 124, 126  
 change background 94  
 define fill 117–118  
 fixed code 101  
 Color (class) 276  
 comma separated lists 30  
 command line 293  
 arguments 64  
 common profile 291  
 concurrency 3  
 console output 16, 28  
 constructors 52  
 Container (class) 140–142, 171  
 containers 101  
 contains() 196  
 content (variable) 85, 111, 147,  
 150, 253  
 Control (class) 133, 192  
 controls 81, 166, 168–175,  
 190, 193  
 other names 168  
 relationship with model 174  
 standard form 132  
 writing your own 190–200  
 controls API 128  
 coordinate spaces 123  
 create (method) 139, 288  
 in CustomNode class 137  
 lightweight constructor 118  
 node initialization 120  
 scene graph assembled  
 240, 250, 276, 286  
 CSS 191, 196  
 interacts with skins 199  
 plug in list of documents 197  
 rules 198  
 curly braces 25  
 cursor keys 291  
 custom node 274, 282, 284,  
 286, 289  
 initialization 137  
 CustomNode (class)  
 118, 135–136, 193, 255  
 constructing a button  
 135–140  
 and create() function  
 120–121

## D

---

data types 17  
 databases 4  
 Date (class, Java) 23, 26, 47  
 declarative syntax 4, 12, 64  
 default value 20, 30, 53  
 returned 36  
 Deluxe Paint 302  
 desktop  
 applications 80  
 icons 262–263  
 profile 292  
 software 165  
 Dilbert 180  
`__DIR__` 135, 197, 241  
 Document Object Model.  
*See* DOM  
 doLayout() 141  
 DOM 191, 198  
 domain-specific language.  
*See* DSL  
 Double (class, Java) 18  
 Double (value type) 18  
 double quotes 24  
 drag to install 258, 263–266  
 DropShadow (class) 227, 244  
 DSL 4, 313  
 Dungeon Master 271, 298  
 Duration (value type) 18, 28  
 durations 28–29, 326  
 arithmetic 28  
 literal syntax 28, 326  
 dynamically typed 343

## E

---

E notation 19  
 Eclipse 316  
 effect (variable) 158, 228  
 empty sequences 31  
 emulator (command) 294  
 encapsulation 64  
 encryption 231–232, 237  
 Rotor (class) is heart of  
 code 236  
 Enigma machine 231, 241,  
 251, 253  
 plug board 257  
 used keys and lamps 239  
 Enigma project  
 application class,  
 version 1 243, 245  
 application class,  
 version 2 253–254

- Enigma project (*continued*)  
 application class,  
   version 3 257  
 application, version 2 255  
 building the UI 244  
 changing the desktop  
   icon 263  
 converting the SVG  
   graphics 234  
 creating the lamp and key  
   graphics 232  
 creating the rotors and  
   reflector 243  
 dragging from browser to  
   desktop 265  
 encoding a letter 246  
 from app to applet 258  
 getting the JavaFX Production  
   Suite 233  
 JNLP file 263  
 key button class 239  
 lamp display class 241  
 laying out the UI,  
   version 2 255  
 manipulating the lamp  
   layers 242  
 modeling the step  
   position 237, 251  
 modeling the wiring 237  
 packaging the resource  
   files 260  
 paper printout class 251  
 printout display 251  
 rotor arrow buttons 251, 256  
 rotor class, version 1 236  
 rotor class, version 2 248  
 rotor mechanics 231, 257  
 running the packager 260  
 running version 1 246  
 running version 2 256  
 testing the applet 261  
 the encryption 236  
 the reflector 237, 257  
 turning the rotor into a  
   UI 248  
 utility class 238  
 escape character 24  
 Event (class) 210  
 event dispatch thread 213, 308  
 event handlers 61–62, 117, 158,  
   307  
 events (Java) 87  
 expression  
   bound 35  
   exception to rule 40  
 expression language 46, 51, 68,  
   70–71, 78, 94  
   limitations with binds 39  
 Extensible Application Markup  
   Language. *See* XAML  
 eXtensible Markup Language.  
   *See* XML  
 extensions (variable) 258
- F**
- 
- F3  
   renamed JavaFX 7  
 FadeTransition (class) 224  
 Feedback project  
   bar chart control 185  
   data validity checks 168  
   feedback class, version 1  
     169, 171, 174  
   feedback class, version 2  
     181, 183–184  
   form interface, version 1 168  
   loading feedback records 182  
   model class, version 1 167  
   model class, version 2 176  
   model variables 168  
   Next button 182  
   pie chart control 185  
   pie chart data 184  
   running version 1 175  
   running version 2 190  
   saving feedback records 182  
   saving model data 176  
   validation 168  
 \_\_FILE\_\_ 135  
 File (class, Java) 63  
 fill (variable) 122, 130, 144,  
   159, 194  
 firewall 294  
 Flash (Adobe) 6, 11, 153, 257  
 Flex 11  
 Flickr 203, 214  
   API 207, 219, 227  
   registering 204, 213, 223  
 Float (value type) 18, 20, 22  
 floating point 18  
 Flow (class) 101, 111  
 Font (class) 163  
 fonts 86, 144, 161–163, 240, 297  
   fixed-width 251  
   in grid cells 84  
 fonts.mf file 162  
 form validation 103  
 Formatter 25  
 full screen 203, 213, 222
- functions 47–48, 65, 77, 90  
 access modifiers applied to 64  
 anonymous 241  
 bound and unbound 41  
 parameters 50, 61  
 pass into other functions 62  
 signatures 61  
 types 61  
 FXD (data format)  
   235, 268, 318  
   created from Inkscape  
   file 266  
   download Production  
   Suite 233  
   prefixed with jfx: 247  
 FXDContent (class) 242  
 FXDLoader (class) 242  
 FXDNode (class) 240, 242,  
   247, 268  
 fxproperties (file format) 27  
 FXZ (file format) 232, 235–236,  
   242, 260, 318  
   copied files into directory  
   package 260  
   preserve definition written  
   into 247  
   scene graph into button 268  
   scene graph node from 240
- G**
- 
- game engine 302–303,  
   306–307, 309  
 getArguments() 64  
 getJComponent() 94  
 getManaged() 142  
 getNodePrefHeight() 142, 144  
 getNodePrefWidth() 142, 144  
 getPrefHeight() 144  
 getPrefWidth() 144  
 GIF (file format) 263  
 GIMP 319  
 Google Docs 5  
 Google Web Toolkit. *See* GWT  
 gradient fills 194  
 graphics  
   immediate and retained  
     modes 107  
   immediate mode 2  
   programming 1  
   retained mode 2, 274  
 Group (class) 118, 127, 139,  
   148, 175, 222, 286, 290  
   chart controls held inside 185  
   contents rotate 124

Group (class) (*continued*)  
 populate with Rectangle  
 objects 122  
 Rectangle as clipping  
 area 152  
 similar to Flow (class) 111  
 GUI 62, 79, 81  
 exploit functionality 92  
 native toolkits 82  
 problems with 2  
 status line 101  
 thread 207, 240  
 GWT 11

## H

height  
 scene 85  
 Hello World JavaFX 10  
 hexadecimal 19, 26  
 Hienrichs, Michael 34  
 HTC Touch Diamond 295  
 HTML 2, 180  
 HTTP 204  
 HTTP request  
 doesn't execute  
 immediately 207  
 HttpRequest (class) 205, 212  
 hypertext 129  
 Hypertext Markup Language.  
*See* HTML

## I

IDE 293–294  
 Illustrator (Adobe) 233, 235,  
 247, 268, 318  
 Image (class) 135, 216, 218, 297  
 image scaling 297  
 images 137, 211, 216, 220  
 animated independently 218  
 load from directory 134  
 size 211  
 ImageView (class) 139, 219, 227  
 immediate mode graphics  
 2, 107, 127, 274, 281  
 init (keyword) 112  
 initializer  
 optional 20  
 Inkscape 232–233, 246, 266,  
 268, 318  
 inline comments 16  
 inMousePressed (variable) 152

InputStream (class, Java)  
 208, 212  
 InputStreamReader (class,  
 Java) 178  
 instance functions 50  
 instance variables 50, 57  
 Integer (value type) 18, 20  
 integrated development envi-  
 ronment. *See* IDE  
 IntelliJ 316  
 interfaces (Java) 48, 58, 60, 87,  
 309, 311, 313  
 internationalization 26  
 Interpolator (class) 115  
 intersects() 196  
 IOException (class, Java) 77  
 iPhone 146  
 isInitialized() 53, 332  
 ISO-3166 (Country Code) 27  
 ISO-639.2 (Language Code) 27

## J

JAD (file format) 293, 295–296  
 JAM 295  
 JAR 293, 300–301, 305, 307, 350  
 extras 261  
 location default directory 180  
 manually add 305  
 and META-INF directory 162  
 and Production Suite 233  
 software on a phone 295–296  
 Java 53, 257, 294, 311  
 adding FX 308  
 API method 70  
 applets 6  
 comparison with JavaFX  
 Script 10  
 default logo 265  
 how MVC implemented 87  
 native arrays 44  
 object-centric 48  
 override (keyword) 56  
 reader classes 178–179  
 release names 352  
 scripting engine 305  
 using UI toolkit 80  
 using with JavaFX  
 43, 301, 306  
 java (command) 305  
 Java 2D 274  
 Java Application Manager.  
*See* JAM  
 Java Development Kit. *See* JDK  
 Java EE 351  
 Java I/O classes 176  
 Java ME 296, 351  
 Java Network Launch(ing) Pro-  
 tocol. *See* JNLP  
 Java Runtime Environment.  
*See* JRE  
 Java ScriptEngineManager 307  
 Java SE 351  
 Java SE JDK 315  
 Java Specification Request.  
*See* JSR  
 Java Swing library 191  
 Java Web Start. *See* JWS  
 Java Wire Debug Protocol.  
*See* JWDP  
 java.ext.dirs property 305  
 Java2D library 107  
 JavaFX  
 compared to rivals 12  
 Hello World 10  
 installation 233  
 overview 2  
 releases 2, 230, 261–262, 271  
 requirements 316  
 scripting language 305–307  
 SDK 315  
 Software Development  
 Kit 233  
 vs. Adobe AIR, GWT, and  
 Silverlight 11–12  
 wrappers for a few Swing  
 components 80  
 javafx (command) 305  
 JavaFX 1.2  
 link control standard 129  
 JavaFX Graphics Viewer 236  
 JavaFX Mobile 270, 295  
 JavaFX Packager 259–262, 293  
 JavaFX Production Suite 230,  
 247, 315, 318  
 JavaFX Script  
 32-bit signed Integer type 26  
 access modifiers 64–67  
 additive access modifiers  
 64, 335  
 anonymous functions  
 61–62, 64  
 arithmetic 21, 324  
 arithmetic operators 21  
 binding 34  
 casts 23, 325  
 class inheritance 55–58, 332  
 classes 330  
 classes. *See* classes  
 comments 16, 323

- JavaFX Script (*continued*)
    - compared to Java 17, 22, 48, 50, 52, 55, 67, 257
    - compiler 49, 58, 70, 115, 300, 309, 346
    - conditions 67–70
    - constants 21
    - constructing Java objects 53, 332
    - creating animation 12
    - custom made for UI
      - programming 4
    - def vs var 21, 35, 39–40
    - durations 28
    - exceptions 76–78
    - for loops 70–73, 337
    - function types 61–62, 90, 333
    - hexadecimal notation 19
    - logic operators 22, 324
    - mixin inheritance 48, 58–61
    - object declaration 52–55
    - on replace 216
    - operators 21–23
    - overview 2
    - packages 47
    - println() 19
    - private members 64, 335
    - quoted identifiers 43, 330
    - reserved words 19
    - sequences 29
    - strings 24
    - supports Javadoc comment
      - format 16
    - triggers 74–76
    - value types 17–18, 323
    - while loops 73
    - working other languages 24
  - JavaFX Script keywords
    - abstract 55, 60, 332
    - at 45, 114
    - bind 35, 37, 328
    - bound 41, 329
    - break 72, 74, 338
    - catch 77, 339
    - continue 72, 74, 338
    - def 35, 39, 64, 323
    - delete 33, 76, 328
    - else 25, 68–69, 336
    - extends 56, 58–59, 332
    - false 19, 23, 69
    - finally 340
    - for 70, 72, 78, 122, 126, 144, 281, 337
    - function 50, 61, 331
    - if 25, 68–69, 78, 336
    - import 47, 84, 330, 345
    - indexof 71
    - init 42, 53, 60, 121, 137, 206, 284, 331
    - insert 33, 76, 328
    - instanceof 23, 325
    - mixin 58–59, 333
    - nativearray of 330
    - new 53, 332
    - on replace 60, 74, 76, 339
    - override 56, 59, 121, 332
    - package 47, 64, 330, 335
    - postinit 53, 60, 122, 331
    - protected 64, 335
    - public 64, 67, 335
    - public-init 64, 67, 141, 211, 335
    - public-read 64, 67, 282, 335
    - return 51
    - reverse 33, 76, 328
    - sizeof 29, 327
    - step 31
    - super 60–61
    - this 51, 60, 331
    - true 19, 23, 69
    - try 77, 339
    - tween 45, 114
    - var 19–20, 35, 39, 64, 323
    - where 73
    - while 74, 281, 338
    - with inverse 39
  - JavaFX SDK 1.2 Device 294
  - javafx.com (website) 261
  - javafx.data.pull (package) 205
  - javafx.ext.swing (package) 80, 84, 103, 166, 312
  - javafx.io (package) 176
  - javafx.io.http (package) 205
  - javafx.scene.chart (package) 187
  - javafx.scene.chart.data (package) 187
  - javafx.scene.chart.part (package) 187
  - javafx.scene.control (package) 81, 193
  - javafx.scene.effect (package) 227, 244
  - javafx.scene.layout (package) 101, 140, 171
  - javafx.scene.media (package) 153
  - javafx.stage (package) 258
  - javafxdoc 16
  - JavaFXDocs 228, 292
  - javafxpackager (command) 259, 261–262, 292
  - JavaFXScriptEngine (class, Java) 307–308
  - JavaOne 295
  - JavaOne 2007 7
  - JavaScript 2, 343
  - JavaScript Object Notation. *See* JSON
  - JComponent (class, Java) 310, 312
  - JDK 315, 351
  - JFileChooser (class, Java) 155
  - jfx prefix (FXD format) 235, 242, 247, 268
  - JLabel (class, Java) 102, 130
  - JNLP 180, 262
  - JRE 231, 257, 262
  - JRE-compatible bytecode 300
  - JSON 179, 204
    - documents nested structures 210
  - JSR 223 305–306, 308–309, 311
    - acquiring a scripting engine 307
    - calling the scripting engine 307
    - exposing Java objects 307
  - JVM 350
  - JWDP 295
  - JWS 261, 263–264
- ## K
- 
- keyboard
    - events 291
    - soft keys 291
  - KeyCode (class) 291
  - KeyEvent (class) 291
  - KeyFrame 127
  - KeyFrame (class) 112–113, 124
  - keywords 340
    - See also* JavaFX Script keywords
- ## L
- 
- Label (class) 173
  - layout 101, 109, 111, 128, 228–229
    - custom 140, 145
    - node 134
    - size 171
  - layoutBounds (variable) 224, 228

LayoutInfo (class) 144  
 layoutX (variable) 128, 144, 229  
 layoutY (variable) 102, 128, 220, 223, 253  
 light synthesizer 109  
 LightShow project  
   application class,  
     version 1 115  
   application class,  
     version 2 124  
   color animation 126  
   raindrop construction 110  
   raindrop node 110, 114–115  
   running version 1 118  
   running version 2 127  
   swirling lines mechanics 121  
   swirling lines node 118–119  
 line charts 187–188  
 LinearGradient (class) 159–160, 196, 199, 255, 276  
 LineChart (class) 189  
 Linux 11, 82, 153, 316  
 localization 26  
 logic operations 22  
 Long (value type) 18  
 look-'n'-feel 81  
 loops 171, 278, 281  
   sequence-based 70–73  
 Lupton, Sally 204

## M

---

Mac OS X 316  
 Mac OS X 10.4 154  
 Macintosh 2, 11  
 Macintosh (Apple) 82  
 Macromedia 5  
 Marinacci, Josh 308  
 Maslow, Abraham 1  
 Math (class) 222  
 mathematical operations 21  
 Maze project  
   3D custom node class  
     274–275, 277, 279  
   adapting for mobile 291  
   application class 289  
   compass custom node  
     class 286  
   compass display 271, 286, 290  
   creating the 3D illusion 272  
   faux 3D 271–274, 277, 279–281, 284, 291  
   faux 3D coordinates 273, 279  
   keeping score 289

map coordinates  
   281–282, 284  
 maze model class  
   274, 282–283, 286, 291  
 maze view display 274, 290  
 packaging for mobile 292  
 perspective 277, 279  
 player movement  
   271, 284, 291  
 player orientation 271, 280, 284, 288, 291  
 player's view 280, 284  
 radar custom node class 284  
 radar display 271, 284, 290  
 running on a phone 295  
 running the application 291  
 running the emulator 294  
 scene graph 276  
 scoreboard custom node  
   class 288  
 scoreboard display  
   272, 288, 290  
   wall creation functions 276  
   wall visibility 279–281  
   x/y tables 274, 276, 278  
 Media (class) 153  
 MediaPlayer (class) 153, 157  
 MediaView (class) 153, 158  
 members, combining term 50  
 Menon, Rakesh 163  
 Microsoft Office 5  
 MIDlet 292  
 minimal recalculation 40  
 Minter, Jeff 109  
 mixee 58  
 mixin 58  
 mixin inheritance 55  
   earliest wins 61  
   *See also* JavaFX Script, mixin  
   inheritance  
 mobile emulator 291, 293, 295–296  
 mobile profile 293  
 mod (operator) 127  
 mode, retained 2  
 model class 82, 88  
 model, relationship with  
   control 174  
 Model/View/Controller  
   79, 87–88, 168, 192  
 Motif (X Windows) 82  
 mouse events 218, 225, 240, 251  
   avoiding two actions 227  
   background image 139  
   define invisible Rectangle 222

handlers 148  
 Rectangle handles 152  
 text change color  
   117, 130, 135  
 MPEG 133  
 MS-DOS 260, 316, 319  
 multimedia 2  
 multiple inheritance 48, 58  
 MVC  
   how it works in JavaFX  
     Script 87

## N

---

nested loops 71  
 .NET 257  
 NetBeans 233, 247, 259, 293–294, 316  
 Next button 190  
 Node (class) 112, 115, 121, 128, 174, 247  
 nodeHPos (variable) 141, 158  
 nodes 136, 141, 229  
   dragging 204, 213, 221–222, 226  
   visibility 242  
 nodes (scene graph) 108–109, 111, 128  
   coordinates 112  
   opacity 114–115  
   rotation 121–122  
   stroke 115  
   transformation  
     118, 122–123, 128  
   translation 122  
   visibility 114  
 nodeVPos (variable) 141, 158  
 null 18, 20, 44, 58, 71  
 NullPointerException  
   (class, Java) 78  
 Number (value type) 18  
 NumberAxis (class) 187

## O

---

object creation (init and postinit) 53  
 object literal 42, 53  
   syntax 52, 54, 57, 84  
 object orientation 17, 48–49, 347–348  
   subclassing 55  
 octal 19  
 Oliver, Chris 7, 271  
 On2 153

onException (variable) 208  
 onMouseClicked (variable) 218  
 onMouseClicked() 130  
 onMouseDragged  
   (variable) 152  
 onMouseMoved (variable) 117  
 onMouseReleased  
   (variable) 152  
 onResponseCode (variable) 208  
 opacity 109, 139, 218  
 open source 232, 318  
 OpenJFX 17, 39, 318–319  
 OpenOffice.org 5  
 operating systems 6  
 operator precedence 341  
 over the air deployment 295

## P

---

Pack200 261  
 package 344–347  
   *See also* JavaFX Script,  
   packages  
 Pac-Man 109  
 Paint (class) 159, 194  
 Panel (class) 142, 170  
 ParallelTransition (class) 224  
 PARC 165  
 performance 297–298  
 persistent storage 176–179  
 persistent storage (client  
   side) 166, 175, 182  
 Photo viewer project  
   application class 221–222,  
   224–225  
   building the HTTP query 205  
   communicating with  
   Flickr 205  
   displaying thumbnails 214  
   Flickr account key 206–207,  
   215, 223  
   Flickr data class 210, 212  
   Flickr gallery id 206, 215  
   Flickr image sizes 211  
   Flickr response class 208, 212  
   Flickr service class  
   205–206, 212  
   navigating the  
   thumbnails 219  
   parsing the Flickr reply 208  
   running the application 228  
   signing up for Flickr 204  
   testing the Flickr service 212

thumbnail gallery class  
   214, 216, 219  
 thumbnail transition 220  
 Photoshop (Adobe) 233, 235,  
   247, 268, 318  
 pie charts 169, 181–182, 184  
 PieChart (class) 189  
 PieChart.Data (class) 184–185  
 PieChart3D (class) 185, 189  
 play() 124  
 playFromStart() 113, 124  
 Playstation 271  
 PNG 64  
 Polygon (class) 250, 278  
 polymorphism 55  
 POSIX 70  
 Potts, Jasper 34, 308  
 primitives 17, 22  
 printf() 25  
 println() 40, 49, 70  
 \_\_PROFILE\_\_ 135  
 programmer/designer  
   workflow 302  
 programming graphics 1  
 Progress Bar project  
   application class 196  
   layout 196  
   progress control class 193  
   progress skin class 193  
   stylesheet 197  
   stylesheet basics 191  
   writing a custom control 192  
 progress bars 191  
 Project Nile 318  
 properties 51  
 pseudo variables 342  
 public-init (keyword) 112  
 PullParser (class) 205, 208, 212  
 PullParserHttpRequest  
   (class) 208–212  
 Python 2

## Q

---

QuickTime 133  
 quote marks  
   to define string literals 24

## R

---

RadialGradient (class) 160  
 radio buttons 166, 168, 173  
 RadioButton (class) 173  
 RainDrop (class) 110  
 Random (class, Java) 222

range delimiters 30  
 Rectangle (class) 123, 128, 144,  
   175, 222, 276, 278, 286  
   first node in Scene 117–118  
   houses mouse event logic 148  
   invisible 139  
   populate a Group 122, 124  
   sequence of objects 195  
   shadow 226  
   transparent spacer 158  
 Reflection (class) 158  
 reflection effect 8, 158  
 remote method invocation.  
   *See* RMI  
 repeatCount (variable) 286  
 Representational State Transfer.  
   *See* REST  
 requestFocus() 291  
 reserved words 19  
 Resource (class) 178–179  
 REST 204  
 retained mode graphics  
   107, 274, 281  
 RIA 4–5  
 Rich Internet Application.  
   *See* RIA  
 RMI 204  
 rotate (variable) 121, 229  
 RotateTransition (class)  
   224, 288  
 rotation 109  
 Rubik's Cube 271

## S

---

Scala 2  
 Scalable Vector Graphics. *See*  
   SVG  
 ScaleTransition (class) 224, 286  
 scaleX (variable) 229  
 scaleY (variable) 229  
 scaling 109, 140, 253  
 ScatterChart (class) 189  
 Scene (class) 85–86, 170–171,  
   255, 290  
   background 225  
   button sequence added 94  
   define variables 116  
   populating 101–102  
   referencing 222–223  
 scene graph 85, 100, 129–130,  
   185, 229, 268  
   add Paper (class) 255  
   adding rows 280  
   adding walls 278

- scene graph (*continued*)
  - assembled in create()
    - 240, 276
  - Button (class) created 135
  - clipping 152
  - compared to JavaFX 107
  - contents rebuilt 216
  - extends
    - javafx.fxd.FXDNode 247
  - forms final image 250
  - FXD file 235
  - grouping nodes 108, 118
  - immediate vs retained
    - mode 107
  - oversized 297
  - stage 109
  - structural overview 108
  - thumbnail bar 218
- Screen (class) 222
- script context 49, 134, 276
- ScriptEngineManager
  - (class, Java) 306
- scripting engine 303, 305–307, 309, 311
- scripting language 301
- scripts 48, 301
- scrollbars 82
- SDK 271, 305
- SeeBeyond Technology
  - Corporation 7
- semicolons 54, 69
  - closing 20
- sequences 29–34, 70, 124, 184, 245
  - access inside objects 71
  - adding elements 44, 76
  - adding or removing
    - elements 36
  - appending elements 33
  - behind the scenes 34
  - binding elements 36
  - binding sequences 37
  - conditional slices 32
  - declaration 29, 327
  - deleting all elements 33
  - double dot syntax 32
  - empty 31
  - equality 29, 327
  - for loops 37
  - freq 91
  - immutable 34
  - inclusive and exclusive range
    - syntax 32
  - index range deletion 33
  - inserting elements 32
  - inserting or removing
    - elements 34
  - linear 278
    - manipulation 32, 328
    - nested declarations 31
    - nested ranges 31
    - of colors 126
    - order reversal 33
    - predicate declaration 32, 327
    - range declaration 30
    - range delimiters 32
    - removing elements 32, 44, 76
    - reverse elements 76
    - reverse ranges 31
    - ripples 113
    - size of RainDrop 116
    - slice declaration 31, 327
    - slice syntax 31
    - Sudoku project 83, 86
    - type 29
    - update fixed 97
  - service provider
    - mechanism 305, 307
  - shaped windows 8
  - shapes 108–109, 112, 118, 130, 234
  - Short (value type) 18
  - Silveira Neto 319
  - single quotes 24
  - Skin (class) 192, 194–195
  - skin (variable) 193
  - skins 191–193, 199
  - Slider (class) 144, 173
  - sliders 140, 166, 168
  - Smalltalk 1
  - SOAP 204
  - source files 48
  - Space Invaders 109
  - sprites 2
  - SQL 24
  - square bracket syntax 29–30
  - Stack (class) 158, 241
  - Stage (class) 85–86, 116, 225, 258, 265, 290
  - static methods (Java) 49
  - statically typed 343
  - Storage (class) 178–180
  - String (value type) 18, 21, 28
  - strings 325
    - embedded expressions
      - 24, 325
    - embedded if/else 25, 68
    - formatting 25–26, 69, 325
    - literals 24, 325
    - localization 26–27, 326
    - multiline 24
    - quotes 24, 325
  - stroke (variable) 144, 194
- StudioMOTO 7
- stylesheets 191, 196
- stylesheets (variable) 197
- subclasses 65
- subclassing 55
- Sudoku 80, 100
  - history 80
  - terms 81
- Sudoku project
  - boxes 91
  - cell background color 94
  - checkGroup() 90–91
  - checking for clashes 90–91
  - checking groups 90
  - checkStats() 98
  - columns 91
  - creating the grid UI 84
  - fixGrid() 97, 100
  - game class, version 1 83, 85
  - game class, version 2 92
  - game class, version 3 98, 100
  - game stats 97–98, 101–102
  - loading/saving the game
    - 97, 103
  - locking starting cells 96
  - model class, version 1 82
  - model class, version 2
    - 88, 90–91
  - model class, version 3 96
  - rows 91
  - running version 1 88
  - running version 2 94
  - running version 3 102
  - styling the grid UI 94
  - updating the model 92
  - update() 90, 92, 98
  - updating grid cells 86
  - updating the model 94, 97
- Sun Microsystems 6, 81, 230, 297, 318
  - acquired SeeBeyond 7
- superclass 57–58
- Superlambanana 204
- SVG 231–232, 318
  - converting to FXD
    - format 235
    - converting to FXZ 234–236
    - layers 235, 242, 247, 266
  - SVG Converter (tool) 232, 235, 240, 247
- SVG editor 246
- SVG UI project
  - adding event handlers to
    - layers 268
  - application class 266
  - naming the layers 266

Swing  
 buttons 84, 100  
 classes wrap components 80  
 components 103  
 explained 82  
 importing JavaFX UIs 308–312  
 sits atop AWT 82  
 wrapper classes 84  
 wrappers 132  
 SwingButton (class) 86–87, 94, 100  
 SwingCheckBox (class) 103  
 SwingComboBox (class) 103  
 SwingLabel (class) 102, 144, 309  
 SwingList (class) 103  
 SwingListItem (class) 103  
 SwingRadioButton (class) 103  
 SwingScrollPane (class) 103  
 SwingSlider (class) 103  
 SwingTextField (class) 103  
 SwingToggleGroup (class) 103  
 switch construct 69  
 syntactic sugar 18  
 syntax  
   declarative 4, 12  
   object literal 52  
   square bracket 29–30  
 synthesizer, light 109  
 System (class, Java) 43, 117  
 system properties 27

**T**

---

ternary expressions 69, 336  
 Text (class) 130, 144, 148, 241, 247, 253, 289  
 text fields 82, 166, 168  
 TextBox (class) 173  
 thin client 176  
 thumbnails 203, 211, 219, 223  
   bar across screen 213  
 Tile (class) 140, 173–174  
 Timeline (class) 112–113, 220, 286  
   controlling playback 124  
   creating inertia effect 150  
   helping in animation 115  
 timelines 112, 114, 124, 127  
 ToggleGroup (class) 173–174  
 toString() 28, 51, 55, 71  
 Transform (class) 122  
 transition effects 3  
 transitions 202, 213, 220  
 TranslateTransition (class) 220, 224

translateX (variable) 128, 229  
 translateY (variable) 128, 220, 229  
 transparency  
   against the desktop 8  
 triggers 60, 73, 78, 87, 92, 97, 102–103, 173, 297  
   assign to a sequence 75  
 TrueType (fonts) 162  
 TV profile 292

## U

UI Stub Generator 247  
 UI. *See* GUI  
 underline (variable) 130  
 underscore character 26  
 URL (class, Java) 135  
 URLConverter (class) 178  
 useDefaultClose (variable) 265

## V

validating forms 103–105  
 value types  
   are objects 21  
   compared to Java 18  
   declaration 17–20  
   default values 20  
   type inference 20  
 ValueAxis (class) 187  
 valueAxis (variable) 187  
 variable declarations 40  
 variables 17, 39  
   access modifiers applied to 64  
   control access to 47  
   live outside a class 49  
   readability to 65  
 variables type  
   inference when declaring 20  
 VBox (class) 147, 244  
 Vector (class, Java) 44  
 vector images 234  
 video 145, 152–154  
   codecs 153  
   from the local hard disk 133  
   plug into JavaFX scene graph 153  
 Video project  
   application class, version 1 142  
   application class, version 2 154–155, 158  
   button custom node 135, 137  
   control panel layout 140  
   custom button 135

gridbox custom  
   container 140  
 image loader 134  
 list custom node 146–147  
 list pane custom node 149–150  
   running version 1 144  
   running version 2 161  
 Video VP6 153  
 virtual functions 57  
 visible (variable) 114  
 visualizations 109  
 Void (type) 50–51, 62

## W

W3C 234  
 web mail 4  
 web services 202, 207, 209, 212  
   defined 204  
 WebKit 11  
 whitespace 24  
 width  
   scene 85  
 Wikipedia 100  
 Winamp 109  
 Windows (Microsoft) 82, 235, 260, 266, 271, 294, 316, 319  
 Windows Media Player 109, 133  
 Windows XP/Vista 154  
 WMV 133  
 word processor 5, 301  
 World Wide Web 2, 165  
   web applications 4  
 World Wide Web Consortium 199  
 write once, run anywhere 11, 350

## X

XAML 12  
 Xbox 271  
 Xerox 165  
 Xerox's Palo Alto Research Center. *See* PARC  
 XML 179, 202, 204  
   documents nested structures 210

## Z

zip files 235