

index

Symbols

`$?` variable 259–260, 418
`$_` variable 163–164, 170, 201
 in trap block 266
`$args` 179, 181, 185
`$error` variable 256
`$error[0]` 257
`$ErrorActionPreference`
 variable 262, 264, 266
`$ExecutionContext` variable 246
`$false` variable 106, 141
`$foreach` variable 157, 200, 330
`$host` members 270
`$host` variable 270, 279
`$host, RawUI` 271
`$input` variable 199, 201
`$LASTEXITCODE`
 variable 260
`$matches` 164
`$matches` automatic
 variable 109
`$MaximumErrorCount`
 variable 256
`$MyInvocation` variable 281
`$NestedPromptLevel`
 variable 278
`$null` 158, 186, 265
 variable 117, 141, 263, 302
`$OFS` variable 81, 178, 228, 316
`$PROFILE` variable 482
`$PSHOME` 48

`$PSHome` 244
`$PSHome/types.ps1xml` configu-
 ration file 342
`$PWD` shell variable 357
`$switch` variable 168, 200, 330
`$this` member 229
`$this` variable 228
`$true` variable 141
`+=` operator 302
`<` operator 139
`=and` operator 113
`>` operator 138
`>>` operator 138

Numerics

`1/$null` expression 257
`2>` operator 138
`2>&&1` operator 139
`2>>` operator 138

A

`about_Assignment_operators`
 help text 302
access remote event logs,
 example 508
accessible 156
accessing COM objects 399
accidental
 code injections 248
 execution 206
accumulate 156, 213

acronyms 26
action 333, 379
activator APIs 352
Active Directory (AD) 512, 515
 schema 513
Active Directory Application
 Mode. *See* ADAM
active directory domain
 information 499
Active Directory Service Inter-
 face. *See* ADSI
ActiveScript
 engine 415
 language 416
AD. *See* Active Directory
ADAM, Application Mode 512
adaptation 223
 existing member 236
 extending objects 223
adaptation layer, COM 394
adapter 59
add 89
 children to a node 324
 elements to an XML
 document 323
 extending instances 224
 members 223
 new language elements 250
 property 226
 ScriptMethod 227
 XML attributes 324

- addExpressionRule, PowerShell grammar 526
 - addition 92
 - addition operator, hashtables 92
 - AdditionOperatorToken, PowerShell grammar 529
 - Add-Member 233
 - cmdlet 224, 235
 - admin tasks 436
 - ADO 58
 - ADSI 58, 437
 - object adapter 513
 - Type Shortcut 513
 - algorithm 193
 - binding 289
 - comparison 104
 - compression 425
 - hash 441, 453
 - Secure Hash 456
 - alias 34, 76
 - property 225
 - provider 309
 - aliased member 226
 - AliasProperty 225
 - AllSigned execution policy, definition 451
 - alternation operator, regex 304
 - anatomy 27
 - Anchor property, Winforms 376
 - animated agent feature 412
 - animations 415
 - anonymous
 - filter 202
 - functions 220
 - APIs 7
 - activator 352
 - byte-oriented 369
 - GDI+ 388
 - host 270
 - interoperation with 54
 - surfacing management 422
 - AppActivate() method, WScript.Shell 404
 - append 140
 - application architecture 379
 - application developers 283
 - architecture 253
 - arguments 45, 133, 169, 179, 188
 - arithmetic 18
 - calculations
 - cmd.exe 479
 - expressions 304
 - operator methods 96
 - array 71, 131, 194–195
 - catenation 89
 - indexing 71, 318
 - literals 71
 - multiplication 93
 - of indexes 132
 - operators 89
 - Perl vs PowerShell 493
 - subexpression 119
 - Array class 243
 - array indexing, VBScript vs PowerShell 497
 - array of characters 245
 - converting to string 228
 - string as 227
 - ArrayList 197
 - arrayLiteralRule, PowerShell grammar 527
 - as operator 117
 - ASCII 141
 - encoding 318
 - files 314
 - ASCII encoding 318
 - AsSecureString parameter 466
 - assemblies 345
 - assets, definition 445
 - assignable elements 99
 - assignment 69, 91
 - expression syntax 97
 - expressions
 - as value expressions 100
 - operators 96, 144
 - AssignmentOperatorToken, PowerShell grammar 528
 - assignmentStatementRule, PowerShell grammar 521
 - asynchronous event handling 369
 - attack, definition 444
 - AttributeSpecificationToken, PowerShell grammar 529
 - authentication, definition 446
 - authorization, definition 446
 - AutoIT tool 405
 - automate system administration tasks, security 465
 - automate, Active Directory 518
 - automatic type conversion 117, 285
 - automatic variable 170
 - \$this in scriptblocks 228
 - definition 246
 - automating an application 396
 - Automation Model 396
 - automation tool 251
 - AWK 170
 - command 489
 - language 490
- ## B
- backquote 39
 - backslash 41
 - backtick 39
 - base class 233
 - base member, on hashtable 302
 - bash 4
 - basic dialog 391
 - basic error handling 293
 - basic string processing 304
 - begin clause 301
 - begin keyword 202
 - BeginInvoke() method 350
 - begin-processing 46
 - best practice, security 467
 - binary data 307
 - binary files, working with 313
 - binary operator 137, 171
 - bind from pipeline 288
 - binder 28

- binding
 - objects, data and
 - methods 222
 - process 288
- bitmap files 315
- bitwise operators 113
- bitwiseExpressionRule, PowerShell grammar 526
- BitwiseOperatorToken, PowerShell grammar 528
- blacklisting, definition 446
- block of code 265
- blogger 437
- .BMP file 316
- boilerplate code 376
- [bool] 85
- Boolean 189
- bottom-tested 152
- bound 186, 289
- Bourne shell family 488
- branching 161
- break 159–160, 162, 166
 - keyword 266
- breakpoint 279–280
 - command 280
- browser
 - cache 309
 - window 405
- building
 - code 245
 - graphical applications 371
 - menus 379
 - objects in PowerShell 222
- built-in commands 31
 - cmd.exe 481
- button control 373
- bypass
 - adaptation layer 325
 - type adapter 424
- by-reference 73

C

- C# 149, 155, 197, 437
 - considerations 353
 - typeof() operator 136
- cache, temporary Internet files 310
- caching security 454
- calculated 17
- calculated field 232
- calculations 56
- calculator buttons 384
- calculator process 432
- call operator 248, 264
 - "&" 216
 - scriptblocks 218
- call stack 282
- CallArgumentSeparatorToken, PowerShell grammar 528
- Calling functions 183
- Cancel button 374
- candidate 83
- canonical aliases 306
- capture errors 257, 261
- capturing
 - error objects 253, 259
 - error record 253
 - errors 256–257
- cartoon characters 412
- cascading consequences 472
- case option 163, 165
- case-insensitive 17, 92, 148
- case-sensitive 103, 164
- CaseSensitive parameter 320
- cast notation 75
 - with variables 142
- casting 116
 - string to array of characters 228
 - to void 119
 - to XML 286
- casual scripting 268
- catch 268
- categories of COM object 417
- ceq operator 101
- Certificate Export Wizard is OK 463
- certificate file 457
- Certificate Manager tool (Certmgr.exe), 462
- Certificate snap-in 457
- chained 80
- char array 351
- character encodings 313
- characteristics 20
- checksum function 319
- child process 308
- Church, Alonzo, lambda notation 216
- CIM. *See* Common Instrument Model
- class
 - definition 238
 - keyword, implementing 241
 - root 394
- class.ps1 238
- Clear() method, eventlog 508
- clipboard 411
- CLIXML format 342
- clobbering output 141
- Close() method 353
- closing tag 330
- cmd.exe 4, 144, 260, 306, 314
 - /c option 260
 - basic navigation commands 477
 - calling from PowerShell 487
 - getting exit code 210
 - security 441
- cmdlet 27–28, 30
 - coverage 393
 - stops 264
- cmdletBodyRule, PowerShell grammar 525
- cmdletCall, PowerShell grammar 521
- CmdletNameToken, PowerShell grammar 529
- code
 - execution 445
 - injection 448, 472
 - injection attacks 248
- codecs installed 425
- CodeMethod 225
- CodeObject 427

- CodeProperty 225
- code-signing 456
- coding exercise 442
- collection 86, 90, 158, 161, 175, 200, 257
 - Command Information 218
- collection comparisons 105
 - left operand 105
 - polymorphic collections 105
 - right operand 105
- collection of commands, snap-in 292
- collection of lines 300
- collection of objects, WMI 433
- collection of phrases, array literals 414
- Collections 105
 - Count property 106
- colon, in variable names 143
- colors, tracing statement 272
- column styles 379
- ColumnCount property 380
- COM 58
 - adaptation 393
 - adapter issues and limitations 417
 - collection 399
 - objects, issues 415
- comma operator 145
- command 157, 177
 - arguments, scriptbocks 216
 - completion 16
 - discovery 216
 - elements 334
 - history 6
 - information 221
 - line 203, 255, 269, 288
 - mode 41
 - name element 333
 - name resolution 217
 - type 218
- CommandInfo 217
 - FunctionInfo subclass 221
- commas 179
- CommaToken, PowerShell grammar 528
- comment block 453
- Common Instrumentation Model (CIM) 393, 422
- common scriptblock 383
- ComObject parameter 393
- comparison operator
 - case sensitivity 101
 - design rational 102
 - left-hand rule 102
- comparisonExpressionRule, PowerShell grammar 526
- ComparisonOperatorToken, PowerShell grammar 528
- compile time 245
- compiled script 247
- compile-time error, type conversion 142
- compiling scriptblocks 245
- complete statement 43
- Component Object Model. *See* COM
- compound assignment operators 96
- computer security 441, 475
- ComWrappers.ps1xml types extension file 420
- concatenate 62, 180
 - collection of files 313
 - strings 497
- condition 152, 154
- condition part 150
- conditional matches 165
- conditional statement 148
- console 139, 253
- console-based 34
- constant expression folding 257
- constant variables 141
- constructor arguments 351
- constructors 84
- contains operator 106
 - performance advantages 107
- continue 159–160, 166
- Continue, Error preference 262
- control panel
 - applet 402
 - appwiz.cpl 403
 - desk.cpl 402
- control structures 215
- control transfers 267
- Controls member 373
- convenience aliases 35
- conversion 79, 90
- conversion error 143
- converted 29, 184
- ConvertFrom-SecureString cmdlet 467
- converting
 - an existing VBScript 425
 - arrays to strings 316
- ConvertTo-Html cmdlet 369
- ConvertTo-SecureString cmdlet 467
- convoluted 159
- copying 90
 - files 477
- Core Cmdlets
 - Clear-Item 306
 - Copy-Item 306
 - Get-Content 307
 - Get-Location 306
 - Mkdir 307
 - Move-Item 306
 - New-Item 306
 - Remove-Item 306
 - Rename-Item 306
 - Set-Content 307
 - Set-Item 306
 - Set-Location 306
- Count property 179
- counting loop 153
- create
 - drives 307
 - eventlog 510
 - generic collections 391
 - generic instance 358
 - instances 350
 - objects 233, 237

create (*continued*)
 user object Active Directory 513
 variable 142
 Create()
 Active Directory 513
 WMI 432
 CreateElement() 323
 CreateNavigator() 336
 CreateObject(), VBScript 496
 CreateProcess() API, Win32 450, 471
 credentials, WMI 422
 critical operations 261
 cryptography 441
 currency symbol 138
 current
 directory 156
 execution policy 451
 pipeline object 337
 scope 209, 280
 state 400
 working directory 88
 Current property 200
 CurrentDirectory static method 355
 custom objects, creating 215

D

Danom virus 442
 data abstraction 237
 data binding 385
 Data General 8
 data structure 145
 example 98
 data tables 518
 datagrid control 385
 DataGrid, data binding 387
 date object 426
 [datetime] 104
 dayofweek property 227
 debug 196
 debugger language 277
 debugger operations 277
 debugging 48, 213, 271, 293

debugging capabilities 271
 debugging complex scripts 281
 debugging feature 275
 debugging messages 270, 279
 debugging PowerShell scripts 270
 debugging technique 279
 debugging tool 281
 debugging, tracing, and logging features 293
 DEBUG tag 272
 declare 56
 declare parameters 181
 decrement operator 118
 default aliases 477
 default clause 162
 default state parameters 288
 define
 class 238
 functions 220, 273
 types 239
 definitions, command information 218
 DeleteTree() method, Active Directory 518
 deleting
 files 477
 function 221
 variable 277
 -delimiter parameter 317–318
 denial of service, definition 445
 depth parameter 342
 descendent
 XML element 338
 XML Nodes 322
 description property, defining 227
 design decision, contentious issues 101
 destructive 79
 device, WMI 434
 diagnostics
 capabilities 294
 error 257

features 293
 tool 291
 tracing and logging 252
 dialog box 456
 DialogResult property, Winforms 376
 digital signature 454
 DirectoryInfo 233
 object 236
 discard
 empty array elements 300
 error messages 263
 output 140
 distinguishedName property, Active Directory 518
 distributed 8
 Distributed Management Task Force (DMTF) 422
 division 57
 by zero 257
 Dock property 373
 dollar sign 143
 domain 112
 information 499
 domain-specific languages 237
 Don't Panic 3
 doskey
 macro substitution 486
 tool 485
 utility, powershell 486
 dot 135
 operator 133
 script 211
 sourcing 211
 dotting a script or function 210
 double 57
 double quotes 206, 246
 double-click 449
 double-colon operator, accessing static members 146
 double-quotes 54, 61
 do-while 152
 doWhileStatementRule, PowerShell grammar 524

- Drawing assembly 376
 - Drawing function 379
 - drawing objects 390
 - brush 390
 - rectangle 390
 - drive 204
 - Dump-Doc function 329
 - dumping
 - errors 258
 - script call stack 281
 - dynamic 56
 - dynamic language 215, 222, 237
 - environments 277
 - security 447
 - dynamic link library (DLL) 346
 - dynamic parameters 288
 - dynamic scope 190, 192, 213, 239, 474, 495
 - dynamically constructing
 - instances 352
- E**
- ea parameter 262
 - Eclipse minicomputer 8
 - ECMAScript (JavaScript), JScript 416
 - edit.com 34
 - elastic 34
 - syntax 180
 - element 69, 174
 - attributes 330
 - nodes 333
 - type of the collection 288
 - Elevation of Privilege, definition 445
 - elseif 149
 - clauses 149
 - condition 148
 - keywords 149–150
 - token 522
 - EMACS 108
 - employee Active Directory 514
 - empty array 158
 - empty PSObject 240
 - Enable strong protection box, Certificate Export Wizard 463
 - encapsulate 222
 - encoding 53
 - encoding 141
 - parameter 318
 - writing binary files 318
 - encoding parameter 141
 - encryption key, security 467
 - end keyword 202
 - end scriptblock 338
 - end-processing 46
 - EndProcessing clause 289
 - entered interactively 257
 - EnterNestedPrompt()
 - method 279
 - \$host 279
 - enumerable 158
 - enumerable collection array 90
 - enumeration 300
 - enumerator 157
 - env namespace 143
 - environment variables 143, 146
 - cmd.exe 478
 - eq 101, 104
 - error
 - behavior 262
 - catching 241
 - conditions 252
 - handling 252–253
 - handling mechanisms 293
 - message 184, 206, 263
 - object references 259
 - objects 139, 196, 252, 255, 258–259, 268
 - records 253, 266
 - redirection 138
 - formatting 139
 - stream 196
 - text 253
 - variable 258
 - error action policy 268
 - error action preference 262–263
 - Error Record Property
 - CategoryInfo 254
 - ErrorDetails 254
 - Exception 254
 - FullyQualifiedErrorId 254
 - InvocationInfo 254
 - TargetObject 254
 - erroraction parameter 262–264
 - erroractionpreference
 - parameter 264
 - error-handling 268
 - ERRORLEVEL 210
 - ErrorRecord 252
 - ErrorVariable. parameter 257
 - escape 40
 - processing 311
 - removal
 - by the interpreter 311
 - in the provider 311
 - sequence 41
 - wildcards 310
 - ev parameter 259
 - evaluates 173
 - event handler 373, 390
 - event log entries 292
 - event records 291
 - Event Viewer tool 291
 - eventlog entry type 292
 - EventLog object 507–508
 - Events 371
 - exact matches 165
 - examine the error 257
 - exception 255, 265–266, 294
 - C# and VB.Net 252
 - object 268
 - terminating error 265
 - Exchange 518
 - Management console 293
 - team 293
 - executables 307
 - execute 218
 - executing code at runtime 245
 - execution path 475
 - execution policy 206, 459, 464, 475

- execution resumed after an
 - exception 267
- execution stopped error 263
- ExecutionPolicy property 451
- exit
 - code 260
 - function 282
 - keyword 209
 - nested prompt 279
 - scripts 209
 - statement 209, 279
 - with code 0 260
- expandable 61
- ExpandableStringToken, PowerShell grammar 528
- expanded 16, 40
- ExpandString() method 247
- Explicit Cast Operator 84
- explore objects 233
- Explore() method, Shell 397
- Explorer 6
- exploring PSObject
 - metaprogramming 233
- export a certificate 462
- Export-CLIXml 343
- Export-CliXml cmdlet 339
- Export-Window function 401
- expression member with Select-Object 232
- expression mode 41
- expressionRule, PowerShell grammar 526
- expressions 17, 145, 175, 257
- extend 223
 - objects 233
 - runtime 250
 - type system 48
- eXtensible Markup Language.
 - See XML
- extension 32, 223
- external 177
- external commands 260, 437
- extra parameters 390

- extracting information 298
 - multiple XML elements 337
 - XPath 336

F

- f operator 80, 137
- factored commands 477
- factories 422
- fatal exception 369
- Fibonacci example 97
- fields 50
- file 18
- File Association 449
- file names, matching 107
- file not found error 257
- file, process whole 300
- FileInfo type 133
- FileInformation 156
- FileLog parameter 291
- files, drives and navigation 305
- filesystem provider 144
- FileVersionInfo property 492
- filter 201, 220
- filtering output 253
- finallyStatementRule, PowerShell grammar 524
- findstr command 319, 482
- fine control 264
- finger-memory 481
- first error 264
- firstPipelineElement, PowerShell grammar 521
- fl command 35
- flow control 18, 23, 147, 149, 176
 - adding new 238
- flowControlStatementRule, PowerShell grammar 525
- flush the changes 434
 - WMI 435
- fmtData function 409
- for loop 153
- for statement, cmd.exe 482
- for tokens=, cmd.exe 483
- force parameter 248, 468
- foreach 171, 176
- foreach keyword 155
- foreach loop 155, 272
- foreach statement 153, 155, 157
- foreach-object 170
- foreach-object cmdlet 21, 130, 155–156, 170–171, 202, 215–216, 220, 301, 337
- foreachStatementRule, PowerShell grammar 523
- forensic tools 465
- Form function 379
- Form.Activate 374
- formal arguments 186
- formal parameters 181, 185–186
- format operator -f 80, 137, 146
- format specifier 137
- format string 137
- formatExpressionRule, PowerShell grammar 527
- format-list cmdlet 48, 427
- FormatOperatorToken, PowerShell grammar 529
- format-table cmdlet 48, 231, 337
- formatted display 303
- formatter 50
- formatting 48
 - and output subsystem 303
 - and output system 137
 - strings 137
- forWhileStatementRule, PowerShell grammar 523
- foundation 54
- fragments of script code 264
- freespace 22
- full debugging 276
- full tracing 273
- full-fledged cmdlets 213
- FullName 65, 235, 347
- fullname 91
- Fulton, Scott 442

- function body 178
- function calls 273
- function cmdlet 220
- function definition 217, 219
 - changing 221
 - entry 205
- function drive 204, 213, 248
- function keyword 212, 222
- function parameter 186, 269
- function provider, function drive 221
- function scoped 209
- function: drive 220–221
- function:/mkdir 204
- functionDeclarationRule, PowerShell grammar 525
- FunctionInfo 221
- functions 31, 178, 194, 201
 - drive 306

G

- garbage collection 330
- GDI (Graphics Device Interface) 388
- generate a script 207
- generated an error object 259
- generating 157
- generic dictionary 359–360
- generic type 358
 - closed generic type 359
 - open generic type 358
- geometry managers 371
- get an enumerator 467
- get input, \$host 271
- get WMI objects 422
- GetAssemblies() method 349
- Get-AuthenticodeSignature cmdlet, security 460
- Get-BatchFile function 484
- Get-ChildItem cmdlet 34, 477
 - command information 217
 - synthetic properties 223
- get-command 34, 217, 455
- Get-ComRSS function 407

- Get-Content cmdlet 98, 145, 168, 313, 316, 326
 - syntax 313
 - working with binary files 317
- Get-Credential cmdlet 466, 468
- get-date 64, 139, 187
- Get-Digg script 408
- Get-DomainInfo Script
 - example 500
- Get-Employee function
 - example 515
- GetEnumerator() method 345
- Get-EventLog cmdlet 291, 505
 - limitations 508
- Get-ExecutionPolicy cmdlet 451
- get-help cmdlet 141, 334
- Get-HotFixes script 505
 - example 503
- Get-Item cmdlet 259, 262, 287
- Get-ItemProperty cmdlet 451
- GetLength() function, VBScript 415
- Get-MachinesMissingHotfix.ps1 Script
 - example 504, 519
- Get-MagicNumber script 316
- get-member 221
- Get-Member cmdlet 253, 299, 305
 - COM 396
 - examining objects 222
 - static members 223
- Get-Members cmdlet 133
- Getmembers() method, listing object members 95
- Get-PfxCertificate cmdlet 464
- get-process 29, 154
- Get-Process cmdlet
 - in WinForms example 385
 - WMI 432
- get-sched script, example 511
- Get-SoftwareFeatures.ps1 script, example 501
- Get-Spelling.ps1 script 409

- GetType() method 56
 - getting an objects type 99
- GetTypes() method 349
- get-variable cmdlet 282
- Get-WmiObject cmdlet 423, 429, 438, 496
- Get-XPathNavigator
 - function 336
- gigabytes 65
- Global Assembly Cache (GAC). 348
- global context 143
- global functions 239
- global modifier 193
- global scope 246
- global variable 191, 193
- goto statement 159
 - cmd.exe 483
- grammar 27
- graphical programming 249
- graphical user interface 293
- graphics programming 387
- greater than 149
- grep command 319, 489
- grouping 119
 - expressions 119
 - objects 303
- Group-Object cmdlet 303
- GUID, System.__ComObject 419

H

- handle embedded single quotes 402
- handles 172, 217
 - resource management 330
- hashLiteralRule, PowerShell grammar 527
- hashtable 66, 184, 239
 - button objects 384
 - extending 245
 - keys 301–302
 - member 302
 - operators 89
 - use with Select-Object 232

- help cmdlet-name 307
- help topics 319
- helper function 239
- here-string 60, 63, 207–208
 - VBScript 427
- Heresy, PowerShell 45
- hex digits 90
- hex dump function 315
- hexadecimal 66, 138, 316
- history 487
- home directory 402
- host APIs 270, 294
- host interfaces 271
- host version 270
- how commands are run, cmd.exe
 - vs powershell 480
- how to load assemblies 391
- Howard, Michael 445
- HTML 407
 - document 365
 - table 370
 - tags 361
- HTTP
 - GET method 408
 - protocol 369
 - request 369, 409
 - response 365
- http://www.dmtf.org 422
 - DMTF Website 422

I

- I/O redirection 140
- IComparable 104
- IDictionary 66
- IEEE Specification 1003.2,
 - POSIX Shell 8
- IEnumerable interface 158, 345
- ieq operator 101
- if 23, 148
- if Statement 148
- ifStatementRule, PowerShell
 - grammar 522
- IList 85
- implementation decision, concatenation
 - hashtables 92
- implicit 103
- Implicit Cast Operator 84
- import a SecureString 468
- Import-CLIXml cmdlet
 - 341, 343
- Import-Csv cmdlet, Active Directory 515
- increment operator 62, 118, 152
- Increment the loop variable 281
- indent level 330
- index of command in pipeline 255
- index operation 218
- indexes 132
- indexing with a variable 132
- indirect property name
 - retrievals 135
- infamous clippie 412
- information disclosure
 - attack 449
 - definition 444
- inheritance 243
 - hierarchy 234
- initialize 62, 153
 - multiple variables 100
 - parameters 181
- initializer 188, 269
- initializer expression 187
- in-memory buffering 144
- inner 160
- innermost call 283
- InnerText() method 324
- input 200
- input redirection 139
- Input Validation 447
- InputObject 38
- Insert() method string 493
- inspecting 278
- installable software 305
- installable, providers 306
- installation directory path 244
- installed software features,
 - listing 500
- instance 241
 - creating 239, 242
 - extending 244
- instance members 136
- instances, extending 223
- [int] type 116
- integer 56, 184
 - expressions 265
 - truncation 103
- integrity 446
- intellisense 16
- interactive 172
- interactive command interpreter,
 - security 450
- interactive commands 429
- interactive mode 277
- interactively 150
- intercept 100
- Internet Explorer, COM Object 405
- InternetExplorer.Application.1.
 - 395
- interop assembly 418
- interop problem 399
- interoperate, COM 399
- interpreter 28, 148,
 - 189, 249, 272
- intervening characters 111
- invalid file name, security 448
- invocation intrinsics 250
- InvocationInfo member 255
- InvocationInfo object 282
- invoke scriptblocks 215
- InvokeCommand 246
- Invoke-Display function 414
- Invoke-Expression 81, 370
 - security 447
- Invoke-Expression
 - cmdlet 245–246, 277
 - evaluating math expressions 384
 - security 472

- InvokeMethod() method,
 - COM 421
- Invoke-MSAgent function 415
- InvokeScript() method 247
- invoking a command
 - indirectly 217
- ipconfig.exe command 450
- is operator 116–117
 - testing types 226
- isnot operator 116–117
- ISO 66
- issues with COM 417
- Item() parameterized
 - property 399
- ItemNotFoundException 255
- iterate 158
- iteration 151, 161
- Iteration, cmd.exe vs powershell 482

J

- jagged arrays 145
- JavaScript 223, 415
- join 135, 518
- join lines 300
- join() method 228
- joining strings 136
- joining Strings, String.Join
 - String.Join() method 300
- JScript functions 417
- JScript language 416
- jump 160

K

- key available 369
- keyboard macros 485
- keys 67
- keys property 302
- key-value 67
- keyword 148, 171, 182
 - adding 239, 243
- Kidder, Tracey 8
- kilobytes 65
- Korn shell 9

L

- label, select-object 428
- lambda 216
- language 54
 - extending 237
- language elements 238
- language features 297
- launch 33
- launch an arbitrary
 - executable 309
- lawn gnome mitigation 445
- layout manager 371
- LDAP (Light-weight Directory Access Protocol) 513
- leading zeros, numeric
 - comparison 102
- least frequently used word 302
- left aligned 138
- left operand 95
- left-hand rule, operators 90
- legitimately signed 462
- Leibniz 5
- length 145, 167
- length property 133
- levels of indirection 133
- lexical 37, 63
 - ambiguity with type literals 136
 - scoping 190
- library of functions 211
 - Winforms 376
- lifetime 190
- lightweight 67
- like operator 108, 161
- limit, number of errors
 - recorded 256
- link fields 408
- LISP 216
- list 49
- list of colors 390
- list of functions, function
 - drive 220
- list of keys 302
- list of properties 134
- list of property names 134

- list of words 301
- list option, WMI 423
- list parameter 320
- ListenerOption parameter
 - 284, 286
- listing trace categories 285
- LiteralPath parameter 312
- little-language technique
 - 237, 384
- live objects 507
 - definition 490
- Load() method 348
- loading assemblies 379
- loading XML Documents 327
- LoadWithPartialName()
 - method 347
- local certificate store,
 - definition 454
- local scope for variables,
 - cmd.exe 480
- Local User Administration dialog 469
- local variable 229
- localhost 370
- logical complement 174
- logical disk object 436
- logical operators 113
- logicalExpressionRule, PowerShell grammar 526
- LogicalOperatorToken, PowerShell grammar 528
- logicalpath 308
- lookup word definition 405
- loop 63, 152, 159, 165
 - counter 154–155
 - iteration 272
 - tracing 274
 - keyword 237
 - processing 166
 - termination 279
- looping construct, adding
 - new 237
- LoopLabelToken, PowerShell grammar 529
- lossy serialization 339

low-level tracing 283, 294
lvalue, PowerShell grammar 521
lvalueExpression, PowerShell
grammar 521

M

macro expansion 487
magic number 316
magnitude 57
MainModule property 492
make a secure 467
MakeCert.exe program 455
MakeGenericType()
method 359–360
malware, definition 442
MAML (Microsoft Assistance
Markup Language)
description element 331, 333
para element 331
management 7
management model 23
management object model 421
Management.EventQuery,
WMI 434
Management.ManagementPath
object, WMI 436
ManagementEventWatcher
object, WMI 434
managing errors 256
mandatory 149, 169
mandatory arguments 188
mandatory path parameter 316
manifest 346
manipulate scriptblocks 222
manipulating code 222
match 167
match group 111
Match object 305
-match operator 109, 161,
164, 304
matched 110, 161
matching parameter 288

matching process 162
matching quote 39
[math], sqrt() 384
MD5 hash algorithm 441
Measure-Object cmdlet 490
megabytes 65
member collection 235
setting the property 236
member types 222, 224
members 158
memory
consumption 256
resource management 330
Menu 379
menu, displaying 363
MenuBar, Internet Explorer 400
MenuItem 379
merging streams in assignment
statements 140
message box 403
metacharacters 312
metacharacters in files 309
metaprogramming 214, 249
method argument commas 299
method call 135, 283
C# vs PowerShell 495
syntax 135
method invocations 135
methods 136, 225
Microsoft Developer
Network 234, 348
Microsoft Exchange 293
Microsoft Management Console
(mmc.exe) 471
Microsoft Office
applications 405
Manipulating with
COM 409
Microsoft security response 442
MinusMinusToken, PowerShell
grammar 529
missing hot fixes 503
mitigation, definition 445

mkdir function 52, 204
MMC (Microsoft Management
Console) 457
Möbius 51
model, definition 444
Model-View Controller, applied
to namespaces 144
modifiers 237
modulus 94
Monad 5
most commonly used word 302
MoveNext() method
157–158, 169
MoveToFirstAttribute()
method 330
MoveToNextAttribute()
method 330
moving files 477
MS agents 438
MSAgent class, COM 405
MSDN 53
MSDN blog site 361
MSDN documentation,
ProgID 394
MS-DOS architects 317
MSH/Cibyz worm 443
MSI file 420
Msxml2.DOMDocument 394
multi-dimensional array
131, 145
multiple assignment
97, 144, 181
example with type
qualifiers 98
Fibonacci example 98
Multiplier 65
multiplyExpressionRule, Power-
Shell grammar 527
multiplying 89
Multiplying numbers 92
MultiplyOperatorToken, Power-
Shell grammar 529

- multi-scope catch 268
 - multi-threaded apartment (MTA) mode 417
 - multivariable assignment 207, 390
- N**
- name member with Select-Object 232
 - Name parameter 285
 - Name property 235
 - named capture 111
 - named parameter 182–183, 288
 - namespace 204
 - notation variables 143
 - qualifiers 193
 - native 32
 - native commands 28, 260
 - native date converter 428
 - n-dimensional arrays 131
 - ne 101
 - negative indexing 130, 302
 - nested data structures 145
 - nested interactive session 277
 - nested loops 160
 - nested pipelines 316
 - nested prompt 277
 - subshell 278
 - nested prompt level 279
 - nested session 279
 - nested shell level 280
 - nested statement 176
 - NET API 391
 - .NET assembly, loading 406
 - .NET class 437
 - NET coverage 393
 - .NET exceptions 268
 - .NET frameworks 283, 334, 391
 - .NET interop wrapper 418
 - .NET method 357
 - .NET type conversion 286
 - .NET WebClient object 407
 - .NET XML APIs 357
 - .NET/COM Interop library 393
 - network programming 361
 - new error 257
 - new interactive session 279
 - new language features 243
 - new object 240
 - new session 277
 - __new_instance function 239
 - New-Employee function, example 515
 - New-Item cmdlet 249, 306
 - newline 44
 - newline character 317
 - new-menuitem scriptblock 384
 - new-menustrip function 384
 - new-object 4
 - New-Object cmdlet 235, 351
 - COM 393
 - limitations with generics 359
 - New-Object command, VB-Script vs PowerShell 496
 - New-PSDrive cmdlet 307
 - news aggregation site 408
 - NewScriptBlock() method 247
 - NextMatch() method 305
 - NextRunTime property, task scheduler 511
 - No to All 275
 - noclobber parameter 141
 - non-numeric string 91
 - non-PowerShell
 - applications 308
 - nonstructured exit 159
 - non-terminating errors 252, 261
 - non-zero value 261
 - notation 67
 - notcontains operator 106
 - note member 242
 - note property 512
 - definition 226
 - setting 230
 - notepad.exe 33
 - notepad.exe command 308
 - NoteProperty 225, 229
 - with ScriptProperty 230
 - NoteProperty object 235
 - notype parameter 519
 - nouns 237
 - number of occurrences 301
 - number of pipeline commands 255
 - number of revolutions 390
 - number of words 300
 - NumberToken, PowerShell grammar 529
 - numeric comparison 102
 - numeric context 105–106
 - numeric conversion rules 103
 - numeric literals 64
- O**
- object being assigned 274
 - object constructor 283
 - object normalization 224
 - object stream 230
 - object-based shell 298
 - ObjectNotFound error 255
 - object-oriented 185, 223
 - offset in the script 255
 - OK button 374
 - on error, VBScript vs PowerShell 498
 - one-dimensional arrays 131
 - one-way hashes 453
 - op_ 88
 - op_Addition 88
 - op_Division() method 96
 - opacity 388
 - Open() method 353
 - OpenDataBase(), Windows Installer 421
 - operand 116
 - operating on binary data 113
 - operator semantics 114
 - operators 87, 145
 - Option all, tracing 285
 - Option Explicit 276
 - VBScript 497
 - Option parameter 285
 - option syntax 477
 - or operator 113

- organizational unit, Active Directory 515
- origin 0 352
- original 92
- original type definition 342
- origin-zero 72
- out-default 52
- outer scope 267, 269
- OuterXml property 337
- Out-File cmdlet 53, 140, 313, 318
 - synopsis 141
- Out-Host cmdlet 53
- Outlook Express 451
- Out-Null cmdlet 52
- output and formatting subsystem, v.s. VBScript 429
- output message 263
- output objects 263
- output redirection 138
 - formatting 139
 - merging error and output 139
- output stream 253, 313, 411
- Out-String cmdlet 53
- overriding a method 233
- overwriting output 141

P

- PadLeft() method 316
- page, displaying 408
- param keyword 208, 213
- param statement 208, 219, 390
- parameter binder 47–48, 288
 - algorithm 289
 - steps 288
 - trace category 287
- parameter processing 188
- ParameterArgumentToken, PowerShell grammar 529
- parameterDeclarationExpressionRule, PowerShell grammar 526
- parameterDeclarationRule, PowerShell grammar 526
- parameterized macros, doskey 487
- parameterized property, definition 399
- ParameterizedProperty 225
- parameters 31, 45
- ParameterToken, PowerShell grammar 528–529
- parameterWithInitializer, PowerShell grammar 526
- parent scope 282
- parentheses 119, 135
- Parse() 84
- parseCallRule, PowerShell grammar 527
- parsing 25, 37, 257, 512
 - modes 42, 183
 - process 311
- partial cmdlet names 16
- partial name 347
- pass by reference 493
- passed 179
- passthru parameter 226
- password 466, 468
- Password property, ProcessStartInfo 471
- PATH environment variable 450
- path parameter 289, 313
- PATHEXT environment variable 450
- patience, practice, and experimentation 311
- pattern matching 114, 161, 165
 - operators 107
- peer-to-peer networks 443
- Perl 9, 26, 108, 180
 - security 441
 - vs PowerShell 493
- Personal Information Exchange, Certificate Export Wizard 463
- PHP 26
- physical path 308
- Pi 78
- pipe operator 478
- pipeline 45, 71, 148, 150, 199
- pipeline object 288–289
- pipelineRule, PowerShell grammar 521
- PKI. *See* Public Key Infrastructure
- plus-equals 73
- point class 238
- polymorphic 89
 - behavior 145, 185
 - definition 72, 88
- PopUp method, WScript.Shell 403
- port number 364
- positional parameters 183, 189, 288, 290
- PositionMessage member 255
- POSIX 9, 27
- postfix operators 118
- postfixOperatorRule, PowerShell grammar 527
- PowerShell
 - as a management tool 252
 - basic navigation commands 477
 - basic structure 54
 - blog 364
 - call operator & 480
 - community 421
 - errors 255
 - event log 291, 294
 - grammar 149
 - help files 330
 - help text files 300
 - installation directory 319, 334
 - interpreter 283, 304
 - language, extending 238
 - path 308
 - provider 307
 - provider infrastructure 144
 - runtime 247
 - scripts 260
 - SDK 356

- PowerShell (*continued*)
 - semantics 391
 - session 293
 - setting the exit code 210
 - snap-in 292
 - Software Developers Kit 282, 306
 - syntax, scriptblocks 215
 - type converter 359–360
 - type system 222, 233
 - variables 478
 - VBScript and Jscript 417
- precision and conversion 56, 79
- predefined aliases 35
- preference setting 264
- prefix operators 74, 118
- PrePostfixOperatorToken, PowerShell grammar 529
- PreRelease code, checking for example 491
- price element 336
- primary key 518
- primitive data type, XML 322
- primitive types 341
- printf debugging 270
- private certificate, creating 462
- private key 453
- Problems with COM 399
- process clause 204, 220
- process current working directory 356
- process keyword 202
- process streaming 46
- processing
 - log files 298
 - RSS feed 391
 - text 297
- processing strings 305
- process-object clause 46
- ProcessRecord clause 289
- ProcessStartInfo object 471
- ProgID 394
 - Apple iTunes 395
 - Microsoft Word 395
- programming 147
 - languages 215
 - patterns definition 215
- prompt 34, 278
 - function 485
- PROMPT variable
 - cmd.exe 484
 - powershell 485
- prompting 271
- properties 134, 225
 - WMI 435
 - XML 322
- Properties member 234
- Property 225
 - property 21
- property dereference operator 132
- property names 254
- property setter method 324
- property unification 224
- propertyOrArrayReferenceOperator, PowerShell grammar 527
- propertyOrArrayReferenceRule, PowerShell grammar 527
- PropertySet 225
- prototypes 223
- provider abstraction 305
- provider infrastructure 309
 - property unification 224
- ProviderPath 308
- ps command 489
 - UNIX 490
- PS* properties 224
 - .ps1xml extension 244
- PSBase 236, 325
- PSBase property 302
 - WMI 424
- PSCustomObject type 231
- PSCustomType 242
- PSDrives 307
- PSHost parameter 285
- PSIsContainer 224
- PSObject 58, 236
 - data binding 385
 - metaproperty 233
 - Synthetic object root 225
- PSObject class 233
- PSPPath 235
- PSScriptMethod object 239
- PSScriptProperty 236
- PSTypeConverter 84
- public decryption key 453
- public fields 222
- public key 347
 - encryption 453
- Public Key Infrastructure (PKI) 454
- public members 222
- public methods 222
- public properties 222
- pure synthetic objects 242
 - definition 231
- Put() method
 - Active Directory 513
 - WMI 435
- pwd alias 308
- PwrSpiral.ps1 script 388
- Python 9, 108, 137, 191
 - lambda 216, 219
 - security 441

Q

- quantifier, regex 304
- query, XPath 337
- quiet switch 321
- quotation marks 29
- quoting 38
 - for doskey macros 486

R

- random number generator, .NET class 414
- range operator 130
- rangeExpressionRule, PowerShell grammar 527
- RangeOperatorToken, PowerShell grammar 529
- RawUI member 271

- read a single key 271
- read console, \$host 271
- read methods, \$host 270
- ReadCount parameter 316, 326
- Read-Host cmdlet 271, 466
- reading a binary file 315
- reading files in PowerShell 313
- reading text files 313
- ReadLine() method 271
 - call console subsystem 485
- real path 308
- Really Simple Syndication
 - RSS· 4
- recording errors 252, 255
- recurse 30
- recurse switch 30
- recursive 199
- recursive directory listing 189
- recursive invocation 277
- redefine functions 279
- redirecting errors, to a file 253
- redirecting the error stream 256
- redirection 18, 52, 88, 205, 207, 263
 - error stream 253
- redirection into a variable 253
- redirection operator
 - 138, 144, 253
 - design rational 102
- RedirectionOperatorToken, PowerShell grammar 528
- redirectionRule, PowerShell grammar 521
- redraws the form 388
- reduce the attack surface 445
- reference types 70
- ReferenceOperatorToken, PowerShell grammar 529
- Reflection.Emit 249
- [regex] 77
 - Split() method 370
- [regex] cast 304
- [regex] class 303–304
- regex flag 164
- registry keys
 - COM 394
 - execution policy 451
- regular expression engine 305
- regular expressions 107–108, 164, 297, 303–304, 319, 350
 - default match 110
 - extracting text with 111
 - matching any character 112
 - matching the beginning of a string 112
 - submatches 109
- rehydrated data 509
- relative paths 308
- remainder 96
- remedial action 256
- remote access security 449
- RemoteSigned 207
 - definition 451
- remove a class definition 241
- remove duplicates 301
- remove functions 306
- remove variables 306
- Remove-Employee function, example 517
- Remove-Item cmdlet 306
- removing items, hashtable 68
- rename functions 221
- rendered to displayable text 253
- rendering an object 54
- REP 6
 - replace operator 109, 304, 402, 407
- repository, WMI 435
- repudiation, definition 444
- request/response protocol 369
- resize array 195
- resizing form 376
- Resolve-Path cmdlet 308, 357
- response header, HTTP 370
- restricted execution policy, definition 451
- retrieving a simple web page 391
- return an enumerable object 353
- return keyword 353
- return statement 198, 209, 495
- returning function objects, ScriptControl 416
- returning values 193
 - VBScript vs PowerShell 497
- reverse a string 227
- reverse an array 227
- Reverse member 131
- reverse method 228
- reversed in place, arrays 228
- rich error objects 252
- rich objects 252
- right aligned 138
- right operand conversions 102
- rmdir 52
- roles, definition 446
- root directory 88
- routing, trace events 284
- row styles 379
- RSS 4
- RSS feed 362
 - COM 407
- Ruby 222
- Run() method, WScript.Shell 404
- runas.exe command 469
- runspace 356
- runtime 257
- runtime type casts 116
- runtime type conversion error 142

S

- sandboxing, definition 449
- save XML document 324, 326
- scalar 158
- scalar arguments 179
- scalar comparisons 104
- scalar value 75, 102, 158
- scale() method 242
- schtasks.exe 510
- scientific notation 57
- scope 267, 282
- scope modifier 208
- scoping rules 190, 208

- script author 264
- script calls 273
 - calling another script 257
- script commands 28
- script debugging 252, 281, 294
- script name 255
- Script Property
 - getter method 229
 - setter method
 - implementation 229
 - setter scriptblock 229
- script scoped 209
- script signing 475
- script tracing 271
- [scriptblock] 77
- scriptblock 170, 172, 215
 - argument 173
 - as event handlers 373
 - begin clause 219
 - construction 220
 - creating scopes 267
 - defines a function 221
 - end clause 219
 - in breakpoints 280
 - literal 219
 - parameter 302
 - process clause 219
 - security 471
 - syntax 220
- scriptblock literal 219
- ScriptCenter 425
- ScriptControl object 437
 - Script host 415
- scripting language 251, 297
 - security 442
- scripting Windows 403
- ScriptMethod 225, 227–228
- ScriptProperty 225, 229
 - with NoteProperty 230
- scripts 177, 205
 - exit code 261
 - running from cmd.exe 210
 - stream output 213
- SDK 30
- secondary prompt 21
- secure by default 449
- secure environment 443
- secure hashes 441
- secure hashing algorithm 453
- secure scripts 440
- Secure-by-Default 474
- SecureString class 475
- securing PowerShell
 - installations 465
- security 206
 - alerts 443
 - consultant 446
 - model 445
 - modeling concepts 440
- sed command, UNIX 492
- select elements 230
 - XPath 338
- Select() method 336
- SelectNodes() method 339
- Select-Object cmdlet 21, 230, 318, 460
 - constructing objects 427
 - member selection 232
- Select-String cmdlet
 - 319, 342, 482
- self-signed certificate 458
 - definition 454
- semicolon 43, 149, 152, 193
- sending keystrokes 396, 438
- SendKeys() method,
 - WScript.Shell 404
- sensitive data, security 465
- separator 208
- sequence of digits 304
- sequences of spaces 304
- serialization 339
- <SerializationDepth>
 - element 342
- serialized with fidelity 342
- server applications 293
- ServicePackInEffect field 505
- set shell command, UNIX
 - shell 490
- Set-AuthenticodeSignature
 - cmdlet, security 459
- Set-Content cmdlet 145, 313
- Set-EmployeeProperty function,
 - example 516
- Set-ExecutionPolicy
 - cmdlet 206, 451
- SetInfo() method, Active
 - Directory 514
- setlocal/endlocal keywords 480
- Set-PSDebug cmdlet
 - 271, 275–276
- settable property 227
- SHA-1 (Secure Hash Algorithm,
 - version 1) 456
- shadowing an existing
 - property 236
- shared libraries 346
- shell environments 46, 192, 333
- shell function 28
- shell language
 - existing standards 8
 - string-based 9
- Shell.Application object 396, 402
- ShellExecute API 471
- Show() method 374
- ShowDialog() method 374, 385
- shredding objects 341
- side-effects and the for
 - statement 154
- sigils, Perl 493
- sign scripts 458
- signature 351
 - decrypt 453
- signature information,
 - security 459
- signing a script 453
- signing authority 453, 460
- signing certificate 464
 - creating 457
 - definition 454
- signing infrastructure 452
- Silently Continue, Error
 - Preference 262

- simpleLvalue, PowerShell
 - grammar 521
- single precision 57
- single quotes 39, 247
- single string 326
- single-threaded apartment (STA)
 - mode 417
- slices 291
 - multi-dimensional arrays 132
 - using range operator 130
- slicing 129, 131, 145
- Snover, Jeffrey, PowerShell
 - Architect 95
- software updates 251
- sort 19
- Sort cmdlet 301
- Sort-Object cmdlet 68, 301
- Sort-Unique 302
- Soul of a New Machine* 8
- sourcing 211
- space character 317
- special behaviors operators 89
- special characters 40
- special variable 157
- speech and PowerShell 415
- spelling errors 410
- split a document 301
- split a field 298
- Split() method 168
 - definition 299
 - example 99
 - method signature 299
- splitting and joining strings 298
- splitting into words 300
- splitting strings 298
 - SplitStringOptions 299
- Spoofing, definition 444
- SQL injection attacks 448
- SQL query 449
- square brackets 133, 312
- STA thread 417
- standard classes, WMI 423
- Standard Parameter,
 - ErrorVariable 257
- standard preamble, WMI 426
- Start-LocalUserManager
 - command 470
- Start-Sleep cmdlet 370
- StartTime 104
- state machine 333
- state of interpreter 280–281
- state transition, PowerShell
 - engine 292
- state-machine pattern 331
- statement list 265
- statementBlockRule, PowerShell
 - grammar 520
- statementList 151
- statementListRule, PowerShell
 - grammar 520
- statementRule, PowerShell
 - grammar 521
- statements, flow-control
 - 169, 175
- StatementSeparatorToken,
 - PowerShell grammar 529
- static 77
- static members 131, 223
 - accessing 136
- static methods 136
 - reference operator 136
- static typing 55
- status variables 259
- stderr 196
- step parameter 275
- stepping a script 277
- stepping mode, exiting 279
- stepping prompt 275
- stepping through a script 275
- Stop, Error Preference 262
- stream combiner 140
- stream merge operator
 - 2>&1 253
- stream of tokens 304
- streaming 32, 46
- streaming model 252
- strict mode 271, 276
- strict parameter, COM
 - issues 418
- strict switch 393
- STRIDE 474
 - definition 444
- [string] class 304
- [string], Join() method 326
- [string], Trim() method 333
- string 37, 164
 - executing 246
- string concatenation 89, 180
- string context 106
- string expansion 178
 - suppressing 247
- string format specifier
 - examples 137
- string manipulation 362
- string multiplication 92
- String.Join method 135
- StringReader object 336
- strings 44
- StringToken, PowerShell
 - grammar 528
- strongly typed languages 142
- structured error handling 252
- structured programming 159
- subclassing 223
- subdirectories 30
- subexpression 61, 119, 145,
 - 150, 154, 187, 269
- subexpressions 119
- subshell 278
- substring method 110, 135
- subtraction 96
- subtype 496
- succeeded 110
- Success property 305
- Sum() method, adding 243
- suppress all pattern matching
 - behavior 312
- suspend feature 279
- suspend operation 278
- Suspend option 276–277
- suspended session 277
- swapping two files 144
- swapping two variables 97
- [switch] 77
- switch parameters 188

- switch statement 112, 148, 161, 164, 189, 331
 - security 473
 - switch value 162
 - switches 188
 - SwitchParameter 85
 - switchStatementRule, PowerShell grammar 522
 - synchronous callback 433
 - syntactic analysis 37
 - syntactic features 478
 - syntactic sugar 141
 - syntactically complete 44
 - syntax 6, 34, 135, 155
 - Set-PSDebug 271
 - throw statement 268
 - Trace-Command 284
 - trap statement 265
 - syntax error 149
 - Synthetic member
 - objects 230–231, 236, 239, 512
 - alias property 225
 - definition 223
 - Synthetic Property 223–224
 - System.__ComObject 399
 - GUID 419
 - System.Array, extending 244
 - System.ArrayList type 359
 - [System.Collection.IEnumerator] 158
 - System.Collections.ArrayList 198
 - \$error 256
 - System.Collections.ArrayList.Add() method 345
 - System.Collections.Generic.List 358
 - System.Collections.Hashtable 67
 - System.Data.SqlClient.SqlCommand 355
 - System.DateTime 95
 - System.DateTime class 95
 - System.Decimal 64
 - System.Delegate 373
 - System.Diagnostics.EventLog 505
 - System.Diagnostics.Process class 104
 - System.Double 64
 - System.Drawing namespace 388
 - System.Drawing objects 379
 - System.Environment class 355
 - System.EventHandler 372–373
 - System.Int32 64, 75
 - System.Int64 64
 - System.IO.File Class, considerations 357
 - System.Management.Automation 76
 - System.Management.Automation.CommandInfo 216
 - System.Management.Automation.PSCustomObject 231
 - System.Management.Automation.PSObject 225
 - System.Management.ManagementClass 431
 - System.Management.ManagementObject 430
 - System.Management.ManagementObjectSearcher 429
 - [system.net.webclient] type 361
 - System.Object, root of object hierarchy 225
 - System.Reflection namespace 420
 - System.Reflection.Assembly 347
 - System.Security.SecureString 466, 469
 - System.String 77
 - testing types 226
 - System.Text.RegularExpressions.Match 305
 - System.Timers namespace 349
 - System.Timers.ElapsedEventHandler 350
 - System.XML.XmlDocument 322
 - System.Xml.Xsl 339
 - SystemRoot environment variable 143
- ## T
- tab character 298
 - tab completion 16, 459
 - on properties 17
 - on variables 16
 - TabExpansion function 17
 - table layout 384
 - TableLayoutPanel 380, 384
 - WinForms 385
 - tabs and spaces 298
 - tampered with 453, 461
 - Tampering, definition 444
 - target object 257
 - TargetInstance property, WMI 434
 - TargetObject member 255, 259
 - task scheduler 510
 - TCL/TK 371
 - telecommunications 7
 - template 222
 - temporary file 144, 319
 - temporary Internet files 310
 - Terminal Server service properties, listing 501
 - terminate part of an operation 264
 - terminate PowerShell session 293
 - terminating error 252, 261, 264–265, 269, 288, 294
 - definition 265
 - exception 265
 - terminator 43
 - terminology 27
 - test(1) command 102
 - Test-Path cmdlet 141
 - text box 380
 - text files 297
 - text operations 342

- text processing operators 298
 - text, dealing with 297
 - Thompson, Ken 108
 - threat modeling 443, 474
 - threat to system, definition 444
 - three clauses 203
 - throw "My Message!" 268
 - throw an exception 267
 - throw ErrorRecord objects 268
 - throw keyword 268
 - throw nothing 268
 - throw statement
 - 188, 268–269, 294
 - timer control 390
 - interval 390
 - title bar 373
 - title nodes 336
 - title of the window 400
 - tlbimp.exe utility, COM
 - interop 419
 - tokenization 37, 304
 - cmd.exe vs powershell 483
 - tokenize a string 304
 - tokens 37, 150
 - Tom's Hardware 442
 - Tool Command Language 371
 - tools and techniques, script
 - debugging 294
 - top-level document 325
 - top-level match 110
 - ToString() method 238, 242, 274, 318
 - on scriptblocks 248
 - total number of bytes 315
 - TotalCount parameter 316
 - ToUpper() method string 492
 - Trace Category
 - parameterbinding 285
 - typeconversion 285
 - trace events 284–285
 - trace listener 284
 - trace log 291
 - trace messages 290
 - trace mode 272
 - trace records 284
 - Trace-Command cmdlet 48, 284, 290
 - trace-command cmdlet
 - 270, 283
 - tracing 252
 - capabilities 270
 - function calls 273
 - mechanism 283
 - parameter binding 287
 - type conversions 285
 - variable assignments 273
 - traditional scripting
 - languages 252
 - transcendental functions 479
 - transfer error control 265
 - transformation 230
 - transitional 35
 - translucency 388
 - trap all exceptions 265
 - trap block 266
 - trap handler 266
 - trap statement 265, 282, 384
 - trapStatementRule, PowerShell
 - grammar 524
 - triggered 165
 - Trojan Horse attack,
 - definition 450
 - truncated, tracing display 274
 - trusted third party
 - organizations 454
 - try/catch pattern 267
 - type accelerator 430, 437
 - type configuration files 244
 - type constraints 184
 - multiplication and arrays 94
 - type conversion 90, 185, 285, 323
 - in multiple assignment 99
 - messages 290
 - operators 89
 - tracing mechanism 103
 - Type extension 243
 - type files, loaded at startup 243
 - type library 419
 - type literal 75, 116, 285–286
 - use with static members 136
 - type parameter 253, 358
 - generics 360
 - type parameters 181
 - Type Shortcut
 - [char] 316
 - [regex] 304
 - [string] 298
 - [void] 495
 - [WMI] 429
 - [WMICLASS] 429
 - [WMISEARCHER] 429
 - [xml] 322
 - type system definitions,
 - updating 244
 - type system plumbing 233
 - type-constrained variable
 - 91, 185, 496
 - TypeConverter 84
 - typeless parameters 55, 79, 183
 - TypeNames 234
 - type-promiscuous 56
 - types 55
 - explicit operations 116
 - implicit operations 116
 - types files, default installed 244
- ## U
- UI member, \$host 270
 - unary operators 117, 352
 - UnaryOperatorToken, PowerShell grammar 529
 - unauthorized script 445
 - unbound mandatory
 - parameter 288–289
 - unconstrained 184
 - undefined variable 156, 276
 - underlying store, WMI 435
 - Unicode 60, 141, 314
 - unified namespaces 142
 - uninitialized variable 141
 - unique parameter 301
 - unique words 301

- universal support for
 - wildcards 309
- UNIX 6, 8, 108, 192, 211, 259
- UNIX shell 306, 476
- unqualified operators, case insensitive by default 101
- unravel 158, 353
- unrestricted execution policy,
 - definition 451
- unsigned script 458
- untrusted directory 450
- untrusted source 370
- untyped 181
- Update-TypeData cmdlet 244
- uppercase letters 320
- URL 364
- url member 401
- USB device 434
- use additional assemblies 347
- user interface programming 385
- user-defined function 289
- UserName property,
 - ProcessStartInfo 471
- UTF8 141

V

- validation 230
 - security 473
- value expressions 100, 176
- value member 236, 305
- valueRule, PowerShell
 - grammar 527
- values from the pipeline 289
- variable 18, 21, 141
 - \$ErrorActionPreference 262
 - \$host 270
 - drive 306
 - expanding 247
- variable assignment, tracing 273
- variable declaration 141
- variable interpolation 247
- variable name notation 143
- variable namespace 88, 146
- variable reference 39
- variable scope modifiers 193

- variable syntax 221
 - in cmd.exe 144
- variable type attribute 142
- VariableToken, PowerShell
 - grammar 528
- VB.Net 437
- VBScript 9, 108, 393,
 - 415, 437, 496
 - code 425
 - date converter function 427
 - example 425
 - function 416, 427
 - WMI 423
 - WScript.Shell 403
- VBScript CodeObject,
 - ScriptControl 415
- VBScripts, that use WMI 426
- vcvarsall.bat 483
- verb-noun 34
- verbose tracing mechanism
 - 286, 289
- version tolerant scripts 112
- virtual memory 465
- virtual method 233
- visibility of variable 156, 190
- Vista 442
- Visual Basic 276
- visual effects 390
- Visual Studio 376
 - SDK directory 455
- VMS 81
- voidable statements 119
- voided by default, C# vs
 - PowerShell 495
- vulnerability 446
 - definition 444

W

- WaitForNextEvent() method,
 - WMI 434
- WbemScripting.SWbem-
 - DateTime, COM 429
- web server 364
- web server in PowerShell 391
- WebClient API 362

- well formed 112
- where alias 105
- Where-Object cmdlet 170–171,
 - 173, 176, 215–216, 471
- wheres Function
 - original version 472
 - safe version 473
- while loop 23, 149, 151
- whitelisting, definition 446
- whitespace 50, 149, 298
- WhiteSpace character class 298
- widening
 - definition 56
 - rules 92
 - unexpected results 103
- width of display 49
- Wiktionary website 405
- wildcard expressions 107
- wildcard meta-characters 309
 - wildcard option 163
- wildcard pattern 163–164, 310
 - character ranges 107
 - matching a single
 - character 107
 - matching string of
 - characters 107
- wildcards and quoting 309
- Win32_AddRemovePrograms,
 - WMI class 423
- win32_logicaldisk 22
- WIN32_LogicalDisk class,
 - WMI 435
- Win32_Process class 432
 - WMI 423, 429
- window title, console
 - window 485
- Windows calculator
 - application 404, 432
 - Windows calculator
 - applet 379
- Windows Data Protection API
 - (DPAPI) 467
- Windows event log 291
- Windows Forms
 - application 376

- Windows Forms assembly 376
 - Windows GUI application,
 - COM 404
 - Windows installation
 - directory 315
 - Windows PowerShell in
 - Practice 293
 - Windows scripting tools
 - 393, 437
 - Windows server
 - applications 421
 - Windows system
 - administrators 429
 - Windows() method, Shell 397
 - WindowsInstaller object,
 - COM 420
 - WindowsUpdate.log 167
 - winform library 376
 - winform.ps1 377
 - WinForms 4, 371
 - assembly 372
 - graphics programming 387
 - WinHTTP class
 - COM 407
 - request object 408
 - wizard 463
 - WMI 58, 393
 - dates 428
 - DMTF 422
 - documentation 423
 - events 433
 - in PowerShell 434
 - methods 424, 433
 - methods and events 438
 - objects 435
 - path 430
 - query 432
 - samples and resources,
 - adapting 436
 - types 438
 - WMIDateStringToDate
 - Function 428
 - Word document 411
 - Word.Application 418
 - worker function 240
 - wrapping objects, object
 - adaptation 233
 - write binary files, -encoding
 - parameter 318
 - write events 510
 - write messages, \$host 270
 - write methods, \$host 270
 - WriteEntry() method,
 - eventlog 510
 - Write-Host cmdlet 270–271
 - write-object 198
 - write-output 29
 - writing files 318
 - Writing Secure Code* 445
 - writing secure code 474
 - WScript.Shell class, COM 403
- X**
- xargs command 489
 - XML 49, 223, 287, 297, 322
 - Active Directory 515
 - attribute 326
 - configuration files 243
 - dealing with 297
 - document 322, 334, 338
 - document navigation 336
 - DOM 327, 394
 - element 330
 - fragment 337
 - pretty-printer 327
 - reader class 327
 - [xml] 77
 - type accelerator 430
 - XmlDocument object 339
 - XmlElement object 339
 - XmlNode object 324
 - XMLReader class 343
 - XmlReader object 330, 333
 - XPath 334
 - document 336
 - examples 335
 - navigator 336
 - query 336
 - XPathDocument object 336
 - XPathNavigator.Select()
 - method 339
 - XSLT 339
- Y**
- Yes to All 275
- Z**
- Zbikowski, Mark 317
 - zero 265
 - zone of influence 440