

A

- absolute
 - file path 130
 - path 573
 - sizing 181–182
 - URIs 678
- Abstract ASX element 586
- AcceptsReturn property 219
- access-policy element 338
- accessing
 - cross-domain 336–340
 - local files 113–115
 - special folders 113
- AcquiringLicense state 579
- Action property 198
- actions. *See* behaviors
- Activate property 121
- ActualHeight property 156
- ActualWidth property 156
- add methods 472
- Add Service Reference dialog
 - box 343
- adding
 - assemblies 401
 - links to top menu 389
 - menu items 401
 - new page 388
 - views 388
- AddPropertyValue method 231
- Adobe AIR 100
- Adobe Flash
 - cross-domain policy 339
- Advanced Stream Redirector. *See* ASX
- AdventureWorks database
 - 557, 729–734
 - choosing entities 733
 - connecting 731–734
 - installing 729–731
 - installing on dedicated SQL Server 730
 - installing on SQL Server Express 730
- Ajax 383
- alert 69–70
- Alert method 80
- alignment
 - center 213
 - left 213
 - right 213
- allow-from element 338
- Alt modifier key 192
- anchorPosition parameter 230
- Angle property 160
- AngleX property 161
- AngleY property 161
- animations 638–664
 - application performance 641
 - beginning and end 642
 - bouncing ball 655
 - changing a visual property 638
 - controlling duration 644
 - controlling playback speed 644
 - defining a storyboard resource 652
 - delayed start 647
 - easing functions 660–664
 - episodic 644
 - fade 639–640
 - fluid 643
 - From property 642
 - Geometry 641
 - grouping into storyboards 647
 - jagged 657
 - jerky 643, 646
 - keyframe timing 659
 - keyframing 654–660
 - looping 646
 - motion 641
 - playing in reverse 646
 - property types 639
 - Rectangle 648
 - reset to beginning 646
 - spring 631
 - storyboarding 647–654
 - text hinting 206
 - time-related properties 644
 - timeline 639–647
 - triggering in response 653
 - value precedence 28
 - x and y coordinates 641
- annotations
 - and validation 495
- Any Source Multicast 375
- APIs
 - bitmap API 8
 - Media Stream Source API 7
- App.xaml file 673
- Append file mode value 134
- Apple
 - Command key 192
 - modifier key 192
 - OS X 192

- Apple Macintosh 208
- Application 52
 - ResourceDictionary 676
- application
 - dependencies 55
 - initialization 52
- Application class
 - loading embedded
 - resources 680
- Application object 52–55, 102
- Application_Startup 52
- Application_Unhandled-Exception 53
- Application.Current.InstallState property 102
- ApplicationName property 464
- applications
 - Ajax 383
 - business logic 503–506
 - connecting to others 377–380
 - creating elevated trust 110–113
 - creating out-of-browser 101–110
 - dependencies 55
 - manifest files 51–52
 - navigation application 386
 - security 340
 - signed 111
 - startup process 48–50
 - themes 390
 - unsigned 111
- ApplicationStrings class 465
- ApplicationUnhandled-ExceptionEventArgs 53
- ApplyTemplate method 237
- AppManifest.xaml 50, 55
- AppManifest.xml
 - out-of-browser 101–102
- architecture
 - WCF RIA Services 461
- ArcSegment class 523
- Arial font 208
- arrange
 - pass 156
 - step 706
- Arrange method 156
- ArrangeOverride function 156
- arranging content 173–175, 178–180
- Arrow cursor 140
- ASMX web service 348
- ASP.NET 249, 264, 677
 - authentication and authorization 506–510
 - forms-based authentication 507
 - Silverlight control 59
- assemblies
 - adding 401
 - DataAnnotations 304
 - Microsoft.Expression.Interactions.dll 442
 - Microsoft.SilverlightMediaFramework.Plugins.Progressive.dll 595
 - navigating to others 400–402
 - System.ComponentModel.DataAnnotations 327
 - System.ServiceModel.PollingDuplex 367
 - System.ServiceModel.Web 365
 - System.Windows.Controls.Data 286
 - System.Windows.Controls.DomainServices 479
 - System.Windows.Interactivity.dll 442
- assembly caching 55–57
- AssemblyPart 51
- Association attribute 494
- ASX elements
 - Abstract 586
 - Asx 586
 - Author 586
 - Base 586
 - Copyright 586
 - Entry 586
 - MoreInfo 586
 - Param 586
 - Ref 586
 - Title 586
- ASX files 585
- asynchronous
 - communication 342
 - service call 345
 - testing 456
 - web service calls 352
- asynchronous validation 321–326
- AsyncState property 354
- Atom 14
 - standard 360
- Attach method 475
- AttachAsModified method 475
- attached properties 29–30, 145, 173, 180
 - Column 180
 - ColumnSpan 180
- layout 29
- OrbitPanel example 704
- Row 180
- TargetName 639, 648
- TargetProperty 639, 648
- Triggers 653
- attributes
 - Association 494
 - DataMember 494, 496
 - Display 304–306
 - Editable 306
 - for validation 327
 - http-request-headers 338
 - include-subpaths 338
 - Invoke 475
 - Key 494
 - Path 338
 - Port 338
 - Property 682
 - Protocol 338
 - QueryAttribute 473
 - Required 496
 - RequiresRole 509
 - Resources 677
 - RoundtripOriginal 494
 - ScriptableMember 83
 - ScriptableType 83
 - StringLength 496
 - TemplatePart 713
 - TemplateVisualState 716
 - uri 338
 - Value 682
 - x:Key 672, 683
 - XmlIgnore 494
- Attributes property 586
- audio 581–582
 - balance 582
 - capturing with video 616
 - content properties 581
 - multitrack 581
 - raw audio 602–607
 - stereo 582
 - track count 581
 - volume 582
- AudioStreamCount property 581
- AudioStreamIndex property 581
- authentication 506–508
 - definition 506
 - forms-based 507
 - requiring 508
 - Windows 508
- authentication credentials 357

Authentication property 508
 AuthenticationService class 506
 Author ASX element 586
 authorization 509–510
 definition 506
 role-based 509
 AutoEllipsis property 487
 AutoGenerateColumns
 property 286
 AutoGenerateField
 property 305
 AutoGenerateFilter
 property 305
 Automatic duration value 644
 automatic sizing 182
 automation. *See* COM
 AutoPlay property 579, 585
 AutoReverse property 646
 impact on duration 646
 autoUpgrade option 723
 AvailableFreeSpace
 property 131, 133
 AvailableSpace parameter 155

B

Back button 385
 BackEase class 661
 background 55, 65
 Background property
 187, 235, 681
 backslash restrictions 573
 Balance property 582
 Base ASX element 586
 base types 711
 basic marker 590
 BasicHttpBinding class 345
 BasicHttpSecurityMode
 enumeration 345
 Begin method 650
 BeginGetRequestStream
 method 355
 BeginGetResponse
 event handler 355
 method 353
 BeginningEdit event 292
 BeginOpen method 369
 BeginPrint event 543–544, 546
 BeginStoryboard class 639, 654
 BeginTime property 647
 behaviors 33–34, 665–669
 CallMethodAction 442
 creating 667
 DataTrigger 666
 FluidMoveBehavior 666
 included with Expression
 Blend 33
 Bézier curve 657
 BezierSegment class 523
 BiDi. *See* bidirectional text
 bidirectional text 9
 binaries
 sharing 505
 Binding 262, 265, 269, 345
 binding
 binding source and
 target 262
 to collections 274–276
 data 263
 DataForm class 296–299
 to indexed elements 272
 to objects 268–269
 RelativeSource Self 272
 source 267–276
 support in INotifyDataError-
 Info interface 323
 syntax 263–265, 278, 287, 688
 to properties 267–268
 to UI elements 270–272
 ValidatesOnDataErrors
 property 316
 binding modes 265–267
 OneTime 265
 OneWay 265, 268
 TwoWay 266, 268, 277, 287
 BindingMode enumerator 265
 bitmap API 8
 bitmap images
 creating at runtime 620–627
 creating from UI
 elements 623–624
 Deep Zoom 627–632
 direct pixel access 624
 stretching 632–636
 supported formats 619
 BitmapImage class 254, 619
 BitmapSource class 620
 Black font weight constant 209
 BlurEffect class 532
 BlurRadius property 533
 Body property 76
 Bold element 226
 Bold font weight constant 209
 BorderBrush property 235
 BorderlessRoundCorners-
 Window 122
 BorderThickness property 236
 Bottom enumeration value 143
 BounceEase class 661
 bouncing ball animation 655
 browser
 cache 129, 136
 connection count limit 341
 Internet Explorer 8 341
 journals 384
 limitations 341–342
 name 82
 navigating 81
 navigation 383–386
 networking API 342
 plug-in 74
 properties 82
 redirecting 81
 security 128
 browser journals 384
 controlling 406
 BrowserHttp property 355
 BrowserInformation
 property 82
 BrowserVersion property 82
 Brush 516, 524–531
 Background property 187
 color changing
 animation 649
 coordinate space 526
 Foreground property 211
 brushes 524–531
 on Canvas 531
 color animation 641
 Fill 516
 ImageBrush 529
 LinearGradientBrush
 526–528
 RadialGradientBrush
 528–529
 SolidColorBrush 525
 Stroke 516
 on TextBlock 531
 on TextBox 531
 VideoBrush 530
 bubbling 31
 buddy class 493
 buffering progress 577
 Buffering state 579
 BufferingProgress property
 577, 583
 BufferingProgressChanged
 event 577, 583
 BufferingTime property 577
 build actions 679–680
 Resource 680
 buildPromptHTML 61

- built-in effects 532–535
 - blur 532
 - drop shadow 533
 - bundled resources 678–680
 - business logic 503–506
 - factoring 434–435
 - in entities 504
 - where to put 503
 - Button class 241, 686, 692
 - visual states 691
 - ButtonBase class 240, 711
 - Buttons 240–245
 - By property 643
- C**
-
- cache visualization 154
 - cached composition 151–153
 - caching
 - assemblies 55–57
 - frame cache settings 400
 - page cache settings 399
 - pages 399
 - Smooth Streaming 575
 - CalculateVacationBonus
 - method 490
 - CallMethodAction behavior 442
 - Cancel property 292
 - CanExecute property 439
 - CanExecuteChanged event 439
 - CanGoBack property 395
 - CanGoForward property 395
 - CanMoveToFirstPage
 - property 487
 - CanMoveToNextPage
 - property 487
 - CanPause property 579, 589
 - CanSeek property 581
 - Canvas 199
 - Canvas element 172–175
 - arranging content 173–175
 - position offsets 173
 - setting offset position
 - programmatically 173
 - stack order 174
 - capture devices 607–616
 - accessing 607
 - changing the default 608
 - video 609–612
 - CaptureDeviceConfiguration
 - class 609
 - capturing
 - audio with video 616
 - from webcams and
 - microphones 607–616
 - still images 612–614
 - video 609–612
 - Cascading Style Sheets. *See* CSS
 - CDN 575
 - cells
 - spanning 180
 - Center
 - enumeration value 143
 - property 528
 - center text alignment 213
 - CenterX property 160–161
 - CenterY property 160–161
 - certificates 111
 - change methods 473
 - change-notification handler 267
 - CheckAndDownloadUpdate-
 - Async 107
 - CheckAndDownloadUpdate-
 - Completed event 107
 - CheckBox class 244
 - three-state checkbox 245
 - visual state management 692
 - Checked visual state 692
 - child elements 172
 - Children property 77, 172, 647
 - ChildWindow class 408
 - ChildWindow element
 - customizing 412
 - members 410
 - properties 412
 - showing 410–411
 - Chrome 58
 - chrome
 - custom window chrome 122
 - CircleEase class 661
 - classes
 - ApplicationStrings 465
 - ArcSegment 523
 - AuthenticationService 506
 - BackEase 661
 - BasicHttpBinding 345
 - BeginStoryboard 639, 654
 - BezierSegment 523
 - BitmapImage 254, 619
 - BitmapSource 620
 - BlurEffect 532
 - BounceEase 661
 - Brush 516, 524–531
 - buddy class 493
 - Button 241, 692
 - ButtonBase 240, 711
 - CaptureDeviceConfiguration
 - 609
 - CheckBox 244
 - ChildWindow 408
 - CircleEase 661
 - Clipboard 222
 - ColorAnimation 641
 - ComboBox 248
 - CompositionTarget 148
 - ContentControl 238–240, 687, 711
 - ContentPresenter
 - 239, 688, 715
 - Control 143, 235–238, 686, 711
 - ControlTemplate 686–687
 - CubicEase 661
 - CustomValidationAttribute
 - 328
 - DataContractJsonSerializer
 - 364
 - DataForm 293–304
 - DataGrid 286–293
 - DataGridBoundColumn 287
 - DataGridCheckBoxColumn
 - 288
 - DataGridTemplateColumn
 - 287
 - DataGridTextColumn 288
 - DataTemplate 289, 301, 561
 - DeepZoomImageTileSource
 - 627
 - DependencyObject 255
 - DependencyProperty 682
 - DependencyPropertyChanged
 - EventArgs 255–256
 - DiscreteColorKeyFrame 656
 - DiscreteDoubleKeyFrame 656
 - DiscreteObjectKeyFrame 656
 - DiscretePointKeyFrame 656
 - DomainDataSource 486
 - DomainService 498
 - DoubleAnimation 639–640
 - DropShadowEffect 533
 - ElasticEase 661
 - Ellipse 516, 518
 - EllipseGeometry 522
 - EndpointAddress 345
 - Entity 492–494
 - business logic 504
 - EnumDataTypeAttribute 327
 - EventArgs 366
 - EventTrigger 443, 639, 653
 - Expander 715–716
 - ExponentialEase 662
 - FileInfo 414
 - FilterDescriptor 482
 - Frame 396–399
 - FrameworkElement 561

- classes (*continued*)
 - Geometry 520–524
 - GeometryGroup 524
 - GradientStop 526, 528
 - HtmlDocument 76, 85
 - HtmlElement 77, 85
 - HtmlPage 76, 79, 83
 - HtmlWindow 79, 85
 - HttpRequest 352–353, 359
 - HyperlinkButton 241
 - Image 619
 - ImageBrush 529
 - InvokeOperation 492
 - IsolatedStorageFile 129–133
 - ItemsControl 245–252, 687, 711
 - ItemsPanel 689
 - ItemsPresenter 688
 - JsonObject 364
 - Keyboard 192
 - KeyEventArgs 191
 - LayoutInformation 157
 - Line 516–517
 - LinearColorKeyFrame 656
 - LinearDoubleKeyFrame 656
 - LinearGradientBrush 526–528, 681
 - LinearPointKeyFrame 656
 - LineGeometry 521
 - LineSegment 523
 - ListBox 246–248
 - ListBoxItem 247
 - MediaElement 573
 - MediaStreamSource 596–598
 - MessageReceivedEventArgs 378
 - metadata class 494
 - MouseEventArgs 194
 - MultiScaleImage 627–628
 - MultiScaleTileSource 627
 - NavigationService 393–396
 - NotificationWindow 108
 - OpenFileDialog 412
 - Page 388, 392–393
 - Panel 689
 - Path 516
 - PathFigure 522
 - PathGeometry 522
 - PathSegment 522
 - PixelShader 539
 - Point 519, 528, 631
 - PointAnimation 641
 - PollingDuplexHttpRequest 369
 - PolyBezierSegment 523
 - Polygon 144, 516, 519
 - Polyline 516, 519
 - PolyLineSegment 523
 - PolyQuadraticBezierSegment 523
 - Popup 408
 - PowerEase 662
 - PrintDocument 543–547
 - PrintPageEventArgs 547
 - PropertyChangedCallback 256
 - PropertyMetadata 255, 703
 - QuadraticBezierSegment 523
 - QuadraticEase 662
 - QuarticEase 662
 - QuinticEase 662
 - RadialGradientBrush 528–529
 - RadioButton 242–244
 - RangeAttribute 327
 - RangeBase 711
 - Rectangle 516–517
 - RectangleGeometry 521
 - RegularExpressionAttribute 327
 - RenderingEventArgs 149
 - RequiredAttribute 328
 - ResourceDictionary 672
 - ResourceWrapper 465
 - SaveFileDialog 412
 - ScaleTransform 554
 - Selector 248, 711
 - Setter 682
 - Shape 516–520, 632
 - SilverlightHost 84, 127
 - SocketAsyncEvents 374
 - SolidColorBrush 525
 - SplineColorKeyFrame 656
 - SplineDoubleKeyFrame 656
 - SplinePointKeyFrame 656
 - StackPanel 689
 - Storyboard 639
 - Stream 414
 - StreamReader 415
 - StreamResourceInfo 680
 - StringLengthAttribute 328
 - Style 680–686
 - SynchronizationContext 352, 368
 - SyndicationFeed 14
 - TabControl 249
 - TabItem 249
 - TemplatePartAttribute 693
 - TemplateVisualStateAttribute 692
 - TextBlock 345
 - Timeline 639, 646–648
 - TimelineMarker 589–591
 - TimelineMarkerRoutedEventArgs 591
 - TimeSpan 647, 659
 - ToggleButton 242, 245, 711
 - TouchFrameEventArgs 197
 - TouchPoints 198
 - TypeConverter 41
 - UdpAnySourceMulticastClient 375
 - UdpSingleSourceMulticast 375
 - UriMapper 397
 - UserControl 252–257
 - UserRegistrationService 507
 - ValidationAttribute 328
 - ValidationContext 330
 - VideoBrush 530, 609
 - VideoCaptureDevice 610
 - VideoSink 614
 - ViewModel 429
 - VisualState 693–694, 697
 - VisualStateGroup 694, 696
 - VisualStateManager 691–697, 715
 - VisualStateTransition 694
 - VisualTransition 697
 - VisualTreeHelper 36
 - WebRequestCreator 355
 - Window 121
 - WritableBitmap 620, 623
 - XamlReader 43
 - XDocument 16
 - XElement 362
 - XmlReader 362–363
 - XmlSerializer 363–364
 - ClearType 9, 205
 - orientation 207
 - Click event 240, 242
 - ClickMode
 - enumeration 240
 - property 240
 - client HTTP stack 355–360
 - creating 355
 - using automatically 356
 - client-side playlists 585–587
 - clientaccesspolicy.xml 337, 372
 - ClientBin
 - directory 677
 - ClientHttpRequest property 355
 - clipboard 222

- Clipboard class 222
- clipping 520, 710
- clock tick 148
- Close method 410
- CloseAsync method 346
- Closed
 - event 410
 - state 579
- closed
 - DropDownClosed 249
- CloseMedia method 597
- Closing event 410
- CLR 50, 264, 703
 - types
 - converters 39–42
 - wrappers 703
- code
 - factoring 433–438
 - sharing 505
- code-behind 269, 417–425
 - compared to Model-View-ViewModel pattern 426
 - compared to ViewModel 433
 - factoring out into
 - ViewModel 428
 - MvvmApplication sample
 - application 422–425
 - and web services 419
- codocs 574
 - H.264 8
- CodePlex 9
 - WPF Pixel Shader Effects
 - library 537
- Collapsed
 - enumeration value 141
 - visual state 715, 717
- collecting
 - ink 199
 - sensitive data 224
- collections
 - data binding 274–276
 - SupportedFormats 610
- Color
 - property 201, 525–526, 533
 - animation 641
- ColorAnimation class 641
- colors 42
 - hexadecimal 42
 - multiple transitions 527
- Column property 180
- ColumnDefinitions
 - property 178
- Columns property 288
- ColumnSpan attached
 - property 180
- ColumnSpan property 180
 - protected 591–593
 - rendering 174
- content distribution networks.
 - See CDN
- Content property 238, 240, 282, 688, 712
- content-access key 593
- ContentControl 238–240, 687, 711
 - buttons 240–245
 - data templates 281
 - flexibility 238
- ContentPresenter class
 - 239, 688, 715
- ContentTemplate property
 - 238, 240, 281, 712
- context 71
- contracts
 - control template contract 712
- control
 - properties 687
 - templates 686–687
 - contract 712
 - visual states 716–718
- Control class 143, 235–238, 686, 711
 - buttons 240–245
 - lookless controls 237
- Control element 189
 - modifier key 192
- controlling
 - browser journals 406
- controls
 - customizing 710–718
 - DataPager 487
 - DomainDataSource 479
 - ListBox 16
 - reusable 252
 - RichTextBox 9
 - WebBrowser 87–92
 - WebBrowserBrush 92
- ControlStyles.xaml file 674
- ControlTemplate class 686–687
 - parts 693
 - using as part of a Style 690
- Convert method 277
- ConvertBack method 277
- Converter property 278
- ConverterCulture property 279
- ConverterParameter
 - property 279
- converting
 - JSON 364
- CookieContainer property 359
- ColumnSpan property 180
 - automating Microsoft
 - Excel 119
 - detecting availability 115–116
 - Location API 117
 - using for speech 117
- ComboBox class 248
- Comic Sans font 208
- CommandButtonsVisibility
 - property 298
- commands 438–442
 - surfacing to page 440
 - in XAML 32–33
- Commodore 64 97
- Common Language Runtime.
 - See CLR
- CommonStates visual state
 - group 692
- communication
 - asynchronous 342
- communication APIs 336
- Completed event 651
- CompletedSynchronously
 - property 369
- complex data types 347
- complex property 682
- composing dzi files 631
- composite geometries 523
- CompositeTransform 163
- CompositionTarget class 148
- Condensed font stretch
 - constant 209
- configuration file 348
- Confirm method 80
- connected line segments 519
- connecting
 - to AdventureWorks
 - database 731–734
 - connection count limit 341
 - to data sources 342–355
 - to other applications 377–380
 - service references 343
 - to sockets 372–374
 - to WCF services 366
- connection count limit 341
- constructors
 - NetworkCredential 358
 - XAML rules 22
- consuming
 - REST services 352
- content
 - build actions 679
 - files 678
 - overlapping 174

- cookies 128, 340
 - managing 359
 - with Silverlight 340
 - CookiesEnabled property 82
 - coordinate space 517
 - Copyright
 - ASX element 586
 - CoreCLR 50, 109
 - cost-effective media delivery 577
 - coupling
 - loose 496–503
 - Courier font 208
 - Create file mode value 134
 - create methods 472
 - Create Read Update Delete. *See*
 - CRUD
 - CreateDirectory method 131
 - CreateNew file mode value 134
 - createObject 61
 - createObjectEx 61, 71
 - createObjectEx function
 - id parameter 64
 - parameters 63–64
 - parentElement parameter 64
 - source parameter 63
 - createObjectEx method 727
 - creating
 - AdventureWorks entities 733
 - bitmap images 620–627
 - client HTTP stack 355
 - custom controls 710–718
 - custom panels 700–710
 - domain services 466–467
 - images from UI
 - elements 623–624
 - Mandelbrot fractals 624–627
 - navigation application 386
 - presentation models 497
 - raw audio 602–607
 - raw video 598–602
 - reusable templates 690
 - sound samples 605
 - templates 686–691
 - Credentials property 358
 - cross-domain 336–340
 - applications 68
 - policy element 338
 - policy file 678
 - TCP sockets 339
 - URI 573
 - cross-field validation 318–320
 - crossdomain.xml 339
 - CRUD 460
 - CSS 78, 207, 209, 682–683
 - CssClass property 77
 - CubicEase class 661
 - CultureInfo 278–279
 - curly braces 38, 264
 - syntax 278
 - CurrentSource property 395
 - CurrentState property 579–580, 583, 589
 - CurrentStateChanged event 583
 - Cursor property 140
 - cursors
 - Arrow 140
 - Eraser 140
 - Hand 140
 - IBeam 140
 - SizeNS 140
 - SizeWE 140
 - Stylus 140
 - Wait 140
 - web standards 140
 - custom controls 710–718
 - base types 711
 - control template contract 712
 - default template 714
 - properties 712
 - testing 717
 - visual states 715
 - custom pixel shader
 - effects 535–540
 - setting up environment 536
 - custom preloaders
 - creating 724–726
 - integrating 726
 - monitoring load progress 727
 - customizing
 - controls 710–718
 - field descriptions 299
 - field labels 299
 - layout 705–709
 - out-of-browser
 - navigation 403–408
 - panels 700–710
 - Silverlight install
 - experience 722–724
 - CustomValidationAttribute
 - class 328
- D**
-
- data
 - annotating 304–307
 - cookies 340
 - displaying 286–292, 294–296, 495
 - domain services 465–480
 - downloading 344
 - exposing 465–480
 - filtering 481–483
 - formatting 17–18
 - grouping 485
 - integrity 340
 - loading from a file 412
 - OData format 467
 - paging 486–488
 - receiving 344
 - sending 346
 - sorting 484
 - updating 488–496
 - usable 360–366
 - data access
 - factoring 436–438
 - data annotations 304–307
 - for validation 327
 - data binding
 - binding modes 265–267
 - binding syntax 263–265
 - to collections 274–276
 - converting values 277–279
 - customizing display 276–280
 - dependency properties 263, 267
 - design time binding 264
 - fallback values 280
 - formatting values 276
 - to indexed elements 272
 - to keyed (string indexed) elements 273
 - null values 280
 - to objects 268–269
 - to properties 267–268
 - relative source binding 271
 - runtime 263
 - source 267–276
 - string format 276
 - to UI elements 270–272
 - value converters 277–279
 - data integrity 340
 - data source, unbind 263
 - data sources
 - connecting to 342–355
 - data templates 281, 300
 - creating 280–283
 - with ContentControl 281
 - with ItemsControl 282
 - data types 539
 - complex 347
 - float 539
 - float2 539
 - float4 539

- DataAnnotations assembly 304
- databases
 - connecting 731–734
- DataContext 273
 - property 264, 268
- DataContractJsonSerializer
 - class 364
- DataForm class 293–304
 - binding 296–299
 - customizing 299
 - displaying data 294–296
 - and DomainDataService control 489
 - templates 300
 - and WCF RIA Services 489–490
- DataGrid class 286–293
 - automatically generating columns 287
 - customizing data rows 289
 - customizing row and column headers 291
 - displaying data 286–292
 - editing data 292
 - manually generating columns 288
 - sorting 292
 - versus ItemControl 287
- DataGridBeginningEdit-EventArgs parameter 292
- DataGridBoundColumn
 - class 287
- DataGridCheckBoxColumn
 - class 288
- DataGridHeaders
 - enumeration 291
- DataGridRowDetailsVisibility-Mode enumeration 290
- DataGridTemplateColumn
 - class 287
- DataGridTextColumn class 288
- DataMember attribute 494, 496
- DataMemberChanged
 - event 493
- DataMemberChanging
 - event 493
- DataPager control 487
- DataTemplate 17, 281, 289, 301, 561, 671
- DataTrigger behavior 666
- DateTime 345
- declarative resources 671, 677
 - defining 672
 - referencing at runtime 676
- declaring
 - dependency properties 41
 - namespaces 25
- Deep Zoom 627–632
 - Composer 631
 - showing images 627
 - viewport 630–631
 - zooming 628–630
- DeepZoomImageTileSource
 - class 627
- default value
 - value precedence 28
- DefaultExt property 413
- DefaultStateKey property 237
- deferred
 - download 55
- delete methods 473–474
- DeleteDirectory method 130
- DeleteFile method 130
- DeliveryMethod property 595
- Delta property 196
- dependencies 55
- dependency properties
 - 27–29, 702
 - attached properties 29–30
 - data binding 263, 267
 - declaring 41
 - LeftProperty 145
 - OrbitPanel example 703
 - PrintPageCount 546
 - TopProperty 145
 - value precedence 28
- DependencyObject 145, 255
- DependencyProperty
 - 146, 275, 682
 - See also* dependency properties
- DependencyProperty class
 - 254, 682
 - naming guidelines 256
- DependencyPropertyChanged-EventArgs class 255–256
- deploying media from a web application 573
- Deployment element 51
- Deployment.ExternalParts 56
- Deployment.Parts 51, 56
- Description property 305
- DescriptionViewerPosition
 - property 300
- deserialization 353
- Deserialize method 364
- design patterns
 - Inversion of Control pattern 429, 448
- Model-View-Controller
 - 20, 426
- Model-View-ViewModel
 - 21, 416–457
- PresentationModel
 - pattern 425
- design time binding 264
- development 9–10
 - Expression Blend 10
 - setting up environment 9
 - user interfaces 12
- dialog boxes 8, 408–415
 - displaying with ChildWindow control 408–412
 - launching 412–414
 - retrieving results 414
- DialogResult property 410–411
- Dictionary structure 586
- digital rights management. *See* DRM
 - See also* PlayReady
- Direction property 533
- DirectlyOver property 198
- DirectX SDK 536
- dirty state 303
- Disabled visual state 692
- discrete
 - interpolation 659
 - keyframe types 656
- DiscreteColorKeyFrame
 - class 656
- DiscreteDoubleKeyFrame
 - class 656
- DiscreteObjectKeyFrame
 - class 656
- DiscretePointKeyFrame
 - class 656
- display
 - customizing 276–280
- Display attribute 304–306
- DisplayIndex property 289
- displaying
 - bitmap images 619–636
 - data 286–292, 294–296, 495
 - media. *See* media
 - order 289
 - rich text 225–232
 - text 207–216, 218
 - validation errors 315
- displaying media. *See* media
- DisplayMemberBinding
 - property 287
- DisplayMemberPath
 - property 275, 282

- DisplayMode property 487
 - DnsEndPoint 373
 - DnsSafeHost property 373
 - Document Object Model. *See* DOM
 - Document property 76
 - DocumentElement property 76
 - DocumentUri property 79
 - DOM 63–64, 74
 - accessing the browser window 79
 - calling from managed code 76–79
 - enabling access to 68
 - HTML DOM 76
 - variants supported by Silverlight 75
 - W3C specification 74
 - domain context 490–492
 - properties and methods 490
 - domain element 338
 - domain services 465–480
 - connecting with code 477
 - creating 466–467
 - domain context 490–492
 - exposing to clients 468–472
 - method types 472–476
 - using from Silverlight 476–480
 - DomainDataService control
 - and DataForm control 489
 - DomainDataSource class 486
 - and filter descriptors 483
 - DomainDataSource control 479
 - domains
 - cross-domain access 336–340
 - DomainService class 498
 - dots per inch. *See* dpi
 - DoubleAnimation class 639–640
 - downloading data 344
 - DownloadProgress
 - property 578, 583
 - DownloadProgressChanged
 - event 578, 583
 - downloads
 - buffer 577
 - completion percentage 578
 - 96dpi 208
 - dpi 548
 - DragMove method 124
 - DragResize method 125
 - drawing
 - line art 519
 - DrawingAttributes property 201
 - DRM 8
 - See also* PlayReady
 - DropDownClosed event 249
 - DropDownOpened event 249
 - DroppedFramesPerSecond
 - property 582
 - DropShadowEffect class 533
 - properties 533
 - duplex
 - communication 368
 - services 367
 - Duration
 - property 644
 - structure 580
 - dynamic
 - playlist creation 587
 - resizing 185
 - dzi file 631
- E**
-
- EaseIn easing mode 661
 - EaseInOut easing mode 661
 - EaseOut easing mode 661
 - easing functions 660–664
 - BackEase 661
 - BounceEase 661
 - CircleEase 661
 - CubicEase 661
 - custom 663
 - EaseIn mode 661
 - EaseInOut mode 661
 - EaseOut mode 661
 - ElasticEase 661
 - ExponentialEase 662
 - PowerEase 662
 - QuadraticEase 662
 - QuarticEase 662
 - QuinticEase 662
 - Eastern Asian fonts 208
 - Eclipse 45
 - Editable attribute 306
 - editing text 218–225
 - EditTemplate property 301
 - Effect property 532
 - effects 531–540
 - blur 532
 - built-in 532–535
 - custom pixel shaders 535–540
 - drop shadow 533
 - state-based effects 693
 - transitioning effects 695
 - tricks and considerations 534
 - ElasticEase class 661
 - element
 - properties 26
 - tree 146
 - ElementName 271
 - elements
 - access-policy 338
 - allow-from 338
 - Bold 226
 - Canvas 172–175
 - children 172
 - ColumnDefinition 178
 - cross-domain-policy 338
 - DataTemplate 17
 - domain 338
 - finding 146
 - FrameworkElement 139–146
 - grant-to 338
 - Grid 177–187
 - GridSplitter 179, 185
 - Hyperlink 227
 - InkPresenter 199
 - InlineUIContainer 228
 - Italic 226
 - moving programmatically 173
 - Paragraph 225
 - PasswordBox 224
 - policy 338
 - properties 26
 - resource 338
 - RichTextBox 225–232
 - RowDefinition 178
 - socket-resource 338
 - Span 226
 - StackPanel 176–177
 - TextBlock 172, 179, 207–218
 - TextBox 218–220
 - Transform 159–166
 - UIElement 139–146, 172
 - elevated trust 110–113
 - capabilities of 110
 - creating applications 110–113
 - detecting 113
 - full-screen mode 128
 - signed applications 111
 - unsigned applications 111
 - Ellipse class 516, 518
 - animation 640
 - comparison with EllipseGeometry 522
 - control templates 688
 - keyframe animation 656
 - properties 519
 - EllipseGeometry class 522
 - comparison with Ellipse 522
 - EMBED tag 64

- embedded
 - mode 127
- embedded files 678, 680
 - URL for 680
- embedding fonts 216
- Emoticon 283
 - keyboard shortcut 289
 - sort by Keys property 293
 - sort by Name property 293
- EnableCacheVisualization
 - property 154
- EnableFrameRateCounter 66
- EnableGPUAcceleration
 - parameter 153
- EnableGPUAcceleration-Property 153
- enableHtmlAccess 68
- encryption 134
- EndGetResponse method 354
- EndPoint property 526
- EndpointAddress 345
- endpoints
 - JSON 469–472
 - OData 468
 - SOAP 472
- EndPrint event 544, 546
- entering
 - rich text 225–232
 - text 218–225
- Entity class 492–494
 - business logic 504
- Entity Framework Model 466
- EntityContainer property 490
- EntityState property 493
- Entry ASX element 586
- entry point 50, 52
- EntryPointAssembly 51
- EntryPointType 51
- EnumDataTypeAttribute
 - class 327
- enumeration values. *See* values
- enumerations
 - BasicHttpSecurityMode 345
 - ClickMode 240
 - DataGridHeaders 291
 - DataGridRowDetailsVisibilityMode 290
 - ModifierKeys 192
 - System.Windows.Media.MediaElementState 579
 - UriKind 353
- Environment.GetFolderPath
 - method 113
- Eraser cursor 140
- error handling 70
- Error property 316
- errorArgs 70
- ErrorsChanged event 321
- event bubbling 30
- event handlers 345
 - BeginGetResponse 355
 - referencing from code 31
- EventArgs class 366
- events
 - BeginningEdit 292
 - BeginPrint 543–544, 546
 - bubbling 30
 - BufferingProgressChanged 577, 583
 - CanExecuteChanged 439
 - CheckAndDownloadUpdate-Completed 107
 - Click 240, 242
 - Closed 410
 - Closing 410
 - Completed 651
 - CurrentStateChanged 583
 - DataMemberChanged 493
 - DataMemberChanging 493
 - DownloadProgressChanged 578, 583
 - DropDownOpened 249
 - EndPrint 544, 546
 - ErrorsChanged 321
 - FragmentNavigation 396
 - FrameReported 197–198
 - FullScreenChanged 127
 - ImageLoaded 622
 - in XAML 30–32
 - KeyDown 190, 629
 - KeyUp 190, 629
 - LayoutCompleted 156
 - Loaded 584, 653
 - LoadedData 509
 - MarkerReached 583, 590
 - MediaEnded 583
 - MediaFailed 583, 593
 - MediaOpened 580–581, 583, 587
 - MotionFinished 631
 - MouseEnter 194
 - MouseLeave 194
 - MouseLeftButtonDown 124, 193, 199
 - MouseLeftButtonUp 193, 199
 - MouseMove 194, 199
 - MouseRightButtonDown 193
 - MouseRightButtonUp 193
 - Navigated 396
 - Navigating 396, 400
 - NavigationFailed 396
 - NavigationStopped 396
 - NetworkAddressChanged 106
 - NotificationWindowClosed 109
 - onError 70
 - OnFragmentNavigation 393
 - onLoad 69
 - OnNavigatedFrom 393
 - OnNavigatedTo 393
 - OnNavigatingFrom 393
 - onSourceDownloadComplete 727
 - onSourceDownloadProgress-Changed 727
 - PreparingCellForEdit 292
 - PrintPage 543–544, 547–549
 - referencing from code 31
 - referencing in XAML 31
 - Rendering 93, 149
 - routed events 30
 - Startup 728
 - startup events 69–70
 - TextChanged 218
 - TextInput 220
 - TextInputStart 220
 - TextInputUpdated 220
- EventTrigger class 443, 639, 653
 - defining an action 654
 - supported events 653
- Excel
 - automating with COM 119
- Exception 53
- ExceptionObject 53
- exceptions
 - combining 314
 - combining with IDataError-Info interface 320
 - IsolatedStorageException 130
 - System.Exception 328
 - validation 313–315
 - ValidationException 328
 - XmlParseException 673
- Excl SMIL element 588
- Execute method 439
- Exit event 53
- Expanded
 - font stretch constant 209
 - visual state 715, 717
- Expander class 715–716
- explicit styling 683
- ExponentialEase class 662
- exposing
 - data 465–480
 - domain services 468–472

- exposing (*continued*)
 - JSON endpoints 469–472
 - OData endpoints 468
 - SOAP endpoints 472
 - Expression Blend 9–10, 45, 442, 660, 697
 - Assets panel 33
 - Expression Blend 4 SDK 442
 - ext namespace 250
 - extended controls 286
 - System.Windows.Controls
 - assembly 250
 - TabControl 250
 - Extensible Application Markup Language. *See* XAML
 - ExtensionPart 56
 - ExtraBlack font weight
 - constant 209
 - ExtraBold font weight
 - constant 209
 - ExtraCondensed font stretch
 - constant 209
 - ExtraExpanded font stretch
 - constant 209
 - ExtraLight font weight
 - constant 209
- F**
-
- factoring
 - business rules and logic 434–435
 - code 433–438
 - data access 436–438
 - service calls 436–438
 - fade animation 639–640
 - fallback values 280
 - FallbackValue 280
 - FBA. *See* forms-based authentication
 - fields
 - cross-field validation 318–320
 - customizing descriptions 299
 - customizing labels 299
 - File
 - object 114
 - property 414
 - file formats
 - PNG 8
 - FileInfo class 414
 - FileMode 134
 - files
 - .g.cs file 462
 - .xap 677–678
 - .xap format 50–51
 - App.xaml 673
 - ASX format 585
 - clientaccesspolicy.xml 337, 372
 - configuration file 348
 - content 678
 - content files 678
 - ControlStyles.xaml 674
 - crossdomain.xml 339
 - embedded 680
 - embedded files 678
 - ISX format 585
 - manifest files 51–52
 - media file lifecycle 583–584
 - playlists 585
 - prompting for 412–415
 - resource files 464
 - SDKStyles.xaml 390
 - ServiceReferences.ClientConfig 348
 - Silverlight.js 60–61, 723
 - Smooth Streaming files 576
 - source files
 - linked 505
 - shared 505
 - StandardColors.xaml 673
 - supported bitmap formats 619
 - ToolkitStyles.xaml 390
 - utility files 60–61
 - WAX format 585
 - ways to open 134
 - WMX format 585
 - WPL format 585
 - WSX format 587
 - WVX format 585
- filesystem
- access restrictions 129
 - available free space 131
 - default quota 132
 - deleting files and directories 130
 - isolated storage 129
 - listing files and directories 129
 - reading files 135
 - writing files 133–135
- Fill
- property 525
 - stretch option 634
- FillBehavior property 646
- FillRule property 524
- EvenOdd 524
 - Nonzero 524
- filter descriptors 481
- and DomainDataSource class 483
- Filter property 413
- FilterDescriptor class 482
- and DomainDataSource class 483
- FilterDescriptors property 481
- FilterIndex property 413
- filtering 481–483
- filter descriptors 481
- FilterOperator property 481
- FinalSize parameter 156
- finding elements 146
- FindName method 146, 653
- Firefox 75, 126
- float type 539
- float2 type 539
- float3 type 539
- float4 type 539
- flow control 210
- flow control elements
- Inline 211
 - LineBreak 210
 - Run 210
- FluidMoveBehavior
- behavior 666
- focus 189
- setting via JavaScript 189
- Focus method 189, 236
- Focused visual state 692
- FocusStates visual state group 692
- font stretch constants
- Condensed 209
 - Expanded 209
 - ExtraCondensed 209
 - ExtraExpanded 209
 - Medium 209
 - Normal 209
 - SemiCondensed 209
 - SemiExpanded 209
 - UltraCondensed 209
 - UltraExpanded 209
- font weight constants
- Black 209
 - Bold 209
 - ExtraBlack 209
 - ExtraBold 209
 - ExtraLight 209
 - Light 209
 - Medium 209
 - Normal 209
 - SemiBold 209
 - Thin 209

- FontFamily property
 - 207–208, 681
 - fonts
 - Arial 208
 - Comic Sans 208
 - Courier 208
 - Eastern Asian 208
 - embedding 216
 - Georgia 208
 - Italic style 210
 - Lucida 208
 - Normal style 210
 - subsetting 217
 - Times New Roman 208
 - Trebuchet 208
 - TrueType 208
 - Verdana 208
 - FontSize property 207–208, 681
 - animation 641
 - pixels versus points 208
 - FontStretch property
 - 207, 209–210
 - FontWeight property
 - 207, 209, 681
 - footers 567–570
 - Foreground property 211, 236
 - Forever duration value 644
 - formats
 - MP3 574
 - MP4 574
 - Windows Media 574
 - formatting 17–18
 - selected text 231
 - forms-based authentication 507
 - Forward button 385
 - FourCC codes 599
 - fractals. *See* Mandelbrot fractals
 - FragmentNavigation event 396
 - fragments. *See* hashtags
 - Frame class 396–399
 - Frame.CacheSize property 400
 - frameRate 66
 - FrameReported event 197–198
 - frames
 - cache settings 400
 - FramesPerSecond property 610
 - FrameworkElement 139–146
 - common properties 139–145
 - data binding 264
 - ResourceDictionary 676
 - FrameworkElement class 561
 - styles 682
 - From property 641, 695
 - default behavior 643
 - full-screen mode 126–128
 - normal 126–127
 - trusted applications 128
 - FullScreenChanged event 127
 - functions
 - ArrangeOverride 156
 - createObjectEx function
 - 63–64
 - external validation
 - functions 330–331
 - GetIDsOfNames 117
 - GetPrimaryTouchPoint 198
 - MeasureOverride 155
 - of Silverlight.js utility file 61
 - Select 230
- G**
-
- .g.cs file 462
 - Gecko 75
 - geometries 520–524
 - composite 523
 - path 522
 - simple 521–522
 - Geometry class 520–524
 - animation 641
 - GeometryGroup class 524
 - Georgia font 208
 - GET 351
 - GetDefaultVideoCaptureDevice
 - method 609
 - GetDiagnosticAsync
 - method 596
 - GetDirectoryNames
 - method 129
 - getElementById 64
 - GetElementById method 77
 - GetElementsByTagName
 - method 77
 - GetErrors method 321
 - GetFileNames method 130
 - GetIDsOfNames function 117
 - GetIsNetworkAvailable
 - method 106
 - GetLayoutClip method 157
 - GetLayoutSlot method 157
 - GetLeft method 173
 - GetOriginal method 493
 - GetPosition method 194
 - GetPrimaryTouchPoint
 - function 198
 - GetProperty method 78
 - GetPropertyValue method 231
 - GetResourceStream
 - method 680
 - GetResponseStream
 - method 354
 - GetSampleAsync method
 - 597, 601
 - GetStyleAttribute method 78
 - GetStylusPoints method 200
 - GetTemplateChild method 714
 - GetTop method 174
 - GetUserStoreForApplication
 - method 129
 - GetUserStoreForSite
 - method 129, 133
 - GetValue method 146, 703
 - GoBack method 394
 - GoForward method 394
 - Google Chrome 126
 - GoToState method 695
 - GPS 117
 - GPUs
 - hardware acceleration 153
 - gradient
 - beginning and ending 526
 - elliptical 528
 - radial 528
 - GradientBrush class
 - declared as a resource 671
 - GradientOrigin property 528
 - GradientStop
 - property 650
 - GradientStop class 526, 528
 - grant-to element 338
 - graphics
 - effects 531–540
 - raster 530
 - raster-based 515, 633
 - vector-based 515
 - Grid
 - ColumnDefinitions
 - property 178
 - dimensions of a row or
 - column 181
 - RowDefinitions property 178
 - spanning content across multiple cells 180
 - Grid element 177–187
 - absolute sizing 182
 - adding rows or columns
 - programmatically 184
 - arranging content 178–180
 - automatic sizing 181
 - dynamic resizing 185
 - removing rows or columns
 - programmatically 184
 - star sizing 181
 - grid lines 179

GridLength value 181
 GridSplitter element 179, 185
 GroupDescriptor object 485
 grouping 485
 grouping animations 647
 GroupName property
 243, 305, 692

H

H.264 codec 8
 Hand cursor 140
 Handled property 53, 194, 196
 handling text 218–220
 handwriting 199–202
 hardware acceleration 153
 HasChanges property 490, 493
 HasCloseButton property 412
 HasElevatedPermissions 113
 HasErrors property 321
 HasHeader property 251
 hashtags 384
 HasMorePages property
 547–548
 HasSideEffects property 473
 HasTimeSpan property 580
 HasValidationErrors
 property 493
 Header property 250, 291
 headers 356–357, 567–570
 HTTP Referer 356–357
 HeadersVisibility property 291
 headless application 85
 height 65
 Height property 156, 181,
 518, 681
 Heuer, Tim 536
 hexadecimal colors 42
 High Level Shader
 Language 536
 HLSL. *See* High Level Shader
 Language
 HoldEnd enumeration
 value 646
 horizontal
 offset 173
 HorizontalAlignment
 property 142
 HorizontalContentAlignment
 property 236
 host 63
 Host property 54
 host window
 basic properties 121
 changing chrome 122

controlling 120–126
 minimizing and
 maximizing 123
 moving 124
 resizing 125
 restoring and closing 123
 hosting HTML 86–94
 Hover click mode 241
 HTML
 EMBED tag 64
 hosting 86–94
 ID 64
 OBJECT tag 64
 table element 178
 tags, no support 279
 HTML DOM. *See* DOM
 HtmlAttributeEncode 61
 HtmlDocument class 76, 85
 HtmlDocument object 79
 Body property 76
 DocumentElement
 property 76
 GetElementById method 77
 GetElementsByTagName
 method 77
 HtmlElement class 77, 85
 HtmlPage
 Document property 76
 HtmlPage class 76, 79, 83
 HtmlWindow class 79, 85
 HTTP
 client stack 355–360
 message chunking 369
 HTTP Referer header 356–357
 HTTP verbs 351
 http-request-headers
 attribute 338
 HTTPS 340
 HttpRequest 362
 HttpRequest class
 352–353, 359
 Hyperlink element
 inline 227
 HyperlinkButton class 241

I

I/O. *See* filesystem
 IAsyncResult 369
 IAsyncResult interface 354
 IBeam cursor 140
 IChannelFactory 369
 IChannelFactory interface 369

ICollectionView interface 292
 ICommand interface 439
 members 439
 icons 106
 out-of-browser 106
 Id property 77
 IDataErrorInfo interface
 316–321
 combining with
 exceptions 320
 comparison with
 INotifyDataErrorInfo 321
 cross-field validation 318–320
 simple validation 317
 IDispatch 117
 IDuplexSessionChannel
 interface 369
 IEditableObject interface 302
 IEnumerable 275
 IEnumerable interface 474
 IEnumerator interface 564
 ignoreBrowserVer 68
 IgnoredValue property 482
 ignoring methods 476
 IIS Smooth Streaming. *See*
 Smooth Streaming
 IList interface 292
 Image
 data binding 269
 Image class 619
 animating the Opacity
 property 638
 animation 642
 pixellation 635
 preserving aspect ratios 633
 referencing loose
 resources 677
 stretching 633
 supported image formats 619
 ImageBrush class 529
 ImageLoaded event 622
 images
 bitmaps 619–636
 creating at runtime 620–627
 creating from UI
 elements 623–624
 Deep Zoom 627–632
 direct pixel access 624
 Mandelbrot fractals 624–627
 manipulating 621
 pixellation 635
 preserving aspect ratio 633
 screenshots 623
 showing with Deep Zoom 627

- images (*continued*)
 - stretching 632–636
 - zooming 628–630
- ImageSource property 529, 619
- IME. *See* input method editors
- implicit styling 685
- in-browser
 - comparison with out-of-browser 96
- include-subpaths attribute 338
- IncreaseQuotaTo method 132
- indexed elements
 - data binding 272
- individualized DRM client 592
- Individualizing state 579
- infinite scroll 486
- initialization parameters
 - 52, 71–72
- InitializeComponent 32
- initParams 52, 71
- ink 199–202
 - collecting 199
 - styling 201
- InkPresenter 202
- InkPresenter element 199
- Inline flow control element 211
- inline properties 26
- inline styles 226
- inline XAML 63
- Inlines property 211
- InlineUIContainer element 228
- INotifyDataErrorInfo
 - interface 321–326
 - binding support 323
 - comparison with IDataErrorInfo 321
 - implementing 322
- INotifyPropertyChanged 267
- INotifyPropertyChanged
 - interface 309, 429
- input
 - validating 308
- input devices 188
 - keyboard 189–193
- input method editors 220–222
- insert methods 472, 474, 502
- Install method 105
- installation 58, 66
- installing
 - AdventureWorks database 729–731
 - Silverlight plug-in 721–724
- InstallState 102
- interactive media playback 588–591
- interfaces
 - IAsyncResult 354
 - IChannelFactory 369
 - ICollectionView 292
 - ICommand 439
 - IDataErrorInfo 316–321
 - IDuplexSessionChannel 369
 - IEditableObject 302
 - IEnumerable 474
 - IEnumerator 564
 - IList 292
 - INotifyDataErrorInfo 321–326
 - INotifyPropertyChanged 309, 429
 - IPagedCollectionView 487
 - IQueryable 474
 - ViewModels as 448
- Internet Explorer 58
 - colors 525
 - DHTML Object Model 75
 - in full screen 126
 - Silverlight and ActiveX model 48
 - understanding limits 109
- Internet Explorer 8 341
- Internet Standard Multicast 375
- interpolation 655
 - curves 659
 - discrete 659
 - linear 656
 - spline 657
 - types 656
- InvalidOperationException 242
- Inversion of Control
 - pattern 429, 448
- Invoke attribute 475
- Invoke method 85
- invoke methods 473, 475, 491
- InvokeOperation class 492
- InvokeScript method 91
- IoC. *See* Inversion of Control pattern
- IPagedCollectionView
 - interface 487
- IQueryable interface 474
- IsActive property 121
- IsCaseSensitive property 482
- IsChecked property 243
- IsComposable property 473
- IsDefault property 473
- IsDropDownOpen property 249
- IsEnabled property 236
- IsFullScreen property 127
- IsItemsHost property 702
- IsLoaded 55
- IsLoading property 490
- IsMuted property 582
- isolated storage 128–136
 - administering 136
 - available free space 131
 - clearing all data 136
 - creating directories 131
 - default quota 132
 - deleting files and directories 130
 - increasing quota 132
 - listing files and directories 129
 - per domain quota 133
 - physical locations 136
 - quota 98
 - reading files 135
 - sensitive data 134, 136
 - writing files 133–135
- IsolatedStorageException 130
- IsolatedStorageFile class 129–133
- IsolatedStorageFileStream 133
- IsolatedStorageFileStream
 - object 135
- IsPressed property 240
- IsReadOnly property 218, 228, 292
- IsSubmitting property 491
- IsTabStop property 236
- IsThreeState property 245
- IsValid property 303
- isWindowless 65
- ISX files 585
- Italic element 226
- Italic font style 210
- Items property 246, 274, 316, 689
- ItemsCollection 245
- ItemsControl 245
 - data binding 274
 - data templates 282
- ItemsControl class 245–252, 687, 711
- ItemSource property 16
- ItemsPanel class 689
- ItemsPanel property 246
- ItemsPresenter class 688
- ItemSource property 246, 274, 282
- ItemsTemplate property 246
- ItemTemplate property 282
- IValueConverter 277

J

-
- JavaScript 189
 - calling managed code 83–85
 - creating a Silverlight control 61–62
 - custom splash screens 725
 - invoking 91
 - jQuery 470
 - script tag 60
 - JavaScript Object Notation. *See* JSON
 - jerky animation 657
 - JournalOwnership property 406
 - journals
 - controlling 406
 - JPG image format 619
 - jQuery 470
 - JSON 61, 353, 360, 677
 - converting 364
 - endpoints 469–472
 - serialization 365
 - JsonObject class 364
 - JSP 58

K

-
- Kaxaml 45
 - Key attribute 494
 - Key property 192
 - keyboard 189–193
 - input limitations 127
 - modifier keys 192–193
 - responding to events 191
 - Keyboard class 192
 - KeyDown event 190, 629
 - keyed elements
 - data binding 273
 - KeyEventArgs class 191
 - KeyEventArgs parameter 190
 - keyframe animation 654–660
 - keyframes 654–660
 - timing 659
 - types 656
 - KeySpline property 657
 - control points 658
 - curves for interpolation 659
 - keystrokes 189–193
 - modifier keys 192–193

- KeyTime property 659
- KeyUp event 190, 629

L

-
- LabelPosition property 299
 - lambda expressions 14, 351
 - LastOperation property 374
 - layout
 - arrange pass 156
 - arrange step 706
 - with attached properties 29
 - calculation 182
 - customizing 705–709
 - layout slots 157
 - layout system 155–159
 - measure pass 155
 - measure step 705
 - multipass 155–157
 - orbital 701
 - performance 158
 - radial 701
 - sizing and positioning 158
 - subpixel rendering 174
 - virtualization 158
 - layout panels
 - Canvas 172–175
 - Grid 177–187
 - StackPanel 176–177
 - layout slots 157
 - layout system 155–159
 - LayoutCompleted event 156
 - LayoutInformation class 157
 - LayoutRoot control
 - rerooting 552
 - Left
 - enumeration value 142
 - Left property 173
 - left text alignment 213
 - LeftProperty dependency
 - property 145
 - libraries
 - referencing 24–26
 - System.Windows.Interactivity 667
 - licensing server 592
 - Line class 516–517
 - comparison with LineGeometry 521
 - x and y coordinate pairs 517
 - linear interpolation 656
 - linear keyframe types 656
 - LinearColorKeyFrame class 656
 - LinearDoubleKeyFrame 656
 - LinearGradientBrush class
 - 526–528, 681
 - animation 650
 - declared as a resource 671
 - LinearPointKeyFrame 656
 - LineBreak flow control
 - element 210
 - LineGeometry class 521
 - comparison with Line 521
 - LineHeight property 214
 - LineSegment class 523
 - links
 - adding to top menu 389
 - LINQ
 - and web services 419
 - XLINQ 362
 - to XML 360
 - LINQ to XML 14, 360
 - parsing with 15
 - ListBox
 - data binding 275
 - ListBox class 246–248
 - control templates 689
 - defining items at design time 247
 - defining look and feel 247
 - selecting items 248
 - ListBox control
 - binding 16
 - ListBoxItem class 247
 - Load method 43, 365
 - load progress
 - monitoring 727
 - Loaded event 584, 653
 - LoadedData event 509
 - LoadSize property 486
 - local file access 113–115
 - reading from files 114
 - writing to files 115
 - local values
 - value precedence 28
 - LocalMessageReceiver
 - object 377
 - LocalMessageSender object 378
 - Location API 117
 - logical trees XE 35

lookless controls 237
 looping animation 646
 loose coupling 496–503
 loose resources 677–678
 referencing relatively 677
 retrieving with absolute
 URI 678
 loose XAML 63
 Lucida font 208

M

MainWindow object 123
 managed code
 calling DOM 76–79
 calling from JavaScript 83–85
 and scripting 82–86
 managing
 cookies 359
 Mandelbrot fractals 624–627
 manifest files. *See* AppManifest.xaml
 manipulating images 621
 MapUri method 397
 Margin property 143
 MarkerReached event 583, 590
 Markers property 590
 markup extensions 38–39
 StaticResource 672–673
 TemplateBinding 687
 Matrix3dProjection 168–169
 MatrixTransform 164–166
 MaxDropDownHeight
 property 249
 MaxLength property 218
 MBR 575
 streaming 577
 measure
 pass 155
 step 705
 MeasureOverride function 155
 media
 AcquiringLicense state 579
 animation 638–664
 audio 581–582
 audio volume 582
 available states 579
 bitmap images 619–636
 buffering progress 577
 Buffering state 579
 capturing audio with
 video 616
 capturing still images
 612–614
 capturing video 609–612

Closed state 579
 common properties 579–581
 controlling play state 589
 cost-effective delivery 577
 creating a media player with
 SMF 594
 delivery methods 574
 duration 580
 formats 574
 getting raw video data
 614–616
 Individualizing state 579
 interactive playback 588–591
 length 580
 lifecycle 583–584
 metadata 586
 Opening state 579
 Paused state 579
 pausing not an option 589
 Playing state 579
 playlists 584–588
 progress bar 577
 progressive download 595
 progressive downloading 577
 protected content 591–593
 raw audio 602–607
 raw media 596–607
 raw video 598–602
 raw video stream 599
 setting the source 573–579
 SMF 593–596
 Smooth Streaming 575–576
 spring animations 631
 stereo balance 582
 Stopped state 579
 streaming audio 581
 timeline markers 589–591
 use permissions 573
 video 582
 Windows Media
 Streaming 577
 Media SMIL element 588
 Media Stream Source API 7
 MediaElement
 sound volume 582
 VideoBrush 530
 MediaElement class 573
 animation 651
 audio-specific properties 581
 automatic bit rate
 selection 577
 automatic play 579
 common media
 properties 579–581
 duration 580

lifecycle 583–584
 media lifecycle 584
 media metadata 586
 playback state 579
 playlist support 585
 PlayReady 591
 programmatic
 positioning 581
 programmatically controlling
 playback 589
 progressive downloading 577
 Source property 573–579
 streaming media 577
 supported media formats 574
 timeline markers 590
 MediaEnded event 583
 MediaFailed event 583, 593
 MediaOpened event 580–581,
 583, 587
 MediaStreamSource class
 596–598
 Medium font stretch
 constant 209
 Medium font weight
 constant 209
 menus
 adding items 401
 merging
 resource dictionaries 673
 message chunking 369
 Message property 378
 MessageReceivedEventArgs
 class 378
 metadata 468, 585
 for display 494–496
 for validation 494–496
 methods
 add methods 472
 AddPropertyValue 231
 Alert 80
 ApplyTemplate 237
 Arrange 156
 Attach 475
 AttachAsModified 475
 Begin 650
 BeginGetRequestStream 355
 BeginGetResponse 353
 BeginOpen 369
 CalculateVacationBonus 490
 CheckAndDownloadUpdate-
 Async 107
 Close 410
 CloseAsync 346
 CloseMedia 597
 Confirm 80

- methods (*continued*)
 - create methods 472
 - CreateDirectory 131
 - createObjectEx 727
 - delete methods 473–474
 - DeleteDirectory 130
 - DeleteFile 130
 - Deserialize 364
 - domain services 472–476
 - DragMove 124
 - DragResize 125
 - EndGetResponse 354
 - Environment.GetFolderPath 113
 - Execute 439
 - FindName 146, 653
 - Focus 189, 236
 - GetDefaultVideoCaptureDevice 609
 - GetDiagnosticAsync 596
 - GetDirectoryNames 129
 - GetElementById 77
 - GetElementsByTagName 77
 - GetErrors 321
 - GetFileNames 130
 - GetIsNetworkAvailable 106
 - GetLayoutClip 157
 - GetLayoutSlot 157
 - GetLeft 173
 - GetOriginal 493
 - GetPosition 194
 - GetPropertyValue 231
 - GetResourceStream 680
 - GetResponseStream 354
 - GetSampleAsync 597, 601
 - GetStyleAttribute 78
 - GetStylusPoints 200
 - GetTemplateChild 714
 - GetTop 174
 - GetUserStoreForApplication 129
 - GetUserStoreForSite 133
 - GetValue 146, 703
 - GoBack 394
 - GoForward 394
 - GoToState 695
 - ignoring 476
 - IncreaseQuotaTo 132
 - insert methods 472, 474, 502
 - Install 105
 - Invoke 85
 - invoke methods 473, 475, 491
 - InvokeScript 91
 - Load 43, 365
 - MapUri 397
 - media delivery methods 574
 - modify methods 473
 - named update methods 475
 - Navigate 81, 87, 394, 396
 - NavigateToBookmark 81
 - NavigateToString 89
 - NotificationWindowClose 109
 - OnApplyTemplate 713
 - Open 411
 - OpenMediaAsync 597
 - OpenRead 414
 - OpenText 414
 - OpenWrite 414
 - Pause 531, 589, 650
 - Play 589
 - Post 352
 - Print 543–546
 - Prompt 80
 - query methods 472–474, 498
 - ReadObject 365
 - Refresh 394
 - Register 255, 702
 - RegisterAttached 704
 - RegisterScriptableObject 83
 - RejectChanges 491
 - Remove 676
 - remove methods 473
 - RemoveAt 184
 - Resume 651
 - SaveToString 92
 - Seek 651
 - SeekAsync 596
 - SetLeft 173
 - SetStyleAttribute 78
 - SetTop 174
 - SetValue 146, 703
 - Show 109, 410
 - ShowDialog 413
 - Stop 531, 589, 651
 - StopLoading 394
 - SubmitChanges 475, 490–492
 - SwitchMediaStreamAsync 596
 - update methods 473–474, 500
 - WriteObject 365
 - ZoomAboutLogicalPoint 628
- microphones 8, 607–616
- Microsoft Excel
 - Microsoft PowerPivot 469
- Microsoft Expression 631
- Microsoft PowerPivot 469
- Microsoft Public License.
 - See* Ms-PL
- Microsoft.Expression.Interactions.dll assembly 442
- Microsoft.SilverlightMediaFramework namespace 595
- Microsoft.SilverlightMediaFramework.Plugins.Progressive.dll assembly 595
- Microsoft.Web.Media.SmoothStreaming.dll assembly 595
- mixtapes 584–588
- MMS protocol 588
- Mode property 263, 265
- mode, Visible 290
- Model 427
 - definition 427
- Model-View-Controller design
 - pattern 20
- Model-View-ViewModel design
 - pattern 21
 - sample application. *See* MvvmApplication sample application
- Model-View-ViewModel
 - pattern 416–457
 - basics 425–433
 - commands 438–442
 - compared to code-behind 426
 - history 425
 - Model. *See* Model
 - separation from UI 438–451
 - View. *See* View
 - ViewModel. *See* ViewModel
- modifier keys 192–193
- ModifierKeys enumeration 192
- modify methods 473
- MoreInfo ASX element 586
- motion animation 641
- MotionFinished event 631
- mouse 193–197
- mouse events 193–197
 - collecting ink 199
 - custom click event 195
 - location 194
 - mouse button events 193–195
 - mouse wheel 195–197
 - movement events 193–195
- mouse scrolling 8
- mouse wheel 195–197
- MouseButtonEventArgs 194
- MouseEnter event 194
- MouseEventArgs class 194
- MouseLeave event 194
- MouseLeftButtonDown
 - event 124, 193, 199
- MouseLeftButtonUp event 193, 199

MouseMove event 194, 199
 MouseOver visual state
 692, 694, 696
 MouseRightButtonDown
 event 193
 MouseRightButtonUp
 event 193
 moving elements
 programmatically 173
 movingPosition parameter 230
 Mozilla Firefox 75
 MP3 format 574
 MP4 format 574
 and Smooth Streaming 575
 Ms-PL 60
 multi-touch 8, 197–199
 multicast
 Any Source Multicast 375
 Internet Standard
 Multicast 375
 Source Specific Multicast 376
 multicast sockets 374–377
 multiline text support 219
 multilingual video files 581
 multipage printing 556
 prerequisites 557–560
 multipass layout 155–157
 multiple bit rate. *See* MBR
 MultiScaleImage class 627–628
 composing dzi files 631
 viewport 630
 zooming
 programmatically 629
 MultiScaleTileSource class 627
 Multiselect property 413
 multitrack audio 581
 MVC design pattern. *See* Model-
 View-Controller design pat-
 tern
 MVC pattern. *See* Model View
 Controller pattern
 MVVM pattern. *See* Model-View-
 ViewModel pattern
 MvvmApplication sample
 application 418
 AddVacationBonusCommand
 command 441
 base ViewModel class 429
 busines logic 434–435
 button functionality 424
 CallMethodAction
 behavior 442
 code-behind solution
 422–425
 DataGrid code 422

Edit button 441–442
 employee detail view 420
 employee detail window
 423, 447
 employee list view 419, 422
 EmployeeDataService
 class 436
 EmployeeListViewModel
 class 434
 EmployeeListViewModel
 class 430, 437, 446
 Employees property 431
 EmployeeVacationBonusSer-
 vice class 435
 EmployeeViewModel
 class 444
 list page ViewModel 430
 LoadEmployees method
 433, 447
 LoadingProgress overlay 420
 OnNavigatedTo method
 433, 450
 pop-ups 425
 SelectedEmployee
 property 431
 SilverlightTest class 457
 testing 451–457
 updated list view 431
 View-specific entities 444
 ViewModel locator 449
 ViewModelCommand
 class 439
 and web services 419

N

Name property 82, 305, 692
 named update methods 475
 namespace 37–38, 377
 bug in Silverlight 2 38
 NameScope property 378
 namespaces
 CLR namespaces 24
 declaring 25
 ext 250
 Microsoft.SilverlightMedia-
 Framework 595
 multiple 24
 NetworkInformation 107
 riaControls 479
 System.Collections 292
 System.ComponentModel
 316, 321
 System.ComponentModel.
 DataAnnotations 327, 445
 System.Device.Location 118
 System.Drawing 525
 System.IO.IsolatedStorage
 129
 System.Json 365
 System.Runtime.Serialization
 343
 System.Runtime.Serialization.
 Json 365
 System.ServiceModel 343
 System.ServiceModel.
 Channels 344
 System.Speech 117
 System.Windows 691
 System.Windows.Browser
 76, 82–83
 System.Windows.Controls
 185, 286, 392
 System.Windows.Controls.
 Navigation 388
 System.Windows.Documents
 210
 System.Windows.Ink 201
 System.Windows.Input
 140, 188, 192, 202
 System.Windows.Interop 115
 System.Windows.Markup 43
 System.Windows.Media 525
 System.Windows.Media.
 Imaging 620
 System.Windows.Resources
 680
 in XAML 23, 26
 xaml 24
 xaml/presentation 24
 NaturalDuration property 580
 NaturalVideoHeight
 property 583
 NaturalVideoWidth
 property 583
 Navigate method 81, 87,
 394, 396
 Navigated event 396
 NavigateToBookmark
 method 81
 NavigateToString method 89
 NavigateUri property 241
 navigating
 to other assemblies 400–402
 Navigating event 396, 400
 navigation 81
 back and forward 385
 browser journals 384
 browsers 383–386
 cancelling 400

- navigation (*continued*)
 - custom controls 403–408
 - fragments. *See* hashtags
 - hashtags 384
 - history 383–386
 - navigation application 386
 - Navigation Application
 - template 386–392
 - out-of-browser 403–408
 - to pages 392–402
 - Navigation Application
 - template 386–392
 - NavigationCacheMode
 - property 399
 - NavigationContext
 - property 398
 - NavigationFailed event 396
 - NavigationService class 393–396
 - events 395
 - functions 394
 - properties 394
 - NavigationStopped event 396
 - nesting layout panels 177
 - nesting objects 22
 - .NET Framework 129, 580
 - colors 525
 - .NET Framework 3.0
 - WCF 366
 - Netflix
 - install page 722
 - Netscape 58
 - NetTcp protocol 349
 - NetworkAddressChanged
 - event 106
 - NetworkCredential
 - constructor 358
 - NetworkInformation
 - namespace 107
 - networking
 - client HTTP stack 355–360
 - stack 7
 - networks
 - cross-domain access 336–340
 - NewItemTemplate property 301
 - NewValue property 256
 - None stretch option 633
 - Normal font stretch
 - constant 209
 - Normal font style 210
 - Normal font weight
 - constant 209
 - Normal visual state 692, 696
 - normals 150
 - notification toast 108–109
 - NotificationWindow class 108
 - NotificationWindowClose
 - method 109
 - NSAPI 58
 - null values 280
 - NumericButtonCount
 - property 487
- O**
-
- object
 - GroupDescriptor 485
 - SortDescriptor 484
 - OBJECT tag 64
 - object tag 59
 - object trees 23, 35–37
 - visual trees 35
 - objects
 - Application 102
 - application object 52–55
 - data binding 268–269
 - DependencyObject 145
 - File 114
 - IsolatedFileStreamObject 135
 - LocalMessageReceiver 377
 - LocalMessageSender 378
 - MainWindow 123
 - nesting 22
 - rotating 160
 - Settings 154
 - StreamWriter 134
 - strongly typed 364
 - WebContext 510
 - in XAML 22–23
 - occlusion 150–151
 - OData 467
 - endpoints 468
 - Offset property 526
 - offsets 173
 - OldValue property 256
 - OLE Automation 117
 - OnApplyTemplate method 713
 - onError 53, 69–70
 - OneTime binding mode 265
 - OneWay binding mode 265
 - OnFragmentNavigation
 - event 393
 - onLoad 69
 - OnNavigatedFrom event 393
 - OnNavigatedTo event 393
 - OnNavigatingFrom event 393
 - onSourceDownloadComplete
 - event 727
 - onSourceDownloadProgress-Changed event 727
 - Opacity property 140, 533
 - animation 638, 642
 - Open file mode value 135
 - Open method 411
 - OpenFileDialog class 412
 - instantiating 412
 - properties 413
 - Opening state 579
 - OpenMediaAsync method 597
 - OpenOrCreate file mode
 - value 135
 - OpenRead method 414
 - OpenText method 414
 - OpenWrite method 414
 - operating system
 - detecting 116
 - Operator property 482
 - operators
 - PropertyPath 482
 - options
 - RenderAtScale 153
 - select from a list 245
 - selecting from list 248
 - OrbitPanel
 - Orbits property 702
 - OrbitPanel example 700–710, 717–718
 - CalculateOrbitSpacing
 - method 707
 - Children property 701
 - ControlsLib namespace 708
 - dependency properties 702
 - markup 708
 - MeasureOverride
 - method 705
 - Orbit property 704
 - OrbitPanel class 701
 - possible enhancements 709
 - project setup 701
 - properties 702
 - SortElements method
 - 706–707
 - Order property 305
 - Orientation
 - property 176
 - orientation
 - ClearType 207
 - horizontal 176
 - vertical 176
 - OriginalSource property
 - 194, 196
 - OS X 192
 - isolated storage locations 136
 - Oscillations property 663

- out-of-browser 96–100
 - application settings 101–102
 - capabilities 98
 - checking network state 106–108
 - comparison with in-browser 96
 - controlling user experience 102–106
 - creating applications 101–110
 - custom window chrome 122
 - customizing icons 106
 - elevated trust 110–113
 - end-user experience 98–100
 - forcing out-of-browser mode 102
 - host window 120–126
 - icons 106
 - implementing 109
 - installation process 99
 - minimizing and maximizing windows 123
 - moving windows 124
 - navigating 403–408
 - notification toast 108–109
 - resizing windows 125
 - restoring and closing windows 123
 - restrictions 98
 - updating 107
 - Windows 7 integration 98
 - out-of-browser mode 7
 - OutlineColor property 201
 - Outlook Web Access 383
 - OutOfBrowserSettings.xml 101
 - Icons section 106
 - Window element 122
 - overlapping content 174
 - OverlayBrush property 412
 - OverlayOpacity property 412
 - OWA. *See* Outlook Web Access
- P**
-
- packaged XAML 63
 - Padding property 143, 215, 236
 - Page class 388, 392–393
 - navigation-related functions 392
 - PageMargins property 547–548
 - pages
 - cache settings 399
 - caching 399
 - navigating to 392–402
 - new 388
 - numbers 568–570
 - page parameters 398
 - parameters 398
 - requesting 351
 - surfacing commands 440
 - PageSize property 486
 - PageVisual property 547, 549
 - paging 486–488
 - Panel class 254, 689
 - animation 641
 - Children property 702
 - clipping 710
 - custom panels 700–710
 - OrbitPanel example. *See* OrbitPanel example
 - possible enhancements 709
 - Paragraph element 225
 - Param ASX element 586
 - parameters
 - anchorPosition 230
 - AvailableSpace 155
 - context 71
 - DataGridBeginningEditEventArgs 292
 - EnableGPUAcceleration 153
 - FinalSize 156
 - id parameter 64
 - initialization 71–72
 - initParams 71
 - KeyEventArgs 190
 - movingPosition 230
 - parentElement parameter 64
 - source parameter 63
 - ValidatesOnExceptions 313
 - Parent property 77, 146
 - parentElement 64
 - parts 693
 - and states model 691, 697
 - Password property 224
 - PasswordBox element 224
 - PasswordChar property 224
 - passwords 136, 224
 - path
 - geometries 522
 - Path attribute 338
 - Path class 516
 - PathFigure class 522
 - PathGeometry class 522
 - paths
 - absolute 573
 - relative 573
 - PathSegment class 522
 - Pause method 531, 589, 650
 - Paused state 579
 - per-frame rendering
 - callback 148
 - performance 65
 - PHP 58
 - pixel shaders 535–540
 - custom effects 539
 - model 536
 - pixel shader class 538
 - profile 536
 - setting up environment 536
 - using 539
 - WPF Pixel Shader Effects library 537
 - PixelFormat property 610
 - PixelHeight property 610
 - pixels 208
 - PixelShader class 539
 - PixelWidth property 610
 - Plain Old XML. *See* POX
 - PlaneProjection 166–167
 - Platform property 82
 - PlatformKeyCode property 192
 - Play method 589
 - playback control 579
 - Playing state 579
 - playlists 584–588
 - client-side 585–587
 - dynamic 587
 - server-side 587–588
 - support 585
 - PlayReady 591
 - installation 592
 - server SDK 592
 - plug-in. *See* browser plug-in
 - PNG 8
 - image format 619
 - Point class 519, 528, 631
 - PointAnimation class 641
 - points 208
 - Points property 519–520
 - policy element 338
 - policy file
 - serving 372
 - polling 367
 - PollingDuplexHttpBinding class 369
 - PolyBezierSegment class 523
 - Polygon class 144, 516, 519
 - Points property 520
 - Polyline class 516, 519
 - coordinate pairs 519
 - PolyLineSegment class 523
 - PolyQuadraticBezierSegment class 523
 - pop-up windows 8

- pop-ups 408–415
 - MvvmApplication sample application 425
- Popup class 408
- Port attribute 338
- position
 - absolute 517
 - relative 517
- position offsets 173
- Position property 198, 581
- POST 351, 354
- Post method 352
- PowerEase class 662
- POX 353, 360
 - reading 360–364
- preloaders 724–728
 - default 724
 - defining the appearance of 724–726
 - JavaScript 725
 - monitoring load progress 727
- PreparingCellForEdit event 292
- presentation models 496–503
 - creating 497
- Press click mode 241
- Pressed visual state 692
- Print method 543–546
- PrintableArea property 547–548
- PrintDocument class 543–547
- PrintedPageCount
 - property 544, 546
- printing 7, 543–570
 - clipping 555, 565
 - at different size 553
 - dpi 548
 - header and footer 567–570
 - how it works 543
 - large documents 550
 - line items 560
 - multipage 556
 - onscreen information 550–556
 - page breaks 565
 - page numbers 568–570
 - page size 548
 - rasterization 549
 - resolution. *See* dpi
 - scaling to fit 554–556
 - tracking page size 566
 - and transforms 554
 - and trust 545
 - visual tree 560–566
- printing onscreen
 - information 550
 - as is 550–552
 - rerooting 552
 - scaling to fit 554–556
- PrintPage event 543–544, 547–549
 - report writer example 568
- PrintPageEventArgs class 547
- progress
 - bar 577
 - property 728
- progressive downloading 577
- projection transforms 166–169
- Prompt method 80
- Prompt property 305
- properties
 - AcceptsReturn 219
 - Action 198
 - Activate 121
 - ActualHeight 156
 - ActualWidth 156
 - Angle 160
 - AngleX 161
 - AngleY 161
 - animation 638–639
 - Application.Current.Install-State 102
 - ApplicationName 464
 - AsyncState 354
 - attached 145, 173
 - attached properties 29–30
 - Attributes 586
 - audio-specific 581
 - AudioStreamCount 581
 - AudioStreamIndex 581
 - Authentication 508
 - AutoEllipsis 487
 - AutoGenerateColumns 286
 - AutoGenerateField 305
 - AutoGenerateFilter 305
 - AutoPlay 579, 585
 - AutoReverse 646
 - AvailableFreeSpace 131, 133
 - Background 187, 235, 681
 - background 65
 - Balanced 582
 - BeginTime 647
 - BlurRadius 533
 - Body 76
 - BorderBrush 235
 - BorderThickness 236
 - BrowserHttp 355
 - BrowserInformation 82
 - BrowserVersion 82
 - BufferingProgress 577, 583
 - BufferingTime 577
 - By 643
 - Cancel 292
 - CanExecute 439
 - CanGoBack 395
 - CanGoForward 395
 - CanMoveToFirstPage 487
 - CanMoveToNextPage 487
 - CanPause 579, 589
 - CanSeek 581
 - Center 528
 - CenterX 160–161
 - CenterY 160–161
 - Children 77, 172, 647
 - ClickMode 240
 - ClientHttp 355
 - Color 201, 526, 533
 - Column 180
 - ColumnDefinitions 178
 - Columns 288
 - ColumnSpan 180
 - CommandButtonsVisibility 298
 - common media
 - properties 579–581
 - CompletedSynchronously 369
 - complex 682
 - Content 238, 240, 688, 712
 - ContentTemplate 238, 240, 712
 - control properties 687
 - CookieContainer 359
 - CookiesEnabled 82
 - Credentials 358
 - CssClass 77
 - CurrentSource 395
 - CurrentState 579–580, 583, 589
 - Cursor 140
 - data binding 267–268
 - DefaultExt 413
 - DefaultStateKey 237
 - DeliveryMethod 595
 - Delta 196
 - dependency 27–29, 254, 702
 - Description 305
 - DescriptionViewerPosition 300
 - DialogResult 410–411
 - Direction 533
 - DirectlyOver 198
 - DisplayIndex 289
 - DisplayMemberBinding 287
 - DisplayMode 487
 - DnsSafeHost 373
 - DocumentElement 76

- properties (*continued*)
 - DocumentUri 79
 - DownloadProgress 578, 583
 - DrawingAttributes 201
 - DroppedFramesPerSecond 582
 - Duration 644
 - EditTemplate 301
 - Effect 532
 - EnableCacheVisualization 154
 - EnableGPUAcceleration-Property 153
 - enableHtmlAccess 68
 - EndPoint 526
 - EntityContainer 490
 - EntityState 493
 - Error 316
 - File 414
 - Files 414
 - Fill 525
 - FillBehavior 646
 - FillRule 524
 - Filter 413
 - FilterDescriptors 481
 - FilterIndex 413
 - FilterOperator 481
 - FontFamily 207–208, 681
 - FontSize 207–208, 681
 - FontStretch 207, 209–210
 - FontWeight 207, 209, 681
 - Foreground 211, 236
 - Frame.CacheSize 400
 - frameRate 66
 - FramesPerSecond 610
 - FrameworkElement
 - properties 139–145
 - From 641, 695
 - GradientOrigin 528
 - GradientStop 650
 - GroupName 243, 305, 692
 - Handled 194, 196
 - HasChanges 490, 493
 - HasCloseButton 412
 - HasElevatedPermissions 113
 - HasErrors 321
 - HasHeader 251
 - HasMorePages 547–548
 - HasSideEffects 473
 - HasTimeSpan 580
 - HasValidationErrors 493
 - Header 250, 291
 - HeadersVisibility 291
 - Height 156, 181, 518, 681
 - height 65
 - Height versus
 - ActualHeight 156
 - HorizontalAlignment 142
 - HorizontalContentAlignment 236
 - Id 77
 - ignoreBrowserVer 68
 - IgnoredValue 482
 - ImageSource 529, 619
 - in XAML 26–27
 - inline 26
 - Inlines 211
 - IsActive 121
 - IsCaseSensitive 482
 - IsChecked 243
 - IsComposable 473
 - IsDefault 473
 - IsDropDownOpen 249
 - IsEnabled 236
 - IsFullScreen 127
 - IsItemsHost 702
 - IsLoading 490
 - IsMuted 582
 - IsPressed 240
 - IsReadOnly 218, 228, 292
 - IsSubmitting 491
 - IsTabStop 236
 - IsThreeState 245
 - IsValid 303
 - isWindowless 65
 - Item 316
 - Items 246, 689
 - ItemSource 16
 - ItemsPanel 246
 - ItemsSource 246
 - ItemsTemplate 246
 - JournalOwnership 406
 - Key 192
 - KeySpline 657
 - KeyTime 659
 - LabelPosition 299
 - LastOperation 374
 - Left 173
 - LeftProperty 145
 - LineHeight 214
 - LoadSize 486
 - looping 646
 - Margin 143
 - Markers 590
 - MaxDropDownHeight 249
 - MaxLength 218
 - Message 378
 - Multiselect 413
 - Name 82, 305, 692
 - NameScope 378
 - NaturalDuration 580
 - NaturalVideoHeight 583
 - NaturalVideoWidth 583
 - NavigateUri 241
 - NavigationCacheMode 399
 - NavigationContext 398
 - NewItemTemplate 301
 - NewValue 256
 - NumericButtonCount 487
 - Offset 526
 - OldValue 256
 - Opacity 140, 533
 - Operator 482
 - Order 305
 - Orientation 176
 - OriginalSource 194, 196
 - Oscillations 663
 - OutlineColor 201
 - OverlayBrush 412
 - OverlayOpacity 412
 - Padding 143, 215, 236
 - PageMargins 547–548
 - PageSize 486
 - PageVisual 547, 549
 - Parent 77, 146
 - Password 224
 - PasswordChar 224
 - PixelFormat 610
 - PixelHeight 610
 - PixelWidth 610
 - Platform 82
 - PlatformKeyCode 192
 - Points 519–520
 - Position 198, 581
 - PrintableArea 547–548
 - PrintedPageCount 544, 546
 - progress 728
 - Prompt 305
 - Property 256
 - property paths 30
 - PropertyChangedCallback 255
 - QueryString 398
 - Quota 131
 - Radius 532
 - RadiusX 518, 528
 - RadiusY 518, 528
 - ReadOnlyTemplate 301
 - ReceiverName 378
 - RenderedFramesPerSecond 582
 - RenderingTime 149
 - RepeatBehavior 645–646
 - Resources 672, 676
 - ResourceType 306

- properties (*continued*)
 - Response 378
 - ResultLimit 473
 - RoutedEvent 653
 - Row 180
 - RowDefinitions 178
 - RowDetailsTemplate 289
 - RowDetailsVisibilityMode 289
 - SafeFileName 414
 - ScaleX 161
 - ScaleY 161
 - ScriptAlias 83
 - SelectedIndex 248
 - SelectedItems 248
 - SelectedText 220
 - Selection 230
 - SelectionChanged 248
 - SelectionLength 220
 - SelectionStart 220
 - SenderDomain 378
 - Setters 682
 - ShadowDepth 533
 - ShortName 306
 - ShowGridLines 179
 - simple 682
 - Size 198
 - SortMemberPath 292
 - Source 583, 591, 627, 678
 - hosting content for control 87
 - MediaElement
 - property 573–579
 - NavigationService class
 - property 395
 - referencing an image 619
 - SourceName 530
 - SpeedRatio 644
 - SplashScreenSource 726
 - Springiness 663
 - StartPoint 526
 - Stretch 632–636
 - Stride 610
 - Style 681
 - StylusDevice 194, 196
 - TabIndex 236
 - TabNavigation 236
 - TabStripPlacement 252
 - TagName 77
 - TargetName 241, 639, 642, 648
 - TargetProperty 639, 642, 648
 - TargetType 684
 - Template 237, 686
 - Text 590
 - TextAlignment 213
 - TextDecorations 211
 - TextHintingMode 205
 - TextTrimming 212
 - TextWrapping 212, 219
 - Time 590
 - Title 412
 - To 641, 643, 695
 - TopMost 121
 - TopProperty 145
 - TouchEvent 198
 - Triggers 653
 - Type 590
 - UIElement properties 139–145
 - Underline 211
 - UriMappings 397
 - UseLayoutRounding 143–145
 - UserAgent 82
 - UseSprings 631
 - ValidatesOnDataErrors 316, 320
 - ValidatesOnExceptions 316, 320
 - ValidationErrors 493
 - Value 482, 656
 - version 66
 - VerticalAlignment 142
 - VerticalContentAlignment 236
 - video-specific 582
 - ViewportOrigin 630
 - ViewportWidth 630
 - Visibility 141
 - volume 582
 - Width 156, 181, 186, 518, 681
 - width 65
 - Width versus
 - ActualWidth 156
 - Window 79
 - WindowState 121
 - X 162
 - Y 162
 - ZIndex 175
 - properties, attached 180
 - property 241
 - Property attribute 682
 - property path
 - syntax 650
 - property paths 30
 - Property property 256
 - PropertyChanged event 268
 - PropertyChangedCallback class 256
 - PropertyChangedCallback
 - property 255
 - PropertyChangedEventArgs 268
 - PropertyMetadata class 255, 703
 - PropertyPath operator 482
 - protected content 591–593
 - unlocking 592
 - protected media 591
 - Protocol attribute 338
 - protocols
 - HTTP 574
 - HTTPS 574
 - MMS 574, 577, 588
 - NetTcp 349
 - Silverlight 574
 - push services 366

Q

- QuadraticBezierSegment
 - class 523
- QuadraticEase class 662
- query methods 472–474, 498
 - types of 474
- query string 79, 398
- QueryAttribute attribute 473
- QueryString property 398
- QuinticEase class 662
- Quota property 131

R

- RadialGradientBrush class
 - 528–529
- RadioButton class 242–244
 - grouping 243
- Radius property 532
- RadiusX property 518, 528
- RadiusY property 518, 528
- RangeAttribute class 327
- RangeBase class 711
- raster 515, 530, 549
- rasterization 149–154, 549
- raw audio
 - setting up source 604
 - sound samples 605
- raw media 596–607
 - getting raw video data 614–616
 - raw audio 602–607
 - raw video 598–602
- raw video
 - getting the data 614–616
 - setting up stream 599

- reading
 - POX 360–364
 - results 414
 - text files 415
 - XML 360–364
- ReadObject method 365
- ReadOnlyTemplate
 - property 301
- ReceiverName property 378
- receivers
 - creating 377
 - name 377
- receiving data 344
- Rectangle class 516–517
 - animation 648
 - bulging 518
 - comparison with
 - RectangleGeometry 521
 - rounded 518
- RectangleGeometry class 521
 - comparison with
 - Rectangle 521
- redirecting the browser 81
- redraw regions 154
- Ref ASX element 586
- referencing
 - events 31
 - inline properties 26
 - libraries 24–26
 - Silverlight.js utility file 60
- Refresh method 394
- regions
 - for hit testing 520
- Register method 255, 702
- RegisterAttached method 704
- registers 537
- RegisterScriptableObject
 - method 83
- RegularExpressionAttribute
 - class 327
- RejectChanges method 491
- relative
 - path 573
 - sizing 65
 - source binding 271
 - URIs 677, 679
- Release click mode 241
- Remove method 676
- remove methods 473
- RemoveAt method 184
- render transforms 159–166
- RenderAtScale option 153
- RenderedFramesPerSecond
 - property 582
- rendering 146–154
 - cached composition 151–153
 - content 174
 - occlusion 150–151
 - order 150
 - subpixel rendering 174
 - user Silverlight control 64–69
- Rendering event 93, 149
- rendering process 146–154
 - cached composition 151–153
 - clock tick 148
 - occlusion 150–151
 - order 150
 - per-frame rendering
 - callback 148
 - rasterization 149–154
 - steps 147
- RenderingEventArgs class 149
- RenderingTime property 149
- RepeatBehavior property
 - 645–646
- replacing
 - selected text 231
- report writer example
 - creating the service 557
 - DataLoaded event 561
 - DataTemplate property 567
 - EmployeeReport class
 - 560, 567
 - EmployeeReportItem
 - class 557, 563
 - enumerating rows 564
 - GetEmployeeReportData
 - method 558
 - GetEmployees method 558
 - header and footer 567
 - IEnumerator 564
 - ItemTemplate 561
 - LoadData method 560
 - markup 562
 - multipage support 566
 - page numbering 568
 - Print method 560, 563
 - printing line items 560
 - PrintPage event 568
 - service implementation 558
 - testing 559
- Representational State Transfer.
 - See* REST
- requesting
 - a page 351
 - protected content 591
- Required attribute 496
- RequiredAttribute class 328
- RequiresRole attribute 509
- rerooting 552
- resource
 - element 338
 - keys 676
- Resource build action 680
- resource dictionaries 672–673
- resource files 464
- resource scoping 672–673
- ResourceDictionary class 672
- resources
 - animation 652
 - bundled 678–680
 - declarative 671–677
 - loose 677–678
 - referencing at design
 - time 673
 - referencing at runtime 676
 - referencing relatively 677
 - resource dictionaries 672–673
 - retrieving with absolute
 - URI 678
 - scope 673
 - scoping 672
- Resources attribute 677
- Resources property
 - 652, 672, 676
- ResourceType property 306
- ResourceWrapper class 465
- Response property 378
- REST 351
 - consuming services 352
 - GETting from 353
 - POSTing to 354
- RESTful services 351
- ResultLimit property 473
- results
 - reading 414
- Resume method 651
- reusable
 - components 671
 - controls 252
 - templates 690
- RGB 525
 - aRGB format 525
 - RxGyBz format 525
- RIA Services. *See* WCF RIA Services
- riaControls namespace 479
- rich text 225–232
 - retrieving as XAML 232
- RichTextBox control 9
- RichTextBox element 225–232
- Right enumeration value 142
- right text alignment 213
- right-clicking 8

- role-based authorization 509
- RootVisual 53
- RotateTransform 159–160
- rotating objects 160
 - counterclockwise 160
 - in place 160
- RoundtripOriginal
 - attribute 494
- routed events 30
- RoutedEvent property 653
- Row property 180
- RowDefinition element 178
- RowDefinitions property 178
- RowDetailsTemplate
 - property 289
- RowDetailsVisibilityMode
 - property 289
- RowSpan attached property 180
- RSS
 - standard 360
- Run flow control element 210
- runtime
 - binding 263
 - loading XAML 42–45
 - parsing XAML 43
- RuntimeVersion attribute 51

S

- Safari 58, 75, 109
- SafeFileName property 414
- safeguards
 - full-screen mode
 - restriction 127
 - limits to user input 127
 - sandbox 110
- SaveFileDialog class 412
 - properties 413
- SaveToString method 92
- ScaleTransform 159–160
- ScaleTransform class 554
 - instead of animation 641
- ScaleX property 161
- ScaleY property 161
- screen mode
 - normal full-screen mode
 - 126–127
 - resizing content 127
 - tooggling 127
 - screenshots 623
 - script marker 590
 - ScriptableMember attribute 83
 - ScriptableType attribute 83
 - ScriptAlias property 83
 - scripting
 - and managed code 82–86
 - SDK
 - DirectX 536
 - Expression Blend 4 442
 - See also* Silverlight 58
 - SDKStyles.xaml file 390
 - security 340, 506–510
 - attack 127
 - authentication 506–508
 - authorization 509–510
 - safe browsing 128
 - sandbox 414
 - Seek method 651
 - SeekAsync method 596
 - segments
 - Arc 523
 - Bezier 523
 - Line 523
 - PolyBezier 523
 - PolyLine 523
 - PolyQuadraticBezier 523
 - QuadraticBezier 523
 - Select function 230
 - selected text 229–232
 - formatting 231
 - replacing 231
 - SelectedIndex property 248
 - SelectedItems property 248
 - SelectedText property 220
 - selecting text 219
 - Selection property 230
 - SelectionChanged event 248
 - SelectionChanged property 248
 - SelectionLength property 220
 - SelectionStart property 220
 - Selector class 248, 711
 - SemiBold font weight
 - constant 209
 - SemiCondensed font stretch
 - constant 209
 - SemiExpanded font stretch
 - constant 209
 - sender
 - creating 378
 - SenderDomain property 378
 - sending data 346
 - Seq SMIL element 588
 - server
 - pushing data 367
 - server-side playlists 587–588
 - service
 - proxy 345
 - service calls
 - factoring 436–438
 - service references 343
 - ServiceReferences.ClientConfig
 - file 348
 - services
 - asynchronous 352
 - push 366
 - REST 351
 - two-way 366
 - SetBinding method 263
 - SetLeft method 173
 - SetProperty method 78
 - SetStyleAttribute method 78
 - Setter class 682
 - Setters property 682
 - Settings object 154
 - SetTop method 174
 - SetValue method 146, 703
 - Shader Model 2
 - specification 536
 - ShadowDepth property 533
 - Shape class 516–520, 632
 - shapes
 - circular 518
 - closed 519
 - five-pointed star 520
 - geometric 520
 - open 519
 - .shared.cs extension 505
 - sharing
 - binaries 505
 - code 505
 - source files 505
 - visual states 697
 - Shazzam 536
 - shearing transform 161
 - ShortName property 306
 - Show method 109, 410
 - ShowDialog method 413
 - ShowGridLines property 179
 - showing
 - dialog boxes 408–415
 - pop-ups 408–415
 - signing applications 111
 - SilverChat 377
 - Silverlight
 - accessing the browser
 - window 79
 - and Ajax 5
 - animation 638–664
 - application 58
 - application model 48–57
 - ASX elements 586
 - asynchronous communication restriction 342
 - backslash restrictions 573

- Silverlight (*continued*)
 - bidirectional text 9
 - bitmap API 8
 - browser limitations 341–342
 - business features 7
 - ClearType fonts 9
 - code-behind 417–425
 - collect handwritten information 199
 - commands 438–442
 - communication APIs 336
 - configuration dialog 67
 - connecting to Twitter 10–18
 - connecting to web services 343
 - creating a new application 12
 - customizing install
 - experience 722–724
 - data binding 262–267
 - database access 342
 - deploying media 573
 - development 9–10
 - dialog boxes 8
 - differences from WPF 35
 - DRM 8
 - entry point 50
 - every page a UserControl 253
 - font support 208
 - fonts 9
 - and H.264 8
 - hosting 12
 - hosting server 63
 - improvement over HTML 245, 248, 415
 - initializing 71
 - installation 58
 - integrating media 573
 - integration with a web page 65
 - and JavaScript 5
 - latest plug-in version 723
 - media delivery methods 574
 - media enhancements 7
 - Media Stream Source API 7
 - microphones 8
 - and mouse scrolling 8
 - multi-touch support 8
 - networking APIs 336
 - networking stack 7
 - new features 6–9
 - out-of-browser mode 7
 - performance 65
 - PlayReady 591
 - plug-in not installed 721–724
 - PNG support 8
 - pop-up windows 8
 - and printing 7
 - printing from 543–570
 - printing limitations 556
 - protocols 574
 - RichTextBox control 9
 - right-click support 8
 - running out-of-browser 96–100
 - SDK 10, 58, 162, 286
 - security 506–510
 - security safeguards 127
 - SMF 593–596
 - SMIL elements
 - supported 587
 - and SOAP 7
 - SOAP 1.1 protocol
 - support 343
 - startup events 69–70
 - streaming media 577
 - supported DOM variants 75
 - testing 451–457
 - text 204–233
 - the HTML DOM 63–64
 - and the web 4
 - types of applications 6
 - upgrading 723
 - use of cookies 340
 - user interaction 8
 - user interfaces 12
 - using domain services
 - from 476–480
 - validation 7
 - versus HTML 5 4
 - versus jQuery 4
 - visual prompts 408
 - WCF RIA Services 7
 - webcams 8
 - workflow 264
 - WPF 5
 - Silverlight 1.0
 - migrating to Silverlight 2.0 71
 - source URI 63
 - Silverlight 3
 - new features 6–9
 - Silverlight 4
 - new features 6–9
 - Silverlight application
 - bundled resources 678
 - content files 678
 - declarative resources 672
 - embedded files 680
 - location of isolated storage 136
 - loose resources 677–678
 - site of origin 677
 - storing data on the local filesystem 128–136
 - Silverlight Business Application
 - template 462–465
 - authentication 506
 - differences from navigation template 465
 - Login dialog 506
 - self-service registration
 - UI 507
 - Silverlight control 58–62, 74
 - ASP.NET 59
 - creating from JavaScript 61–62
 - height 65
 - integrating with a web property 62–72
 - keyboard input 189
 - width 65
 - Silverlight Media Framework. *See* SMF
 - Silverlight plug-in 58–62
 - creating from JavaScript 61–62
 - default install badge 721
 - input focus 189
 - installing 721–724
 - integrating with a web property 62–72
 - latest version 723
 - Netflix install page 722
 - not installed 721–724
 - security 128
 - setting focus via JavaScript 189
 - upgrading 723
 - See also* browser plug-in
 - Silverlight SDK 10
 - Silverlight Unit Testing
 - Framework 451–455
 - installing 452
 - Silverlight-Enabled WCF
 - Service 366
 - Silverlight.js file 723
 - Silverlight.js utility file 60–61
 - functions 61
 - referencing 60
 - Silverlight.net
 - website 60
 - SilverlightHost 54
 - SilverlightHost class 84, 127
 - simple geometries 521–522
 - simple properties 682

- Single Responsibility
 - Principle 433
- single sign-on (SSO) 508
- site of origin 677
- Size property 198
- SizeNS cursor 140
- SizeWE cursor 140
- sizing precedence order 183
- SkewTransform 159, 161
- sllauncher.exe 109
- SMF 576, 593–596
 - creating a media player 594
 - player libraries 593
- SMIL 587
 - elements
 - Excl 588
 - Media 588
 - Seq 588
 - Smil 588
 - Switch 588
- Smooth Streaming
 - 575–576, 595
 - adapting to bandwidth
 - constraints 575
 - adapting to CPU
 - constraints 575
 - caching 575
 - encoding video with 576
 - file extensions 576
 - file formats 576
- SOAP 7
 - endpoints 472
 - services 342
- Socket 373
- socket-resource element 338
- SocketAsyncEventArgs class 374
- sockets
 - connection, opening 373
 - multicast 374–377
 - response, handling 373
 - TCP 372–374
- SocketType 373
- Software Development Kit. *See*
 - SDK 58
- SolidColorBrush 211
- SolidColorBrush class 525
 - declared as a resource 672
- SortDescriptor object 484
- sorting 484
- SortMemberPath property 292
- sound, volume 582
- Source property 87, 263, 395,
 - 573–579, 583, 591, 619, 627, 678
 - playlists 584
- Source Specific Multicast 376
 - source URI 55, 63
- SourceName property 530
- Span element 226
- spanning cells 180
- special folders 113
- SpecialFolder enumeration 114
- speech 117
- Speech API 117
- SpeedRatio property 644
 - impact on duration 645
- splash screens 724–728
 - defining the appearance
 - of 724–726
 - integrating 726
 - monitoring load progress 727
- splashScreenSource
 - property 726
- spline interpolation 657
- spline keyframe types 656
- SplineColorKeyFrame class 656
- SplineDoubleKeyFrame 656
- SplinePointKeyFrame class 656
- splines 657
- spoofing 127
- spring animation 631
- Springiness property 663
- SQL Server
 - installing AdventureWorks
 - on 730
- SQL Server Express 730
 - installing AdventureWorks
 - on 730
- SSL 345
- stack order 175
- StackPanel
 - layout of invisible
 - elements 141
- StackPanel class 689
- StackPanel element 176–177
- StandardColors.xaml file 673
- star sizing 181
- StartPoint property 526
- startup
 - events 69–70
 - process 48–50
- Startup event 52, 728
- StartupEventArgs 52
- state-based effects 693
- states 692
 - AcquiringLicense 579
 - Buffering 579
 - change between 695
 - Closed 579
 - Individualizing 579
 - manage change between 693
 - management 691
 - Opening 579
 - Paused 579
 - Playing 579
 - Stopped 579
 - transition 691
 - visual 691–697
 - See also* visual states
- StaticResource markup
 - extension 672–673
- Stop
 - enumeration value 646
 - method 531, 589, 651
- StopLoading method 394
- Stopped state 579
- Storyboard class 639, 647–654,
 - 671, 693
 - controlling 650–652
 - defined 647
 - defining as a resource 652
 - programmatic control 651
 - triggering in response 653
- storyboard control 650–652
- storyboarding 647–654
- Stream 353–354
- Stream class 414
- streaming
 - MBR 575
- streaming media
 - available states 579
 - buffering progress 577
 - playlists 584–588
 - progress bar 577
 - raw video stream 599
 - Smooth Streaming 575–576
 - Windows Media
 - Streaming 577
- StreamReader 135
- StreamReader class 415
- StreamResourceInfo class 680
- StreamWriter 354
- StreamWriter object 134
- Stretch enumeration value 143
- Stretch property 632–636
 - Fill option 634
 - None option 633
 - Uniform option 633
 - UniformToFill option 635
- stretching 632–636
 - Fill option 634
 - None option 633
 - Uniform option 633
 - UniformToFill option 635

- Stride property 610
 - string-indexed elements
 - data binding 273
 - StringLength attribute 496
 - StringLengthAttribute class 328
 - Stroke 199
 - strongly typed objects 364
 - structures
 - Dictionary 586
 - Duration 580
 - TimeSpan 577, 581, 644
 - Style class 680–686
 - Style property 681
 - style setters
 - value precedence 28
 - styling 680–686
 - explicit 683
 - implicit 685
 - ink 201
 - reusable templates 690
 - state-based effects 693
 - states 692
 - templates 686–691
 - transitioning effects 695
 - visual states 691–697
 - stylus 188
 - Stylus cursor 140
 - StylusDevice object 200
 - StylusDevice property 194, 196
 - StylusPoint 202
 - SubmitChanges method
 - 475, 490–492
 - submitting form data 351
 - subnavigation, responding to 393
 - subpixel rendering 174
 - subsetting 217
 - SupportedFormats
 - collection 610
 - Switch SMIL element 588
 - SwitchMediaStreamAsync
 - method 596
 - SynchronizationContext
 - class 352, 368
 - Synchronized Multimedia Inter-
 - gation Language. *See* SMIL
 - synchronous validation 316–321
 - SyndicationFeed class 14
 - syntax
 - URIs 401
 - System.Collections
 - namespace 292
 - System.ComponentModel
 - namespace 268, 316, 321
 - System.ComponentModel-
 - Model.DataAnnotations
 - assembly 327
 - namespace 327, 445
 - System.Device.Location
 - namespace 118
 - System.Drawing namespace 525
 - System.Exception
 - exception 328
 - System.IO.IsolatedStorage
 - namespace 129
 - System.Json namespace 365
 - System.Net.Sockets 374
 - System.Runtime.Serialization
 - namespace 343
 - System.Runtime.Serialization-
 - Json namespace 365
 - System.ServiceModel
 - namespace 343
 - System.ServiceModel.Channels
 - namespace 344
 - System.ServiceModel.Polling-
 - Duplex assembly 367
 - System.ServiceModel.Web
 - assembly 365
 - System.Speech namespace 117
 - System.Windows
 - namespace 691
 - System.Windows.Browser
 - namespace 76, 82–83
 - System.Windows.Controls
 - namespace 185, 286, 392, 573
 - System.Windows.Controls.Data
 - assembly 286
 - System.Windows.Controls.dll
 - 250
 - System.Windows.Con-
 - trols.DomainServices
 - assembly 479
 - System.Windows.Controls.Navi-
 - gation namespace 388
 - System.Windows.Documents
 - namespace 210
 - System.Windows.Ink
 - namespace 201
 - System.Windows.Input
 - namespace 140, 188, 192, 202
 - System.Windows.Interactivity
 - library 667
 - System.Windows.Interactivity.dll
 - assembly 442
 - System.Windows.Interop
 - namespace 115
 - System.Windows.Markup
 - namespace 43
 - System.Windows.Media
 - namespace 525
 - System.Windows.Media.Imag-
 - ing namespace 620
 - System.Windows.Media-
 - enumeration 579
 - System.Windows.Messaging 377
 - System.Windows.Resources
 - namespace 680
 - System.Xml.Serialization
 - namespace 363
- ## T
-
- TabControl class 249
 - defining look and feel 251
 - TabIndex property 236
 - TabItem
 - visual tree 249
 - TabNavigation property 236
 - TabStripPlacement
 - property 252
 - tabular format 178
 - TagName property 77
 - tags
 - object tag 59
 - TargetName 241
 - TargetName property
 - 639, 642, 648
 - TargetNullValue 280
 - TargetProperty property
 - 639, 642, 648
 - TargetType property 684
 - TCP sockets 372–374
 - allowed ports 372
 - cross-domain access 339
 - Template property 237, 686
 - TemplateBinding markup
 - extension 687
 - templated properties
 - value precedence 28
 - TemplatePart attribute 713
 - TemplatePartAttribute class 693
 - templates
 - control 686
 - custom control default
 - template 714
 - Navigation Application
 - template 386–392
 - reusable 690
 - Silverlight Business Applica-
 - tion template 462–465
 - styling 686–691

- templates (*continued*)
 - visual states 716–718
 - WCF RIA Services 462–465
- TemplateVisualState
 - attribute 716
- TemplateVisualStateAttribute
 - class 692
- testing 451–457
 - asynchronous operations 456
 - custom controls 717
 - definitions 451
 - report writer example 559
 - Silverlight Unit Testing Framework 451–455
 - ViewModel 455
- text 204–233
 - ClearType 205
 - collecting 218
 - copying to clipboard 222
 - displaying 207–216, 218
 - editing 218–225
 - entering 218–225
 - flow control 210
 - font properties 207–210
 - handling 218–220
 - hinting 205–207
 - inline styles 226
 - input method editors 220–222
 - inserting 232
 - Italic font style 210
 - multiline support 219
 - Normal font style 210
 - pixel size 208
 - point size 208
 - rich text 225–232
 - selected 229–232
 - selecting 219
 - spacing 214–216
 - subpixel rendering 205
 - text properties 211–214
 - viewing 218
- text hinting 205–207
 - animation 206
- Text property 218, 590
- TextAlignment property 213
- TextArea element 219
- TextBlock 172
 - aligning text 213
 - flow control 210
 - text wrapping 212
- TextBlock class 345
 - animation 641
 - using resource brushes 671
- TextBlock element
 - 179, 207–218
 - font properties 207–210
 - line spacing 214
- TextBox 179
 - data binding 263, 269
- TextBox class
 - styles 680
 - using in a UserControl 252
- TextBox element 218–220
 - multiline support 219
 - wrapping text 219
- TextChanged event 218
- TextDecorations property 211
- TextHintingMode property 205
- TextInput event 220
- TextInputStart event 220
- TextInputUpdated event 220
- TextTrimming property 212
- TextWrapping property 212, 219
- themes 390
- threading
 - problems 352
 - three-state checkbox 245
- Time property 590
- Timeline 644
- Timeline class 639, 646–648
- timeline markers 589–591
 - basic marker 590
 - script marker 590
- TimelineMarker 590
- TimelineMarker class 589–591
- TimelineMarkerRouted-EventArgs class 591
- TimeOfDay property 267
- Times New Roman font 208
- TimeSpan 590
- TimeSpan class 647, 659
- TimeSpan structure 577, 581, 644
- Title
 - ASX element 586
- Title property 412
- To property 641, 643, 695
- toast 108–109
- ToggleButton class 242, 245, 711
- ToolkitStyles.xaml file 390
- tools
 - WCF RIA Services 462
 - XAML 45
- Top
 - enumeration value 143
- Top property 173
- TopMost property 121
- TopProperty dependency property 145
- ToString method 275, 282
- TouchEvent property 198
- TouchFrameEventArgs class 197
- TouchPoints class 198
- Transform 163
- Transform element 159–166
- transformations
 - multiple 162
- TransformGroup 162
- transforms
 - CompositeTransform 163
 - groups 162
 - Matrix3dProjection 168–169
 - MatrixTransform 164–166
 - PlaneProjection 166–167
 - projection 166–169
 - RotateTransform 159–160
 - ScaleTransform 159–160
 - shearing 161
 - SkewTransform 159, 161
 - TranslateTransform 159, 161
 - UIElement 159
- transitioning effects 695
- transitions
 - elliptical 528
 - multiple color 527
- TranslateTransform 159, 161
- transparency 140
- transparent 65
- trapezoid 519
- Trebuchet font 208
- trees
 - visual 247
- triggering event 653
- Triggers property 653
- triggers. *See* behaviors
- TrueType fonts 208
- Truncate file mode value 135
- trust 336–340
 - elevated 110–113
 - and printing 545
- Twitter 10–18
 - API 13
 - Search 13
- two-way services 366
- TwoWay binding mode 266
- type converters 39–42
 - custom 40–42
- Type property 590
- TypeConverter class 41

- types
 - base types 711
 - type converters 39–42
- U**

- UDP multicast sockets 374
- UdpAnySourceMulticastClient
 - class 375
- UdpSingleSourceMulticast
 - class 375
- UI
 - composition 23
 - separation from 438–451
 - updates 353
 - virtualization 287
- UI elements
 - data binding 270–272
- UIElement 139–146, 172
 - class 254
 - common properties 139–145
 - keyboard events 191
 - mouse events 193
 - transforms 159
- UltraCondensed font stretch
 - constant 209
- UltraExpanded font stretch
 - constant 209
- Underline property 211
- Unfocused visual state 692
- UnhandledException event 53
- uniform resource identifiers. *See* URIs
- Uniform stretch option 633
- UniformToFill stretch
 - option 635
- unlocking protected
 - content 592
- update methods 473–474, 500
- updating
 - data 488–496
- uploading
 - to server 412
- uri attribute 338
- UriKind enumeration 353
- UriMapper class 397
- UriMappings property 397
- URIs 242, 396–399, 577
 - absolute 678
 - cross-domain 573
 - destination 353
 - mapping 397, 401
 - relative 677
 - syntax 401
- URL
 - for embedded files 680
- usable data 360–366
- UseLayoutRounding
 - property 143–145
- user control
 - calling the control 257
 - defining appearance 253
 - defining behavior 254
 - development 253
- user data 128
- user experience 64–69
 - controlling out-of-browser
 - experience 102–106
 - out-of-browser 98–100
- user interaction 8
- user interfaces 480–488, 499
 - and DataForm control
 - 489–490
 - filtering 481–483
 - grouping 485
 - paging 486–488
 - sorting 484
- user Silverlight plug-in
 - rendering 64–69
- user-controlled sizing 185
- UserAgent property 82
- UserControl
 - data binding 269
 - keyboard events 191
- UserControl class 252–257
 - customizing 710
- UserRegistrationService
 - class 507
- UseSprings property 631
- using
 - metadata 494–496
- UV coordinates 538
- V**

- ValidatesOnDataErrors
 - property 316, 320
- ValidatesOnExceptions
 - parameter 313
- ValidatesOnExceptions
 - property 316, 320
- validation 7, 308
 - and annotations 495
 - asynchronous 321–326
 - calling external
 - functions 330–331
 - client service code 324
 - combining messages 314
 - in common function 318
 - comparison of
 - approaches 332
 - cross-field 318–320
 - custom code 314
 - custom validators 331
 - data annotations 327
 - displaying errors 315
 - employee example 309–315, 317–326, 328–332
 - exception-based 313–315
 - handling errors 313
 - IDataErrorInfo
 - interface 317–321
 - metadata 494–496
 - in Silverlight 2 309
 - synchronous 316–321
 - via attributes 327
 - WCF web service 323
 - with exceptions and IData-
 - ErrorInfo interface 320
- ValidationAttribute class 328
- ValidationContext class 330
- ValidationErrors property 493
- ValidationException
 - exception 328
- Value
 - attribute 682
- value
 - converters 277–279
 - precedence 28
- Value property 482, 656
- values
 - Application.Current.Install-
 - State 102
 - Bottom 143
 - Center 142–143
 - Collapsed 141
 - Hidden 142
 - Left 142
 - Right 142
 - Stretch 142
 - Top 143
- VCR control 297
- vector graphics 515
- verbs
 - GET 351, 353
 - POST 351, 354
- Verdana font 208
- version 66
- vertical
 - offset 173
- VerticalAlignment property 142
- VerticalContentAlignment
 - property 236

- video 582
 - capturing 609–612
 - dimensions 583
 - frame rates 583
 - multilingual files 581
 - raw video 598–602
 - VideoBrush class 530, 609
 - VideoCaptureDevice class 610
 - VideoSink class 614
 - View 427
 - definition 427
 - View-specific entities 443–447
 - View-to-ViewModel ratio 430
 - View-Model-ViewModel pattern
 - View-specific entities 443
 - View-specific entities
 - and ViewModel 443–447
 - ViewModel 427
 - base class 429
 - compared to code-behind 433
 - data access 436–438
 - definition 427
 - implementation 427–433
 - as interface 448
 - list page 430
 - locators 449–451
 - ownership 428
 - service calls 436–438
 - testing 455
 - and View-specific entities 443
 - View-to-ViewModel ratio 430
 - ViewModel locators 449–451
 - ViewModel pattern. *See* Model-View-ViewModel pattern
 - viewport 627, 630–631
 - defined 630
 - managing 630
 - setting the size 630
 - ViewportOrigin property 630
 - ViewportWidth property 630
 - views
 - adding 388
 - virtual filesystem. *See* filesystem
 - virtual PC 107
 - virtualization 158
 - visibility modes
 - All 291
 - Collapsed 290
 - Column 291
 - Row 291
 - VisibleWhenSelected 290
 - Visibility property 141
 - visual
 - parts 693
 - tree 146
 - visual state groups
 - CommonStates 692
 - FocusStates 692
 - visual states 691–697, 715
 - change between 695
 - Checked 692
 - Collapsed 715, 717
 - Disabled 692
 - Expanded 715, 717
 - Focused 692
 - in control template 716–718
 - MouseOver 692, 694, 696
 - Normal 692, 696
 - Pressed 692
 - sharing 697
 - transition 693
 - Unfocused 692
 - Visual Studio 51
 - build actions 679–680
 - creating service
 - references 343
 - Silverlight-Enabled WCF Service 366
 - Visual Studio 2010 10–11, 45
 - visual trees 35, 247
 - TabItem 249
 - traversing with
 - VisualTreeHelper 36
 - VisualState class 693–694, 697
 - VisualStateGroup class 694, 696
 - VisualStateManager class
 - 691–697, 715
 - state-based effects 693
 - transitioning effects 693
 - VisualStateTransition class 694
 - VisualTransition class 697
 - VisualTreeHelper class 36
 - Volume property 582
- W**
-
- W3C 74
 - Wait cursor 140
 - WAX files 585
 - WCF 366
 - connecting to 366
 - duplex services 367
 - error handling 366
 - web service for validation 323
 - WCF RIA Services 7
 - architecture 461
 - authentication and
 - authorization 506–510
 - business logic 503–506
 - and DataForm control 489–490
 - domain service 465–480
 - presentation models 496–503
 - resource files 464
 - template 462–465
 - tooling support 462
 - updating data 488–496
 - user interfaces 480–488
 - web properties 74
 - integrating the Silverlight control 62–72
 - web servers
 - maintaining an open media connection 577
 - web services
 - ASMX 348
 - and code-behind 419
 - and LINQ 419
 - MvvmApplication sample application 419
 - REST 351
 - Web Services Description Language. *See* WSDL
 - WebBrowser control 87–92
 - WebBrowserBrush control 92
 - webcams 8, 607–616
 - WebClient 55
 - WebContext object 510
 - WebKit 58, 109
 - WebRequestCreator class 355
 - websites 10
 - 10rem.net 10
 - Channel 9 10
 - MSDN documentation 10
 - Silverlight Cream 10
 - Silverlight TV 10
 - Whack-a-Mole 659
 - White Screen of Death 60
 - width 65
 - Width property 156, 181, 186, 518, 681
 - Window class 121
 - Window property 79
 - Windows authentication 508
 - Windows Communication Foundation. *See* WCF
 - Windows Forms
 - colors 525
 - compared to XAML 21
 - Windows Logo key 192
 - Windows Media format 574

Windows Media Player 585
 Windows Media Streaming 577
 Windows modifier key 192
 Windows Presentation Foundation. *See* WPF
 Windows Vista
 isolated storage locations 136
 Windows XP
 isolated storage locations 136
 WindowState property 121
 WMX files 585
 World Wide Web 4
 helpful sites 10
 World Wide Web Consortium.
 See W3C
 WPF 5, 129, 210, 212, 264
 commands 438–442
 differences from
 Silverlight 35
 WPF Pixel Shader Effects
 library 537
 WPL files 585
 WriteableBitmap class 620, 623
 creating Mandelbrot
 fractals 626
 direct pixel access 624
 WriteObject method 365
 WS* protocols 366
 WSDL 343
 WSX files 587
 WVX files 585

X

X property 162
 x:Key attribute 672, 683
 XAML 20
 alternate default
 namespace 24
 basics 21–34
 behaviors 33–34
 CLR namespaces 24
 colors 42
 commands 32–33
 compared to Windows
 Forms 21
 constructor rules 22
 data binding 263–264
 declaring value
 converters 277
 defining a Line 517
 defining an Ellipse 518
 event handlers 31
 events 30–32
 extensions 38–42
 from rich text 232
 loading at runtime 42–45
 loose 63
 Name vs. x:Name 24
 namespaces 23–26
 objects 22–23
 parsing at runtime 43
 properties 26–30
 runtime parsing 43
 standard namespaces 24
 tools 45

XAML extensions 38–42
 markup extensions 38–39
 XamlParseException 673
 XamlReader 40
 XamlReader class 43
 XAP 48, 50–51
 signing 112
 XAP file 55, 63
 .xap file 50–51, 677–678
 displaying a splash screen during
 download 725
 XDocument class 16
 XElement class 362
 XLINQ 362
 XLINQ. *See* LINQ to XML
 XML
 OData format 467
 XmlIgnore attribute 494
 XmlReader class 362–363
 XmlSerializer class 363–364

Y

Y property 162

Z

ZIndex property 175
 zoom
 in 161
 out 161
 ZoomAboutLogicalPoint
 method 628
 zooming 628–630