

Symbols

.h file 17, 20
.m file 17, 20
.mobi domain 8
.pem 325
.xib file 54, 92
 accessing 66–67
 creating 67
 default 54
 for view controller 67
 hierarchy 73
 loading through view controller 66
 main 66
 multiple files 66
 templates 67
 vs. nib file 54
@ directive 18, 20
@dynamic 24
@end 47
@implementation 21, 41
@interface 20
@property 22
@selector 24
@selector syntax 101
@synthesize 23
*.framework 38
*.h 38
*.m 38
*.mm 38
#import 21, 39
#include 21

Numerics

3G network 6
802.11g 5

A

A.GPS. *See* Assisted GPS
AAC. *See* Advanced Audio Coding
ABAddressBook 171
ABAddressBookCopyArrayOfAllPeople 174
ABAddressBookCreate 174
ABCreateMutableCopy 172
ABGroup 171
ABMultiValue 171
ABMultiValueCopyLabelAtIndex 172
ABMultiValueCopyValueAtIndex 172
ABMultiValueGetCount 172
ABMultiValueReplaceLabelAtIndex 172
ABMutableMultiValue 171
ABNewPersonViewController 171, 175, 178
ABPeoplePickerNavigationController 171,
 175–177
ABPerson 171, 174
ABPersonViewController 171, 175, 179
ABRecord 171
ABRecordCopyCompositeName 174
ABRecordCopyValue 172, 174
ABRecordRef 178
ABRecordSetValue 172
ABUnknownPersonViewController 171, 175, 179
acceleration
 data, reading 192–193
 data, receiving with UIAccelerometer 190–191
 gestures 194–197
Accelerometer 192
accelerometer 9
 filtering data 192
 force, measuring 191
 gestures and 197–199
 gravity, measuring 191–194

- accelerometer (*continued*)
 - movement 190–197
 - basic, detecting 195
 - orientation, and 10
 - recognizing 194–197
 - orientation, and 189–190
 - rhythm 195
 - Simulator, and 190
 - using to measure gravity and movement 11
- Accelerometer Graph 194–197
- accelerometer:didAccelerate: 191–192, 199
- accessor method, adding at runtime 24
- accessor, declaring 23
- accessory view, in table cell 122
- accessory, for table cells 82
- accessoryType 83
- accessoryView 83, 142
- action 99–102, 106
 - adding to navigation controller 123–124
 - example 102–104
 - target listed as nil 101
- ad hoc distribution 375
- addAnimation:forKey: 269
- addAnnotation 335
- addObserver:selector:name:object: 109
- Address Book 170–179
 - ABPeoplePickerNavigationController 175–177
 - and Core Foundation 177–178
 - Apple tutorial 170
 - classes 171
 - contacts, extracting 174
 - framework 170
 - getter functions 172
 - include files 170
 - individuals, extracting 174
 - memory management 178
 - people picker view controller 175
 - properties, accessing 171–172
 - querying 173–174
 - setter functions 172
 - UI framework 170, 175–179
 - view controllers 175, 178–179
- AddressBook/AddressBook.h 170
- AddressBookUI/AddressBookUI.h 170
- addressDictionary 333
- addSublayer 267
- addSubview 44
- addTarget:action:forControlEvents: 101–103
- AdMob 364
- Advanced Audio Coding, support for 5
- advertising, and iAd 364
- afconvert 323
- AIFF. *See* Audio Interchange File Format
- Ajax 291
- album title 227
- allHTTPHeaderFields 275
- alloc 30
- allowsEditing 241
- allowsPickingMultipleItems 225
- allTouches 91
- altitude
 - Core Location and 204–207
 - determining availability 204
 - finding, with GeoNames 288
 - monitor 207
 - altitude property 201
 - always-on internet 10
 - animated 266
- animation
 - applying to layer 269
 - block, defining 268
 - explicit 268–269
 - implicit 268
 - key-frame 268
 - vs. basic 269
- animationDuration 212
- animationImages 212
- animationRepeatCount 212
- APNS. *See* Apple Push Notification Service
- app delegate database 168
- app delegate object 54
- app ID, creating 374
- App Store, distribution via 375
- Apple
 - Blog 371
 - certificate 15
 - Developer Forums 372
 - Developer Site 372
 - existing apps, matching look and feel of 142
 - product review 347
 - registering as developer with 373
- Apple Development Push Services 324
- Apple Lossless, support for 5
- Apple Push Notification Service 318
 - connecting to with SSL 319
 - notification failure 319
- application
 - certificate 319
 - converting from iPhone to iPad 376–382
 - adding iPad-specific components 378–379
 - adding multiple-orientation support 381–382
 - configuring Xcode 376–377
 - updating Info.plist 377–378
 - updating views 379–381
 - restrictions, in SDK 15
 - running in the background 363
- application delegate 34, 40–42
 - and unhandled events 89
 - defining 40

- application delegate (*continued*)
 - header 41
 - linking a new class 49
 - responding to lifecycle messages 40
 - source code 41
 - tasks 40
- application object
 - big-picture controlling of messaging 101
 - getting reference to 98
- application view 29
- application:didFinishLaunchingWithOptions: 323
- application:didReceiveRemoteNotification: 323
- applicationDidFinishingLaunching 41
- applicationDidFinishLaunching 35, 40, 49, 115, 169, 322–323
- applicationDidReceiveMemoryWarning 35
- applicationIconBadgeNumber 323
- applicationMediaPlayer 228
- applicationWillTerminate 35, 184
- Apps Amuck 372
- arrayForKey 151
- Assets Library framework 365
- Assisted GPS 9
- Attributes tab 92
- Audible, support for 5
- audio
 - items 225, 227–228
 - playing from iPod library 225–231
 - playing sounds manually 234, 237
 - recorder 232–234
 - recording 232–234
 - recording/playback example 237–240
 - retrieving from iPod library 227
 - sound 236–237
- audio book 225
- audio file 323–324
- Audio File Services 234
- Audio File Stream Services 234
- Audio Interchange File Format, support for 5
- Audio Queue Services 234
- Audio Session Services 234
- Audio Toolbox Framework 237
- audioPlayerBeginInterruption 236
- audioPlayerDecodeErrorDidOccur 236
- audioPlayerDidFinishPlaying 236
- audioPlayerEndInterruption 236
- audioRecorderBeginInterruption 234
- audioRecorderDidFinishRecording 234
- audioRecorderEncodeErrorDidOccur 234
- audioRecorderEndInterruption 234
- AudioServicesPlaySystemSound 237
- AudioToolbox.framework 237
- AudioToolbox/AudioServices.h 237
- autocompletion 51

- autorelease method 32
- autoresizesSubviews 75
- autoresizing 75
- autoresizingMask 75
 - UIViewAutoresizingFlexibleBottomMargin 76
 - UIViewAutoresizingFlexibleHeight 76
 - UIViewAutoresizingFlexibleLeftMargin 76
 - UIViewAutoresizingFlexibleRightMargin 76
 - UIViewAutoresizingFlexibleTopMargin 76
 - UIViewAutoresizingFlexibleWidth 76
 - UIViewAutoresizingNone 76
- autorotate 51
- autosizing objects 59
- AVAudioPlayer 235–237
- AVAudioPlayerDelegate 235–236
- AVAudioRecorder 240
 - audio settings 232
 - controls 233
 - events, responding to 234
 - initializing 232–233
- AVAudioRecorderDelegate, methods 234
- AVEncoderAudioQualityKey 232
- AVFormatIDKey 232
- AVFoundation.framework 232, 238
- AVNumberOfChannelsKey 232
- AVSampleRateKey 232

B

- background process 316
- background, running apps in 363
- badge property 118
- badge, on tab bar item 117
- badgeValue 117
- becomeFirstResponder 89, 98
- beginAnimations:context: 268
- beginIgnoringInteractionEvents 98
 - UIApplication method 97
- beginSeekingBackward 229
- beginSeekingForward 229
- bitmap
 - drawing on 259–260
 - drawing to 247
 - using to edit images 260
- bitmask, enumerating control events in 100
- Bluetooth
 - looking for peers over 298
 - specifications 9
- Bonjour 296
- Bonjour, accessing 272
- both 17
- bounds property, of UIView 43
- browser specifications 6–8
- BSD socket 272
- bubble 11

- bundle 147
 - accessing 152–153
 - application bundle 147, 151
 - framework bundle 147
 - settings bundle 147
 - creating 148
- bundle identifier 343
- button 140
 - adding to application 102–104
 - adding to navigation bar 123
 - bringing into Xcode 102
 - on tab bar, modifying 116–118
 - using `addTarget:action:forControlEvents:` with 102
 - using `IBAction` with 103–104
- `buttonWithType` 102

C

- C++, mixing with Objective-C 17
- `CABasicAnimation` 268–269
- `CAEAGL` 270
- `CALayer` 214, 266–267
- Calendar, communicating directly with 364
- `calloutOffset` 337
- camera
 - resource usage 217
 - specifications 9
 - support, checking for 241
 - video support 241
- camera roll 355
- `canBecomeFirstResponder` 98
- cancel method, of `MKReverseGeocoder` 333
- `canResignFirstResponder` 98
- `canShowCallout` 337
- Canvas, grid starting point 43
- cartouche, list used by preference lists 142
- category 24
 - in Objective-C 18
- `CATransform3DMakeAffineTransform` 269
- cell views 82
- center property of `UIView` 43
- `centerCoordinate` 331
- `centerOffset` 337
- certificate 374–375
- `CFArrayCount` 178
- `CFBundle` 147
- `CFFTPStream` 272
- `CFHost` 273
- `CFHTTPMessage` 272
- `CFHTTPStream` 272
- `CFNetServices` 272
- `CFNetwork` 272
- `CFRelease` 178
- `CFRetain` 178

- `CFURLRef` 274
- `CGAffine` 255
- `CGAffineMakeRotation` 254
- `CGAffineMakeScale` 254
- `CGAffineMakeTranslation` 254
- `CGAffineTransform` 250
- `CGAffineTransformMake` 261
- `CGAffineTransformRotate` 254
- `CGAffineTransformScale` 254
- `CGAffineTransformTranslate` 255
- `CGColorSpaceCreateDeviceRGB` 258
- `CGColorSpaceCreateWithName` 258
- `CGColorSpaceRelease` 258
- `CGContext` text options 260
- `CGContextAddArc` 248
- `CGContextAddArcToPoint` 248
- `CGContextAddCurveToPoint` 248
- `CGContextAddEllipseInRect` 248
- `CGContextAddLineToPoint` 248
- `CGContextAddQuadCurveToPoint` 248
- `CGContextAddRect` 248
- `CGContextAddRects` 248
- `CGContextBeginPath` 248
- `CGContextClearRect` 251
- `CGContextClip` 249
- `CGContextClosePath` 249
- `CGContextConcatCTM` 254–255
- `CGContextDrawImage` 259
- `CGContextDrawLinearGradient` 258
- `CGContextDrawRadialGradient` 258
- `CGContextDrawTiledImage` 259
- `CGContextEOFillPath` 249
- `CGContextFillPath` 249
- `CGContextFillRect` 251
- `CGContextFillRects` 251
- `CGContextMoveToPoint` 248
- `CGContextRef` 244
- `CGContextRestoreGState` 244, 251
- `CGContextRotateCTM` 253
- `CGContextSaveGState` 244, 251
- `CGContextScaleCTM` 253
- `CGContextSelectFont` 261
- `CGContextSetAlpha` 256
- `CGContextSetBlendMode` 256
- `CGContextSetFillColorWithColor` 252
- `CGContextSetFlatness` 256
- `CGContextSetFont` 261
- `CGContextSetLineCap` 256
- `CGContextSetLineDash` 256
- `CGContextSetLineJoin` 256
- `CGContextSetLineWidth` 256
- `CGContextSetRGBFillColor` 252
- `CGContextSetRGBStrokeColor` 252
- `CGContextSetSetPosition` 261
- `CGContextSetShadow` 256

- CGContextSetShadowWithColor 256
- CGContextSetStrokeColorWithColor 252
- CGContextSetTextDrawingMode 261
- CGContextSetTextMatrix 261
- CGContextShowText 261
- CGContextShowTextAtPoint 261
- CGContextStrokePath 249
- CGContextStrokeRect 251
- CGContextStrokeRectWithWidth 251
- CGContextTranslateCTM 253
- CGGradientCreateWithColorComponents 258
- CGGradientCreateWithColors 258
- CGGradientRef 257
- CGGradientRelease 258
- CGPath functions 250
- CGPathAddArc 250
- CGPathAddEllipseInRect 250
- CGPathAddLineToPoint 250
- CGPathAddRect 250
- CGPathCloseSubpath 250
- CGPathCreateMutable 250
- CGPathMoveToPoint 250
- CGPDFContextCreate 246
- CGRectMake 43
- CGShadingRef 257
- CGSize 379
- changeColor 107
- chrome, in Mobile Safari 6
- CJSONDeserializer 293–294
- class
 - header file 46
 - implementation of 21
 - implementation, defining 20
 - in Objective-C 18, 20–22
 - instantiating object from 22
 - interface, defining 20
 - linking 49
 - new, creating 45–49
 - reasons to create 45
 - source code file 47–49
 - steps to create 46
- class controls 51
- class method 21
- class object 19
- CLHeading 207–208
- clipping path
 - closing 249
 - setting, in Quartz 255
- CLLocation 200–201
- CLLocationCoordinate2D 331
- CLLocationDirection 208
- CLLocationManager 200, 207
- CLLocationManagerDelegate 200, 208
 - methods 201
- close 165
- closeFile 154
- Cocoa 27
 - NS classes 28
- Cocoa Dev Central 372
- Cocoa Is My Girlfriend 372
- Cocoa Samurai 372
- Cocoa Touch 27
 - plug-in 55
 - Quartz, and 244
 - UI classes 28
- code folding 52
- collage 214
 - example 217–223
 - temporary image view 221–223
 - view 222–223
 - view controller 218–221
- collageView 217–218
- collageViewController 217
- collision Boolean 313
- color 252
- color space 252
- commitAnimations 268
- compass 207–208
 - introduction 9
 - retrieving data from 208
 - support for 208
- compiler directives 24
 - introduction 20
- compiling, to phone 373
- completeTransaction 348, 353
- componentsSeparatedByString 279
- configureView 135
- connectionTypeMask 298
- contentForMenuWithParent 166
- contentsAtPath 154
- context
 - graphical. *See* graphical, context
 - in Quartz 244–247
- control event 100
- control, events and actions 99–101
- controlChange 204
- controllers
 - flipside 127–128
 - modal view 136–138
 - navigation 119–126
 - popover 136–137
 - split view 129–136
 - tab bar view 112–119
- coordinate property 201
 - of MKReverseGeocoder 333
- coordinate system 245
- coordinates, reporting 96
- Core Animation 268
 - explicit animation 268–269
 - fundamentals 267–268

Core Animation (*continued*)
 implicit animation 268
 integration with Quartz 266
 introduction 266–269
 key-frame animation 268
 layer 266

Core Data 179–187
 background 180
 database, creating 180
 design methodology 179
 managed object 180
 managed object context 180
 managed Object Table 180
 objects
 declaring 182
 fetching, updating, and deleting
 185–187
 initializing 182–184
 inserting 185
 setter methods 183
 setting up 180–182

Core Data, data model
 adding to project 180

Core Foundation 27
 and Address Book 177–178
 and Quartz 244
 memory management 178
 variables, use of different classes 178

Core Graphics 49
 drawing simple images 213–214
 images, drawing
 functions for 259

Core Location 199–208
 altitude and 204–207
 GeoNames example 287–289
 internet and 208
 Simulator, and 199
 TouchJSON example 292–294
 using location and distance 201–204

Core OS 27

Core Services 27

CoreAudio.framework 238

CoreData.framework 180

CoreLocation/CoreLocation.h 203

count 32

countForMenuWithParent 166, 168

CTM 253

current transformation matrix. *See* CTM

currentPlaybackTime 228

currentTime
 AVAudioPlayer 236
 AVAudioRecorder 237

customizableViewControllers 118

cut and paste, no standard for 11

D

Dashcode 15

data array, declaring in split view
 controller 131–132

data source 34

data, non-HTML, capturing 276

database
 accessing 162–163
 and table-view controllers 126
 app delegate, creating 168–170
 building navigation menu from 163–170
 class, creating 163–165
 creating from command line 160–161
 setting up 160–162
 view controller, creating 166–168

DatabaseViewController 163

dataReceiveHandler 299

datasource property 25

dataUsingEncoding 302

dataWithContentsOfURL 276, 294

dbh 165

dealloc 35, 49, 166

debug provisioning profile 321

debugging 279

delegate 34
 NSXMLParser acting as 281–282
 of MKMapView 330
 of reverse geocoder 333
 of web view 278

delegate connection 65

delegate property 25, 200
 of MKReverseGeocoder 333

delegate protocol 175

delegateClassName 40

delegation 65, 88

deleteRecording 233

desiredAccuracy 200

detailItem, id data type 134

DetailView 130
 adding UIWebView to 134

DetailViewController 135

detailViewController 134

DetailViewController.h 134

DetailViewController.m 135

detectsPhoneNumbers 277

developer, registering with Apple 373

development, web resources 371

device token 319
 and push notifications 322

deviceDidRotate 190

didEndElement 282

didFailToRegisterForRemoteNotificationsWith-
 Error 322

didFailWithError 333

- didFindPlacemark 333
- didFinishPickingMediaWithInfo 241
- didReceiveResponse 349
- didRegisterForRemoteNotificationsWithDevice-Token 322
- didRotateToInterfaceOrientation 77
- didSelectRowAtIndexPath 134, 350
- didStartElement 281
- direction, determining with compass 207
- directory, accessing 153–154
- dismissModalViewControllerAnimated 137
- displayedPerson 179
- displayName 301
- distance, and Core Location 201–204
- distanceFilter 200
- distribution 375
- doc lookup 52
- Documents directory 151
 - retrieving files from 153
- dot shorthand 44
- dot syntax 23
- drawAsPatternInRect 214
- drawAtPoint 214
- drawAtPoint:blendMode:alpha: 214
- drawing functions 248
- drawing, advanced, in Quartz 257–262
- drawInRect: 214
- drawRect:, accessing CALayer 214
- drawView 270
- duration 237

E

- EAGL 270
- EAGLView 270
- EDGE network 6
- editing window 51–52
- EDR. *See* Enhanced Data Rate
- enabled property, of MKAnnotationView 337
- endGeneratingDeviceOrientationNotifications 190
- endIgnoringInteractionEvents 97
- endSeeking 229
- Enhanced Data Rate 9
- enterprise distribution 375
- event 88–91
 - accessing via UIResponder 91
 - and manageTouches 95
 - and responder chain 88
 - controlling 95–97
 - definition of beginning and end 89
 - delegate 34
 - encoding 89–91
 - example 91–97
 - functionality 97–99

- listing every touch in 90
- methods and properties 90
- multitouch, reporting 98
- notification 34
- regulating 89, 97–98
- responder chain 33
- response 33–34
- turning into action 34
- turning into special control event 100
- unhandled 89
- Event Kit framework 364
- event reporter example 91–97
 - view hierarchy 94
- eventreporter 92
- exclusiveTouch 98
 - UIView property 97

F

- factory method 31
- failedTransaction 348
- file
 - access, abstracted through objects 152
 - bundles. *See* bundle
 - copying 153
 - getting number of bytes 154
 - manipulating 154–155
 - NSData, writing to 154
 - NSString, writing to 155
 - opening 151, 154–157
 - retrieving from Documents directory 153
 - writing back to 155
- file manager 154
- fileHandleForReadingAtPath 153–154
- fileHandleForWritingAtPath 154
- filesaver example 155–157
- fileURLWithPath 274, 281
- filtering
 - and accelerometer 192
 - high pass 194
- finger vs. mouse 11
- finishTransaction 353
- first responder 33
- first responder. *See* responder, first
- FirstViewController 114
- Flash, not available natively 6
- flick 11
- flipside controller 70, 127–128
 - contents 127
 - creating preferences 142
 - RootViewController 127
- FlipsideViewController 127
- font, controlling 261
- force, measuring with accelerometer 191

form
 data, packaging 290
 submitting 290–291

Foundation 49
 framework classes 369–370

foundCharacters 282

frame property, of UIView 43

frame, creating 43

framework, adding with Xcode 49

Frameworks folder 50

FTP server, communicating with 272

Furbo.org 372

G

game
 collision detection 313
 initializing 306–307
 multiplayer 303–315
 connecting peers 307–308
 game loop 311–314
 header file 304–306
 initialization 306–307
 interface 306
 sending and receiving data 309–311
 setup 304
 synchronization 304
 user interaction 314–315

Game Center 365
 matchmaking 365

game development, design patterns 303

Game Kit
 connection 300
 data, sending and receiving 300–303
 Game Center 365
 header file 297
 multiplayer example 303–315
 connecting peers 307–308
 game loop 311–315
 header file 304–306
 initialization 306–307
 interface 306
 sending and receiving data 309–311
 setup 304
 network packet 311
 overview 295–296
 peer picker 296–303
 peer states 300
 session 296
 creating 299

game loop 304
 implementing 311–314
 synchronization 304

geocoding, reverse. *See* reverse geocoding

geomagnetic data 207

GeoNames 208, 287–289
 finding altitude 288
 findNearestIntersection 287
 gtopo30 287
 srtm3 287
 timezone 287
 TouchJSON example 292
 XML-based information 287

gesture 11
 accelerometer and 197–199
 recognizing 197

getDistanceFrom 204

g-force 191

GKPeerPickerControllerDelegate 299

GKPeerConnectionTypeNearby 298

GKPeerConnectionTypeOnline 298

GKPeerPickerConnectionTypeNearby 297

GKPeerPickerController 297, 307

GKPeerPickerControllerDelegate, methods 298

GKPeerStateConnected 301

GKPeerStateDisconnected 301

GKSendDataReliable 302

GKSendDataUnreliable 302

GKSession, delegate methods 300

GKSessionDelegate
 implementing 300–301
 methods 300

GKTanks 309

GKTennis 303–315
 collision detection 313
 connecting peers 307–308
 game loop 311–314
 header file 304–306
 initialization 306–307
 interface 306
 sending and receiving data 309–311
 setup 304
 user interaction 314–315

Gmail, using to set up iTunes test user 344

goBack 277

goForward 277

Google maps, integrating 328

Google Spell API 290

Google, and iPhone users 10

GPS
 built-in 199
 location awareness 10
 specifications 9

gradient
 drawing, in Quartz 257–259
 functions 257
 linear, three-color 258

graphical context 214
 in Quartz 244
 methods 246

graphical context (*continued*)
 stack 245
 transformations and 253
 graphical state
 maintaining in stack 251
 managing 257
 methods 256
 selecting colors in 252
 setting in Quartz 251–257
 gravity
 checking 191–194
 data, vs. movement data 194
 measuring relationship to 191

H

hardware features 8–9
 hardware specifications 3–6
 header file 20
 heading, magnetic vs. true 207
 headingAccuracy 207
 headingAvailable 201
 headingFilter 200
 hidesWhenStopped 206
 hierarchical navigation through table views 120
 highlighted property of MKAnnotationView 337
 history of iPhone and iPad 2
 hitTest:withEvent: 97–98
 HTML
 data, manipulating by hand 275–276
 displaying with UIWebView 276–280
 HTTPBody 275

I

iAd 364
 IBAction 56, 65, 102–103
 of an object 59
 using with a button 103–104
 IBOutlet 41, 56
 coding with 63–64
 connecting to object 62–63
 creating 93
 declaring 62
 defining tab bar controller as 114
 of an object 59
 using to accessing objects from Xcode 61–64
 IBOutlet UITabBarController
 *tabBarController; 114
 iCodeBlog 371
 icon 116
 icon property 118
 id type 21
 Identity tab 93

image 211–213
 album, saving to 217
 attributes, changing 61
 blending 214
 collaging 214
 example 217–223
 data types 211
 displaying 212–213
 drawing with Core Graphics 213–214, 260
 drawing, in Quartz 259
 editing, with a bitmap 260
 flipped, in Quartz 259
 layering 213
 modifying 259–260
 modifying in UIKit 213
 resizing 213
 source availability, checking 216
 transparency 214
 using in SDK program 60
 working with in Interface Builder 60–61
 image picker 215–216
 image property 212
 of MKAnnotationView 337
 Image View object 57
 imageNamed 211
 imagePickerController:didFinishPickingImage:
 editingInfo: 220
 imagePickerController:didFinishPickingMedia-
 WithInfo: 216
 imagePickerControllerDidCancel 216, 220
 imageView 82
 imageView.image 82
 imageView.selectedImage 82
 imageWithCGImage 211
 imageWithContentsOfFile 153, 211
 imageWithData 211
 implementation of a class 21
 In App Purchase Test User 343
 in-app purchasing
 adding products 344–347
 example. *See* WPStore
 product types 344
 setting up test environment 343–347
 store interface. *See* WPStore
 Info.plist 38, 66
 adding UISupportedInterfaceOrientations 377
 updating, when converting iPhone app to
 iPad 377–378
 init 30, 35
 factory method 31
 sending argument with 31
 initWithArgument 31
 initWithBarButtonSystemItem:target:action: 124
 initWithCoder 31, 66
 initWithContentsOfFile 154

- initWithContentsOfURL 281
- initWithContentsOfURL:error 235
- initWithCoordinate 333
- initWithCustomView 124
- initWithData 281
- initWithData:encoding 155
- initWithData:error 235
- initWithFile 166
- initWithFrame 43, 212
- initWithImage 212
- initWithImage:style:target:action: 124
- initWithNibName 127
- initWithParentid:Menu: 168
- initWithStyle 142, 145
- initWithTabBarItem:tag: 117
- initWithTitle:image:tag: method 116
- initWithTitle:style:target:action: 124
- initWithURL:settings:error 232
- inputAccessoryView 358
- inputView 362
- insertSubview 128
- inspector 56, 58–60
 - Attributes tab 58–59, 92
 - Class Actions 60
 - Class Identity 60
 - Class Outlets 60
 - Connections tab 59
 - Identity tab 60
 - Size tab 59
- instance method 21
- instance object 19
- instance variable 22
- Instruments 15
 - using to check for memory leaks 280
- integerForKey 151
- integerForMenuWithParent 166
- interface 20–21
 - adjusting for vertical and landscape modes 135–136
- Interface Builder 79
 - .xib files, accessing 66–67
 - advanced topics 65–67
 - anatomy 54–56
 - Connections panels 63
 - creating objects 57–58
 - delegate connections 65
 - first project 57–61
 - IBOutlet 56, 61–64
 - coding with 63–64
 - connecting to object 62–63
 - declaring 62
 - Image View object 57
 - image, adding 60–61
 - initWithCoder 66
 - inspector 56
 - Attributes tab 58–59
 - Class Actions 60
 - Class Identity 60
 - Class Outlets 60
 - Connections tab 59
 - Identity tab 60
 - Size tab 59
 - inspector window 58–60
 - introduction 16, 54–57
 - Label object 57
 - Library 55
 - linking objects 106
 - main display window 55
 - manipulating objects 58
 - nib document window 54
 - object
 - external, creating 65
 - initializing 66
 - proxies 54, 65
 - resizing views 76
 - simulating in 56
 - UI elements 55
 - Web View object 57
 - windows 54–56
- interfaceOrientation 76, 189
- internet
 - always on 8, 10
 - host, requesting information about 273
 - programming, hierarchy 271–272
- internet access 8
- internet experience 7
- iPad 382
 - accelerometers 9
 - always-on internet 10
 - and 3G network 6
 - apps required to support all orientations 377
 - background apps 317
 - Bluetooth 9
 - built-in programs, preferences 142
 - camera 9
 - compass 9
 - support for 208
 - compiling to 373
 - Flash not available 6
 - hardware features 8–9
 - Hello, World! 44–45
 - history 2
 - input 5
 - internet experience 7
 - Java not available 6
 - location, determining 199
 - Mail, split view controller 129
 - Mobile Safari optimizations for 6
 - multitouch-capable capacitive touchscreen 11
 - orientation 5

- iPad (*continued*)
 - orientation awareness 10
 - output, media 5
 - power consciousness 10
 - releasing 15
 - screen real estate, vs. iPhone 3
 - scrollbars, lack of 11
 - specifications 4–8
 - touches and gestures 11
 - UIImagePickerController, vs. on iPhone 378
 - uniqueness 9–11
 - view 381
- iPad Simulator
 - file arrangement 151
 - introduction 16
- iPhone
 - accelerometers 9
 - altitude, support for 204
 - always-on internet 10
 - and 3G network 6
 - and EDGE network 6
 - application, converting to iPad 376–382
 - adding iPad-specific components 378–379
 - adding multiple-orientation support 381–382
 - configuring Xcode 376–377
 - updating Info.plist 377–378
 - updating views 379–381
 - Assisted GPS 9
 - background apps 317
 - Bluetooth 9
 - built-in programs, preferences 142
 - camera 9
 - as modal view controller 136
 - compass 9
 - magnetic, built-in 207
 - compiling to 373
 - Flash not available 6
 - hardware features 8–9
 - Hello, World! 39–44
 - history 2
 - input 5
 - internet experience 7
 - Java not available 6
 - location awareness 10
 - location, determining 199
 - maps program 7
 - Mobile Safari optimizations for 6
 - multitouch-capable capacitive touchscreen 11
 - orientation 5
 - orientation awareness 10
 - output, media 5
 - peer-to-peer location detection 9
 - power consciousness 10
 - releasing 15
 - screen real estate, vs. iPad 3
 - scrollbars, lack of 11
 - specifications 4–8
 - standard programs 7
 - stock program 7
 - touches and gestures 11
 - UIImagePickerController, vs. on iPad 378
 - uniqueness 9–11
 - versions 4
 - video camera 9
 - weather program 7
 - YouTube interface 7
- iPhone 4.0 SDK 362–365
 - multitasking 363–364
 - user experience enhancements 364
- iPhone Atlas 371
- iPhone Dev Center 14
- iPhone Dev Forums 371
- iPhone Dev SDK 372
- iPhone Development 372
- iPhone in Action, blog 371
- iPhone OS 2, 26–30, 33
 - anatomy 26–27
 - coordinate system 245
 - count of memory objects 32
 - event 33
 - event response 34
 - frameworks 26
 - hierarchy of objects 27–28
 - lifecycle management 34
 - memory management 32–33
 - methods 30–35
 - NS classes 28
 - object creation 30–31
 - object instantiation 22
 - OpenGL, managing 270
- iPhone SDK
 - and finger mousing 12
 - simple access to internet 7
 - XML parser 280
- iPhone Simulator 16
 - file arrangement 151
- iPod
 - control properties 228
 - controlling with MPMusicPlayerController 227
 - global application 227
 - media player example 229–231
 - IBActions 229–230
 - interface 230
 - media, picking 230
 - settings 228
- iPod library 225–231
 - getting information about audio items 227
- iPod Touch
 - no camera support 241
 - specifications, hardware 4

iPodMusicPlayer 228
 isFirstResponder 98
 isHighlighted 337
 isIgnoringInteractionEvents 97
 isSourceTypeAvailable 216
 iTunes, test user, creating 343–344

J

Java, not available natively 6
 JavaScript.com 372
 JSON 292
 and push notification 326
 dictionary, use as payload 318
 JSON Framework 292

K

kAudioFormatAppleLossless 232
 key window, and event response 88
 keyboard
 accessories, custom 358–362
 adding view on top of 358–362
 clearing 106
 custom 361–362
 dismissing with UITextView 157
 Done button 106
 Done key 105
 for text object 89
 getting rid of 89
 relinquishing control after calling up 105
 Return key 106
 view on top of 360
 keyboardIsActive 157
 kStateMultiplayerCointoss 308
 kSystemSoundID_Vibrate 237
 kUTTypeMovie 241

L

label 43
 Label object 57
 labeledwebview 46
 landscape mode, adjusting interface for 135–136
 latitude 331
 layer
 in CALayer 267
 in Quartz 244
 leftBarButtonItem 123
 leftCalloutAccessoryView 337
 Library 55
 Library directory 151
 lifecycle
 management 34
 monitoring 77

link, adding to navigation controller 122–123
 loadHTMLString:baseURL: 277
 loadRequest 277
 loadURL 49
 loadView 77, 103, 115
 local notification 364
 location
 and Core Location 201–204
 classes 200–201
 determining iPhone vs. iPad 199
 methods and properties 200
 property 200
 location awareness 10
 locationInView 90, 96
 locationManager 201
 locationManager:didUpdateHeading: 208
 locationManager:fromLocation: 203
 longitude 331
 lookupSingularSQL 165

M

magnetic heading 207
 magneticHeading 207–208
 Mail, split view controller in 129
 main display window 55
 main function 39
 main.m 39–40
 mainBundle 153
 MainWindow.xib 38, 54, 73
 and flipside controller 127
 and split view controllers 129
 top-level objects 54
 Mainwindow.xib 120
 MainWindow-iPad.xib 377
 managed object 180
 managed object context 180
 managed object table 180
 managedObjectContext 183
 managedObjectModel 183
 manageTouches 95
 map
 adding programmatically 330
 adding using Interface Builder 329–330
 adding visually 329–332
 annotations 334–341
 basic 335–336
 centering 337
 creating view for 339
 custom 336–341
 graphic representing 337
 controls 330–332
 region 330–331
 scrolling 332
 types 332

- map (*continued*)
 - user interactions 331
 - zooming 332
- Map Kit 328
 - adding a map programmatically 330
 - adding a map using Interface Builder 329–330
 - adding a map visually 329–332
 - annotations 334–341
 - basic 335–336
 - custom 336–341
 - map controls 330–332
 - reverse geocoding 332–334
- MapKit.framework 329
- MapKit.h 329
- mapType 332
- matchmaking, in Game Center 365
- matrix 255
- media
 - audio
 - playing sounds manually 234, 237
 - recording 232–234
 - recording/playback example 237–240
 - constants 226
 - items 227–228
 - player example 229–231
 - type shown in picker by default 226
 - video
 - editing on the fly 241
 - recording and playing back 240–242
- media picker 225–227
- Media, introduction 27
- mediaPicker:didPickMediaItems: 226
- mediaPickerDidCancel 226
- MediaPlayer.framework 225
- MediaPlayer.framework 229
- memory 32–33
 - leak, checking for 280
- memory management
 - in Address Book 178
 - with tables 81
- menu class, creating 165–166
- message
 - in Objective-C 18–20
 - nested 42
 - patterns for naming receiver 20
- Messages application 358
- meteringEnabled 237
- method selector 24
- MKAnnotation 337–338
- MKAnnotationView 334, 337
- MKCoordinateRegion 330–331
- MKCoordinateRegionMake 331
- MKCoordinateSpan 331
- MKCoordinateSpanMake 331
- MKMapTypeHybrid 332
- MKMapTypeSatellite 332
- MKMapTypeStandard 332
- MKMapView 329–332
- MKMapViewDelegate 329
- MKPinAnnotationView 336–337
- MKPlaceMark 336
- MKPlacemark 333
- MKReverseGeocoder 332–333
- MKReverseGeocoderDelegate 333
- Mobile Orchard 372
- Mobile Safari 6
 - as top mobile browser in U.S. 10
 - chrome 6
 - optimizations for iPhone and iPad 6
- mobile web standards 8
- mobileOK 8
- modal view controller 136–138
- modal view, definition 136
- modalViewController 74
- mouse vs. finger 11
- movement
 - accelerometer and 190–197
 - casual, force of 195
 - checking for 194
 - data, vs. gravity data 194
 - filtering out 193
 - forceful, force of 195
 - slightly forceful, force of 195
 - through 3-D space, measuring 191
 - very subtle 196
- MP3, support for 5
- MPEG-4, support for 5
- MPMediaItem 227
- MPMediaItem.valueForProperty: 227
- MPMediaItemCollection 227–228
- MPMediaItemPropertyAlbumTitle 227
- MPMediaItemPropertyArtist 227
- MPMediaItemPropertyArtwork 227
- MPMediaItemPropertyMediaType 227
- MPMediaItemPropertyPlaybackDuration 227
- MPMediaPickerController 225, 228
- MPMediaPickerControllerDelegate 225, 230
- MPMediaAny 226
- MPMediaAnyAudio 226
- MPMediaAnyAudioBook 226
- MPMediaAnyMusic 226
- MPMediaAnyPodcast 226
- MPMoviePlayerController 241
- MPMusicPlayerController 230
 - control methods 228
 - initializing 227
 - specifying items to play 228
- multimedia frameworks, and iPhone SDK 4.0 365
- multipleTouchEnabled 98
 - UIView property 97

- multitasking 363–364
- multitouch
 - events, reporting 98
 - introduction 5, 11
- music, supported formats 5
- mutator method, adding at runtime 24
- mutator, declaring 23
- MVC 116
 - and event management 89
 - and view controllers 74
 - components 74
 - managing touch events 93
 - using in a real app 96

N

- navigating, using tables 125
- navigation bar
 - adding buttons to 123
 - hiding 126
- navigation controller 119, 124–126
 - activating 125
 - adding a title 122
 - adding actions 123–124
 - adding links 122–123
 - anatomy of 119–120
 - creating 120–121
 - difference from tab bar 120
 - finding reference to 125
 - minimal configuration 119
 - navigating backward 126
 - navigating forward 125
 - navigation other than forward and backward 126
- navigation menu
 - app delegate, creating 168–170
 - building from database 163–170
 - database class, creating 163–165
 - database view controller, creating 166–168
 - designing 161
 - menu class, creating 165–166
- navigation paradigm, changing 126
- Navigation-Based Application 50–51
 - template 120
- Navigation-Based template 78
- navigationController 74
- navigationItem 124
- navigators and databases 126
- nested message 42
- network packets, when to send 313
- networking
 - low-level 272–273
 - send and receive methods 309
 - with Game Kit 295
- nextResponder 98
 - sending touches to view controller 94
 - UIResponder method 97
- nib document window 54, 93
- nib file 38
 - vs. .xib file 54
- nil, action target as 101
- no wrong way to hold the device 4, 11, 135
- nonatomic 41
- notification 34
 - about orientation change 190
 - introduction 109
 - local 364
 - programming steps 109
 - through NotificationCenter 109
- NS classes 28
- NSArray 28, 369
 - creating table content 80
 - list of view controllers 115
- NSASCIIStringEncoding 302
- NSAutoreleasePool 32, 39, 369
- NSBundle 147, 369
- NSCharacterSet 369
- NSCountedSet 369
- NSData 154, 369
 - converting to NSString 303
- NSDictionary 28, 369
 - creating table content 80
 - working with form data 290
- NSDocumentDirectory 153
- NSError 369
- NSFileHandler 369
- NSFileManager 154, 369
- NSHandle 154
- NSIndexPath 82, 369
- NSKeyedArchiver 301
- NSLibraryDirectory 153
- NSLog 369
 - reporting runtime variables 279
- NSMutableArray 369
 - creating table content 80
- NSMutableCharacterSet 369
- NSMutableData 369
- NSMutableDictionary 369
 - working with form data 290
- NSMutableSet 369
- NSMutableString 369
- NSMutableURLRequest 272, 275, 289–290, 369
- NSNotification 110
- NotificationCenter 33–34, 109–110, 370
- NSNotificationQueue 110
- NSNumber 28, 370
- NSObject 28, 30, 71, 370
 - alloc method 30
 - creating subclass of 45

NSSearchPathForDirectoriesInDomains 153
 NSSet
 as argument to UIResponder method 91
 breaking apart 95
 compacting touches into 91
 NSString 21, 28, 155, 370
 and cell label 82
 componentsSeparatedByString: 279
 dataUsingEncoding: 302
 dictionary of, turning into NSData 290
 loading a web view 276
 NSURL 49, 272, 370
 creating 274
 fileURLWithPath: 274
 loading a web view 276
 URLWithString: 274
 URLWithString:relativeToURL: 274
 NSURLConnection 272, 276, 289
 NSURLRequest 49, 135, 272, 275–276, 370
 NSUserDefaults 146
 NSValue 370
 NSXMLParser 280, 370
 delegate methods 281
 delegate, acting as 281–282
 example, RSS reader 282–287
 initWithContentsOfURL: 281
 initWithData: 281
 parse method 281
 parser:didEndElement:namespaceURI:
 qualifiedName: 282
 parser:didStartElement:namespaceURI:
 qualifiedName:attributes: 282
 parser:foundCharacters: 282
 parser:parseErrorOccurred: 282
 parserDidEndDocument: 282
 setDelegate: 281
 starting 281
 numberOfChannels 236
 numberOfLoops 236
 numberOfSections 83
 numberOfSectionsInTableView 82

O

object
 accessing from Xcode 61–64
 accessing properties and methods via
 IBOutlet 56
 aligning to other objects 59
 alloc and init 30
 animating, with Core Animation 267
 attributes of, changing 58
 autorelease 32
 autosizing 59
 connecting to IBOutlet 62–63
 creating 30–31
 creating as subview 73
 creating as subview of tab bar controller 113
 creating in Interface Builder 57–58
 creation, abstracting 72
 custom, converting to NSData 301
 external, creating 65
 factory methods 31
 IBOutlet and IBActions of 59
 initializing 66
 instantiating from a class 22
 manipulating graphically 58
 registering to receive notice 109
 relative to parent 59
 releasing 32
 size and position of, modifying 59
 starting point, modifying 59
 top-level, definition 54
 usage count 32
 with arguments 31
 objectForKey 146, 151
 Objective-C 17–25
 @ directives 18, 20
 @dynamic 24
 @end 20
 @implementation 21
 @interface 20
 @property 22
 and objects 17
 bracketed messaging style 19
 categories 18
 introduction 24
 class objects 19
 classes 18, 20–22
 compiler directives 24
 dot syntax 23
 instance objects 19
 instance variable 22
 messages 18–20
 mixing in C++ code 17
 overview 17–18
 properties 18, 22–24
 protocols 18, 24
 syntax elements 18
 syntax, quick reference 25
 vs. C 27
 Open Feint 365
 OpenAL 234
 OpenGL 269–270
 EAGL 270
 standard template 270
 OpenGL ES Application 50–51
 openssl 325
 or 213
 Organizer 52

orientation
 and accelerometer 189–190
 change, notification 189–190
 of a view, checking 76
 precise, determining 192–193
 property 189
 UIDevice 189
 orientation awareness 10

P

package 147
 packet ID 309
 packet, network 309
 page control 140
 parentViewController 74
 parse method 281
 parser:didEndElement:namespaceURI:qualified-
 Name: 282
 parser:didStartElement:namespaceURI:qualified-
 Name:attributes: 282
 parser:foundCharacters: 282
 parser:parseErrorOccurred: 282
 parserDidEndDocument 282
 password, saved on device 5
 path
 clipping. *See* clipping path
 drawing, in Quartz 248–251
 finishing 249
 functions to define and draw 248
 in Quartz 244
 reusable, creating 249–251
 unconnected objects on 248
 pause 233
 pause method, for MPMusicPlayerController 229
 payload 318
 payment, queueing 352
 paymentWithProductIdentifier 352
 peer
 adding to global peers array 300
 determining which is client and which is
 server 308
 looking for 298
 sending and receiving data between 301–303
 states 300
 peer picker
 delegate 298
 displaying 296–303
 finding peers 296–303
 type of peers being searched for 298
 Peer Picker view 296
 peerPickerController:didConnectPeer:toSession:
 298
 peerPickerController:didSelectConnectionType:
 298

peerPickerController:sessionForConnectionType:
 298
 peerPickerControllerDidCancel 298
 peer-to-peer location detection 9
 peoplePickerNavigationController:should-
 ContinueAfterSelectingPerson: 176–177
 peoplePickerNavigationControllerDidCancel 177
 persistentStoreCoordinator 183
 phase 90
 property 95
 photo
 accessing 215–217
 album, saving to 217
 drawing on, in Quartz, program example 262
 view 264–266
 view controller 262–264
 taking 216
See also image
 picker view 140
 picture. *See* image
 pinch 12
 placemark data, outputting 333
 play method, for MPMusicPlayerController 229
 playbackState 228
 playing property 236
 plist editor 148
 plist file, creating 150
 plus 14
 Plus gaming network 365
 podcast 225
 popover view controller 136–138
 popToRootViewControllerAnimated 126
 popToViewController:animated: 126
 popViewControllerAnimated 126
 POST 289–291
 power consciousness 10
 preference
 of built-in iPhone/iPad programs 142
 page 142–145
See also user preference
 preferences page 141
 PreferenceSpecifiers 148–149
 prepare 165
 prepareToPlay 236
 prepareToRecord 233
 presentModalViewController:animated: 137, 176
 previousLocationInView 90
 principalClassName 40
 privacy restrictions, in SDK 15
 product
 adding for in-app purchasing 344–347
 Apple approval 347
 consumable 344
 data, loading in UITableView 349
 displaying 350

- product (*continued*)
 - ID 345
 - introduction 342
 - non-consumable 344
 - retrieving from Apple 349
 - subscription 344
 - types 344
 - production certificate, configuring 320
 - program distribution, via App Store 375
 - project.app 38
 - projectAppDelegate 40
 - project_Prefix.pch 38
 - property 22–24
 - accessors 23
 - complexities 24
 - declaration can include attributes 24
 - in Objective-C 18
 - instance variable, declaring as 22
 - purpose 22
 - setting 22
 - synthesizing 41
 - protocol
 - in Objective-C 18
 - introduction 24, 34
 - provideContent 355
 - provisioning profile 319
 - creating 373–375
 - debug 321
 - setting up 321
 - proxy
 - creating in Interface Builder 65
 - in Interface Builder 54
 - PSChildPaneSpecifier 149–150
 - PSGroupSpecifier 149
 - PSMultiValueSpecifier 149
 - PSSliderSpecifier 149
 - PSTextFieldSpecifier 149
 - PSTitleValueSpecifier 149
 - PSToggleSwitchSpecifier 149
 - purchase, potential states 353
 - push notification 316–318
 - alert 319
 - application certificate 319–321
 - audio files 323–324
 - badge number 319
 - resetting 323
 - cycle 318
 - data descriptions 319
 - device token 322
 - example provider in PHP 324–327
 - failed notification 319
 - handling 321–323
 - multiple simultaneous 319
 - overview 318–319
 - payload 318
 - preparing an application 319–324
 - registering for 322
 - responding to registration 322
 - sound 319
 - push notification provider 318, 324–327
 - PHP code 326–327
 - SSL certificate, creating 324
- ## Q
-
- Quartz 244
 - advanced drawing 257–262
 - affine transformation 254–255
 - bitmap, drawing to 247
 - Cocoa Touch, and 244
 - color space 252
 - color, setting 252
 - context 244–247
 - coordinate system 245
 - Core Foundation, and 244
 - gradients, drawing 257–259
 - graphical state, setting 251–257
 - images, drawing 259–260
 - integration with Core Animation 266
 - layers 244
 - paths 244
 - drawing 248–251
 - finishing 249
 - reusable 249–251
 - program example 262–266
 - view 264–266
 - view controller 262–264
 - rectangle, drawing 251
 - state 244
 - text, drawing 260–261
 - transformation 253–255
 - UIView, drawing to 246–247
 - words, drawing 260–261
 - Quartz 2D, UIImage 211
 - Quartz Core framework 268
 - QuartzCore/QuartzCore.h 268
 - querying property of MKReverseGeocoder 333
- ## R
-
- readsDataToEndOfFile 154
 - receive method 309
 - receiveData 299, 310
 - record 233
 - recordForDuration 233
 - rectangle
 - defining 43
 - drawing 251
 - refreshQuote 64

- region
 - creating 331
 - using to navigate a map 330
- region property, of MKMapView 331
- regionThatFits 331
- registerForRemoteNotificationTypes 322
- release message 32
- reload 277
- repeatMode 228
- requestWithURL 275
- requestWithURL:cachePolicy:timeoutInterval: 275
- resetGPS 206
- resetPage 103
- resetStandardUserDefaults 146
- resignFirstResponder 89, 98, 106
- resizing automatically 75
- Resource-iPad folder 377
- resourcePath 153
- responder
 - first 88
 - and keyboards 89
 - methods 94
- responder chain 33, 88–89
 - changing normal order of 98
 - controlling with UIResponder methods 97
 - interruption by delegation 88
 - starting at different point 98
 - subverting 89
 - vs. view hierarchy 94
- Responder, methods 91
- restoreTransaction 348
- retain 41
- retain message 32
- returnKeyType 105
- reverse geocoder 333
- reverse geocoding 332–334
- reverseGeocoder:didFailWithError: 333
- reverseGeocoder:didFindPlacemark: 333
- rightBarButtonItem 123
- rightCalloutAccessoryView 337
- Root.plist, editing 148
- RootViewController 120, 127
- RootViewController.h 131
- RootViewController.m 122, 127, 132
- RootViewController.xib 120
- rotation, responding to 135
- RS Wallpaper 343
- RSS 292
 - feed, creating RSS table from 285–287
 - reader, building 282–287
 - table, creating from RSS feed 285–287
- rssViewController 285

S

- Safari, Mobile. *See* Mobile Safari
- Safe from the Losing Fight 372
- sandbox testing environment 343–347
- scalesPageToFit 277
- screen
 - obtaining size of 379
 - real estate, iPhone vs. iPad 3
- scrollbars, lack of 11
- scrollEnabled 332
- SDK
 - anatomy of 15, 17
 - API documentation 14
 - application restrictions 15
 - can't create plug-ins 15
 - can't download non-SDK code 15
 - development tools replace existing Apple tools 15
 - events, abstracting 89
 - grid starting point 43
 - installing 14–15
 - introduction 14
 - limited to Apple APIs 15
 - preparing to use 14–17
 - privacy restrictions 15
 - resources 372
 - restrictions 14
- search bar 140, 173
- searchBarSearchButtonClicked 106, 173
- secondController.tabBarItem.badgeValue 117
- segmented control 140
- SEL 24
- select list 145
- selectContact 175
- selector 24
- self keyword 20
- send method 309
- sendAction:to:forEvent: 101
- sendAction:to:fromSender:forEvent: 101
- sendActionsForControlEvents 101
- sendNetworkPacket 309
- sendProviderDeviceToken 322
- session
 - displayName 301
 - in Game Kit 296, 299
- session:connectionWithPeerFailed:withError: 300
- session:didFailWithError: 300
- session:didReceiveConnectionRequestFromPeer: 300
- session:peer:didChangeState 300
- session:peer:didChangeState: 300
- setAffineTransform 268
- setCenterCoordinate:animated: 331

- setConnectionTypesMask 297
- setDelegate 281
- setObjectForKey 146, 151
- setQueueWithItemCollection 228
- setRegion:animated: 331
- Settings, page, tools, creating 148
- settings, using to save user preferences 147–151
- setVariable 22
- shake 197
- sharedApplication 40, 98
- shouldAutorotateToInterfaceOrientation 75, 135, 381
- shuffleMode 228
- Simulate Interface 56
- Simulator
 - and Core Location 199
 - debugging 279
 - no iPod application 229
 - no support for altitude 204
- SKDatabase 163
- skipToBeginning 229
- skipToNextItem 229
- skipToPreviousItem 229
- SKMenu 163
- SKPayment 352
- SKPaymentQueue 348, 352
- SKPaymentTransaction 352
- SKPaymentTransactionObserver 348
- SKPaymentTransactionStateFailed 353
- SKPaymentTransactionStatePurchased 353
- SKPaymentTransactionStateRestored 353
- SKProduct 350
- SKProductRequestDelegate 348
- SKProductsRequest 349
- slider 140
- Smalltalk, and Objective-C 17
- smarterphone 2
- smartphone, web standards for 8
- SOAP 292
- social web 272
 - accessing 291–294
 - protocols 291–292
 - TouchJSON example 292–294
- Software Development Kit. *See* SDK
- sound 236–237
- source availability, checking 216
- source file 20
- split view controller 129–136
 - adjusting for vertical and landscape modes 135–136
 - creating 129–130
 - declaring data array 131–132
 - in Mail app 129
 - using 134–135
- Split View-Based Application template 129
- SplitViewController 129
- SQLite 372
 - accessing 162
 - API commands 162
 - database 160–163
 - documentation 160
 - framework, adding 162
 - include file 162
 - limitations 160
 - using 160–170
- SQLite3 API 165
- sqlite3_close 163
- sqlite3_column_int 163
- sqlite3_column_string 163
- sqlite3_exec 163
- sqlite3_finalize 163
- sqlite3_get_table 163
- sqlite3_open 162
- sqlite3_prepare 162
- sqlite3_step 162
- SSL certificate 320
 - creating 324
 - using to connect to APNS 319
- stack
 - building set of states in 257
 - maintaining graphical state in 251
- Stack Overflow 371
- stack, in graphical context 245
- standardUserDefaults 146
- start force 195
- start method, of MKReverseGeocoder 333
- startAnimating 212
- startUpdatingHeading 200
- startUpdatingLocation 200
- state
 - graphical. *See* graphical state
 - in Quartz 244
 - set of, building in stack 257
- stop 233
- stop force 195
- stop method, for MPMusicPlayerController 229
- stopAnimating 212
- stopUpdatingHeading 200
- stopUpdatingLocation 200
- store interface, creating. *See* WPStore
- Store Kit
 - framework 347
 - payment, processing 352
 - response methods 353
- streaming bit rate 5
- stringByAppendingPathComponent 153
- stringForKey 151
- stringWithContentsOfFile:encoding:error 155
- struct, sending over network 301
- subclassing vs. using categories 25

- subvert 89
- subview
 - creating 48
 - deepest, returning 98
- super keyword 20
- superclass lookup 52
- superview 33
 - in responder chain 88
- switch 140
- synthesizing a property 41

T

- tab bar
 - buttons 116–117
 - connection with tab bar controller 112
 - controller 112
 - defining as IBOutlet 114
 - delegate 112
 - viewController property 115
 - created automatically 112
 - customizing 118
 - delegate 112
 - difference from navigation controller 120
 - initWithTabBarSystemItem:tag: method 118
 - interface 113
 - building 114–118
 - item 112
 - badgeValue property 117
 - linking to view controller 112
 - tabBarController:didEndCustomizingView-
Controllers:changed: 119
 - tabBarController:didSelectViewController: 119
 - tabs, adding 115
 - view controller 112–119
 - anatomy 112
 - creating 113–114
 - creating objects as subviews 113
 - views, connecting 115–116
 - vs. toolbar 114
- Tab Bar Application 50–51, 114
- tab bar controller 118–119
- tabBarController 74
- tabBarController:didEndCustomizingView-
Controllers:changed: 119
- tabBarController:didSelectViewController: 119
- tabBarItem 74, 117
- table
 - cells
 - accessories 82
 - building 81–82
 - label properties 82
 - selecting 85
 - content, creating 80–81

- interface, building 80–84
- memory management 81
- sections 82
 - adding 83–84
 - headers and footers 83
- table view
 - and hierarchical navigation 120
 - in split view controller 130
- table view controller 78–85
 - anatomy 78
 - creating 78–80
 - selection 85
 - subclasses 80
 - table interface, building 80–84
 - using 85
 - view, linking to window 79
- tableView 168
- UITableView, delegate methods 132–133
- tableView:cellForRowAtIndexPath: 80, 82
- tableView:didSelectRowAtIndexPath: 85, 125
- tableView:numberOfRows: 83
- tableView:numberOfRowsInSection: 82
- tableView:titleForHeaderInSection: 84
- TalkBack 238
 - IBActions 238
 - initializing 239–240
 - interface 239
 - playback 240
 - recording 240
- tap 12
 - counting 96
 - double 12
- tapCount 90, 96
- TCP/IP, and reliable transmission 302
- tempImageView 217, 221
- template 37
 - Navigation-Based Application 50
 - OpenGL ES Application 50
 - Tab Bar Application 50
 - Utility Application 50
 - View-Based Application 50
 - Window-Based Application 50
- text
 - displaying using SDK 104
 - drawing, in Quartz 260–261
- text field 140–141
- text object, as first responder 89
- TextField/Slider mashup 106–108
- TextFieldDelegate 157
- textField.font 82
- textField.lineBreakMode 82
- textField.selectedTextColor 82
- textField.text 82
- textField.textAlignment 82
- textField.textColor 82

textLable 82
 textViewDidEndEditing 106
 thumbnail, web view example 278–280
 Tier 1 345
 timer 307
 timestamp 90–91, 207
 timestamp property 201
 title

- adding to navigation controller 122
- on tab bar item 116
 - accessing in Xcode 116

 title property 118
 T-Mobile, iPhone data-transfer rates 10
 tmp directory 151
 toggleView method 127
 toll-free bridging 27
 toolbar 141
 touch

- accessing via UIResponder 91
- and events 89–91
- as fundamental unit of user input 88
- as part of a gesture 90
- compacting into NSSet 91
- coordinates of 96
- event, interpreting 264
- events 93
- example 91–97
- location, capturing 314
- methods and properties 90
- phase 95
- preparing view for 93–94
- responding to 88
- sending to view controller with
 - nextResponder 94

 touchesBegan 314
 touchesBegan:withEvent: 91, 94
 touchesCancelled:withEvent: 91
 touchesEnded:withEvent: 91
 touchesForView 91
 touchesForWindow 91
 touchesMoved 307–308, 314
 touchesMoved:withEvent: 91
 TouchJSON 292–294

- installing 293

 touchscreen 5, 11
 TouchXML 292
 ToxicSOAP 292
 transaction 353–354

- history 349

 transformation

- affine, in Quartz 254–255
- CTM 253
- in Quartz 253–255
- matrix, reusable 254
- reasons to use 253
- reusable 254

transmission 302
 transparency 214
 true heading 207
 trueHeading 207–208
 type preference, describing 149

U

UDID 307
 UDP, and unreliable transmission 302
 UI classes 28
 UI elements, main classes of 55
 UIAcceleration 191

- and gravity 191
- parsing 191–192

 UIAccelerometer 190–191
 UIAccelerometerDelegate 191
 UIActionSheet 367
 UIActivityIndicatorView 367
 UIAlertView 367
 UIApplication 40, 367

- and unhandled events 89
- beginIgnoringInteractionEvents 97
- endIgnoringInteractionEvents 97
- event regulation 98
- isIgnoringInteractionEvents 97
- sendAction:to:fromSender:forEvent: 101
- sharedApplication 40

 UIApplicationDelegate 35

- protocol 40–41

 UIApplicationMain 39
 UIBarButtonItem 124

- and UINavigationController 119
- modifying look 126

 UIButton 99, 140, 367
 UIColor 42, 44, 367

- and cell label 82

 UIControl 99–102, 367

- accepting user input 140
- event-handling infrastructure 99
- events 100
- properties 99
- specifying which method should run after an
 - event 101

 UIControlEventAllEditingEvents 101
 UIControlEventAllEvents 101
 UIControlEventAllTouchEvent 101
 UIControlEventEditingChanged 101
 UIControlEventEditingDidBegin 100
 UIControlEventEditingDidEnd 101, 105
 UIControlEventEditingDidEndOnExit 101
 UIControlEventTouchCancel 100
 UIControlEventTouchDown 100
 UIControlEventTouchDownRepeat 100
 UIControlEventTouchDragEnter 100

- UIControlEventTouchDragExit 100
- UIControlEventTouchDragInside 100
- UIControlEventTouchDragOutside 100
- UIControlEventTouchUpInside 100
- UIControlEventTouchUpOutside 100
- UIControlEventValueChanged 100, 106
- UIControls 29
- UIDatePicker 140, 367
- UIDevice 189, 367
 - orientation values 76
- UIDeviceOrientation 189
- UIDeviceOrientationDidChangeNotification 190
- UIDeviceOrientationFaceDown 189
- UIDeviceOrientationFaceUp 189
- UIDeviceOrientationLandscapeLeft 189
- UIDeviceOrientationLandscapeRight 189
- UIDeviceOrientationPortrait 189
- UIDeviceOrientationPortraitUpsideDown 189
- UIDeviceOrientationUnknown 189
- UIEvent 89, 367
 - allTouches 91
 - as argument to UIResponder method 91
 - getting list of related touches 90
 - interrelation with UITouch 90
 - reference 90–91
 - timestamp 91
 - touchesForView: 91
 - touchesForWindow: 91
- UIFont 368
 - and cell label 82
- UIGraphicsBeginImageContext 245–246
- UIGraphicsEndImageContext 245–246
- UIGraphicsGetCurrentContext 246
 - in Quartz 245
- UIGraphicsGetImageFromCurrentImageContext 246
- UIImage 368
 - and table cells 82
 - Core Graphics and 213
 - factory methods 211
 - instance methods 213
 - loading 211
 - modifying 259
 - reading file contents 154
 - size restriction 211
- UIImagePickerController 215, 368
 - loading 215
 - presentation on iPhone vs. iPad 378
 - sources 216
- UIImagePickerControllerMediaURL 242
- UIImagePickerControllerSourceTypeCamera 216, 241
- UIImagePickerControllerSourceTypePhotoLibrary 216
- UIImagePickerControllerSourceTypeSavedPhotosAlbum 216
- UIImageView 368
 - drawing 212–213
- UIImageWriteToSavedPhotosAlbum 217, 355
- UIInterfaceOrientationLandscapeLeft 76
- UIInterfaceOrientationLandscapeRight 76
- UIInterfaceOrientationPortrait 76
- UIInterfaceOrientationPortraitUpsideDown 76
- UIKit 27, 49, 217
 - framework 39
 - framework classes 367–369
 - image, modifying in 213
 - initialization methods with arguments 31
- UILabel 44, 104, 368
 - not user editable 105
- UILineBreakMode, and cell label 82
- UINavigationController 70, 119
- UINavigationController 69, 119, 368
 - link to UINavigationController 119
- UINavigationController 119
 - adding buttons 123
 - view controller, navigationItem 124
- UIPageControl 99, 140, 368
- UIPickerView 140, 368
- UIPopoverController 378
- UIProgressView 368
- UIRemoteNotificationTypeAlert 322
- UIRemoteNotificationTypeBadge 322
- UIResponder 33, 88, 368
 - event regulation 97
 - methods 91
 - nextResponder 97
 - touchesBegan:withEvent: 91
 - touchesCancelled:withEvent: 91
 - touchesEnded:withEvent: 91
 - touchesMoved:withEvent: 91
- UIReturnKeyDone 105
- UIScreen 368
- UIScrollView 29
- UIScrollView 368
- UISearchBar 104, 140, 173, 368
 - not a child of UIControl 99
 - using 105
- UISegmentedControl 99, 140, 368
- UISlider 99, 104, 140, 368
 - allowing value selection with 106
- UISupportedInterfaceOrientations 377
- UISwitch 99, 140, 368
- UITabBar 69
 - vs. UIToolBar 114
- UITabBarController 69, 112, 368
- UITabBarControllerDelegate protocol 112, 118
- UITabBarDelegate protocol 112
- UITabBarSystemItem 118

- UITabBarItemSearch 118
- UITableView 69, 78
 - didSelectRowAtIndexPath method 350
 - loading with product data 349
- UITableViewCell 78, 80
 - creation, built in 82
- UITableViewCellAccessoryCheckmark 83
- UITableViewCellAccessoryDetailDisclosureButton 83
- UITableViewCellAccessoryDisclosureIndicator 83, 122
- UITableViewCellAccessoryNone 83
- UITableViewController 69, 78, 120, 368
 - RootViewController 120
- UITableViewDataSource 78, 80
 - table section headers and footers 83
- UITableViewDelegate 78, 132
 - tableView:didSelectRowAtIndexPath: 85
- UITableViewGrouped 142, 145
- UITextAlignment, and cell label 82
- UITextField 99, 104–106, 140, 368
 - as first responder 89
 - custom, extending 360–361
 - extending 358–360
 - inputAccessoryView, accessing 358
 - inputView 362
 - prime control for entering text 104
 - using for display 92
- UITextFieldDelegate 105
- UITextInputTraits 105
- UITextView 104, 141, 173, 368
 - as first responder 89
 - dismissing keyboard 157
 - example 155–157
 - using 106
- UIToolBar 114, 141
- UITouch 89–90, 368
- UITouchPhaseBegan 90, 94, 96
- UITouchPhaseCancelled 90
- UITouchPhaseEnded 96
- UITouchPhaseMoved 90
- UITouchPhaseStationary 90
- UIView 29, 69, 72, 368
 - animating 267
 - bounds property 43
 - CAEAGL layer 270
 - CALayer 214
 - capturing touch events 93
 - center property 43
 - creating subclass of 45
 - drawing to 246–247
 - event regulation 98
 - exclusiveTouch 97
 - frame property 43
 - hitTest:withEvent: 97
 - initWithFrame 43
 - labeledwebview 46
 - multipleTouchEnabled 97
 - properties 59
 - properties that affect resizing 75
- UIViewController 69, 351, 368
 - and flipside controller 127
 - and UINavigationController 119
 - descendent of NSObject 71
 - dismissModalViewControllerAnimated:
 - method 137
 - lifecycle events 77
 - presentModalViewControllerAnimated:
 - method 137
 - properties 75
- UIWebView 272, 276–280, 369
 - adding DetailView to 134
 - detectsPhoneNumbers 277
 - error codes 279
 - goBack 277
 - goForward 277
 - loadHTMLString:baseURL: 277
 - loading, methods 276–277
 - loadRequest: 277
 - methods 277
 - reload 277
 - reloading 135
 - scalesPageToFit 277
- UIWebViewDelegate, methods 278
- UIWebViewDelegate, protocol 49
- UIWindow 44, 88, 369
- updatedTransactions 352
- updateLocationFor:toLocation: 204
- URL
 - and NSURL 274
 - working with 274–276
- URLWithString 274
- URLWithString:relativeToURL: 274
- user experience, enhancements in iPhone OS 4.0 364
- user input 11, 140–141
- user interaction, in a game 314–315
- user preference 141
 - creating 142–147
 - creating settings 149–150
 - default value of nil 151
 - dictionary of values 149
 - editing settings 148–149
 - maintaining 141–151
 - saving 145–147
 - settings 150–151
 - using system settings 147–151
- UTF8String 165
- Utility Application 50–51
- Utility Application template 127
 - flipside controller 142

V

-
- ValueChanged event 100
 - valueforHTTPHeaderField 275
 - variable controls 52
 - variable method 22
 - vertical mode, adjusting interface for 135–136
 - vibration 237
 - video
 - editing on the fly 241
 - playback 240–242
 - recording 240–242
 - showing camera 241
 - video camera 9, 240
 - view 90
 - adding to window 44
 - controlling rotation of 73
 - delegation by 88
 - for cells 82
 - handling lifecycle events of 73
 - in responder chain 88
 - introduction 28
 - lifecycle events 77
 - location 43
 - multiple-orientation support 381–382
 - objects, as subviews of view controller 72
 - orientation, checking 76
 - preparing for touches 93–94
 - resizing 75–76
 - rotating 75
 - size, making relative to device size 379
 - subviews 71
 - updating during conversion from iPhone to iPad 379–381
 - view controller 29, 70–77
 - .xib file 92
 - .xib files 67, 73
 - accessing related objects 74
 - adding to window 44
 - advanced 29, 71
 - anatomy 70
 - as MVC controller 74
 - bare 71
 - basic 29
 - connecting views to 115
 - controlling views and subviews 73
 - creating 71
 - customizing tab bar items 118
 - database 168
 - family 69–70
 - in Address Book 175
 - interface, building 72–73
 - interfaceOrientation 76
 - lifecycle events 73
 - managing 77
 - linking to tab bar item 112
 - loading .xib file through 66
 - MainWindow.xib 73
 - multipage 70
 - MVC management 115
 - navigationController property 125
 - people picker 175–177
 - properties 74
 - proxy 93
 - rotating 75
 - rotation, controlling 77
 - setting up with Interface Builder 73
 - setting up with Xcode 72
 - single-page 70
 - standard 73
 - subviews 72
 - table view controller. *See* table view controller
 - title property 116
 - using 73–77
 - viewexViewController.xib 73
 - view hierarchy 29
 - vs. responder chain 94
 - view property 74
 - View-Based Application 50–51, 92
 - template as default 71
 - viewControllers 115
 - viewDidLoad 72, 77, 81, 103, 115, 142, 220, 348
 - viewexViewController.xib 73
 - viewForAnnotation 335–336, 340
 - viewWillAppear 77
 - viewWillDisappear 77
 - volume 228
 - AVAudioPlayer 236

W

-
- W3C Mobile Web Initiative, mobileOK 8
 - W3C XML 372
 - WAP. *See* Wireless Application Protocol
 - WAV, support for 5
 - web
 - POSTing to 289–291
 - protocols 291–292
 - social. *See* social web
 - web resources 371
 - web standards, for smartphones 8
 - web view 278–280
 - as example of client-server integration 64
 - calling up 276–277
 - delegate 278
 - defining 62
 - potential connections 62
 - subviews 48
 - viewing in Interface Builder 63
 - Web View object 57

Webimage App Delegate 54
 webView:didFailLoadWithError: 278–279
 webView.shouldStartLoadWithRequest:
 navigationType: 278
 webViewDidFinishLoad 278, 280
 webViewDidStartLoad 278
 willRotateToInterfaceOrientation:duration: 77
 window 90
 adding view or view controller to 44
 as a property 41
 introduction 28
 key 44
 and event response 88
 visible 44
 Window-Based Application 50–51
 template 114
 Windows Mobile chat client 317
 Wireless Application Protocol 8
 Wireless Markup Language 8
 wireless network connectivity 5–6
 WML. *See* Wireless Markup Language
 word, drawing, in Quartz 260–261
 WPStore
 creating 347–355
 delivering content 354
 displaying products 350
 handling errors 354
 header file 347
 initialization 348
 preparing for purchase 352
 processing a transaction 352
 recording a transaction 354
 requesting product information 349
 selecting a product 350
 Store Kit framework, adding 347
 transaction history 349
 writeToFile:atomically: 154
 writeToFile:atomically:encoding:error 155

X

x, y, z properties 191
 Xcdatamodel 181

Xcode
 adding frameworks 49
 alternate templates 50
 and IBOutlet / IBAction 56
 automatic migration of build target 376
 compiling in 38
 configuring, to convert iPhone app to
 iPad 376–377
 creating a new class 45–49
 debugging 279
 delegate class file name 40
 editing window 51
 environment 37–38
 introduction 4, 15, 36–38
 main project window 37
 Organizer 52
 project, file types 38
 resizing views 75
 setting up a view controller 72
 templates 54
 tricks 51
 using to access SDK documentation 14

XHTML 280

XML

Core Location example 287–289
 element 282
 error 282
 example, RSS reader 282–287
 parsing 280–289
 reporting end of 282
 reporting unrecoverable error 282
 reading from files 281
 text file, reading 283

Y

YouTube interface 7

Z

zoomEnabled 332